

March 28, 2025

Ms. Jasmin Jefferies
Remedial Project Manager
Superfund Remedial and Technical Services Branch
U.S. Environmental Protection Agency, Region 4
Atlanta Federal Center
61 Forsyth Street
Atlanta, Georgia 30303-8960

**Subject: 2024 Annual Report
OU-1 and OU-2 Agrico Site
Pensacola, Florida
EPA ID: FLD 98022 1857**

Dear Ms. Jefferies:

AECOM, on behalf of Phillips 66, successor to ConocoPhillips, and Williams Companies, Inc. representing Agrico Chemical Company, is submitting this 2024 Annual Report for the Agrico site in Pensacola, Florida. This report presents the results of monitoring, including the 5-year groundwater monitoring, and maintenance activities conducted during 2024 for the site.

A hard copy of the report will be sent directly to the site document repository, the West Florida Regional Library, Genealogy Branch in Pensacola.

AECOM will be uploading the electronic data for 2024 to the EPA DART system as per the guidance memorandum from EPA Region 4's Superfund Division Director, requiring that environmental sampling data be submitted to EPA in a Region 4 electronic format.

Should you have any questions or require additional information regarding this report, please contact me at (850) 637-5018. You may also contact Mr. Chris McGowan (Phillips 66) at (337) 491-5292 or Mr. Lee Andrews (Agrico Chemical Company Representative) at (918) 573-6912 with any questions you have about the project or site.



Amy R. Mixon, P.E.
Project Manager

FINAL

2024 ANNUAL REPORT

AGRICO SITE PENSACOLA, FLORIDA OPERABLE UNITS ONE (OU-1) AND TWO (OU-2)

EPA ID: FLD 980221857

Submitted to

US Environmental Protection Agency, Region 4
Atlanta, Georgia

Prepared for

Phillips 66

and

Williams, Inc.
On behalf of
Agrico Chemical Company

March 28, 2025



AECOM
1625 Summit Lake Drive
Tallahassee, Florida 32317
850-688-9941

Certification By Florida Registered Professional Engineer

In accordance with Chapter 471, Florida Statutes, the *2024 Annual Report for the Agrico Chemical Site, Operable Unit One (OU-1) and Operable Unit Two (OU-2)* located in Pensacola, Florida has been prepared by or supervised by the undersigned registered Florida Professional Engineer. AECOM Technical Services, Inc., (AECOM) has prepared this Annual Report in a manner consistent with sound engineering practices and the customary level of care and skill exercised by members of the profession currently practicing in the same locality under similar circumstances.

Information developed and presented by others was used by AECOM in good faith as representative of the site conditions. The work performed by AECOM is in conformance with the current standards of practice.

Amy R. Mixon, PE
Florida Professional Engineer
License No. 63774
Expiration Date 02/28/2027

This report has been electronically signed and sealed by Amy R. Mixon on 03/28/2025. Printed copies of this document are not considered signed and sealed.

Table of Contents

Executive Summary	ES-1
1. Section 1 Introduction	1-1
1.1 Five-Year Reviews.....	1-4
2. Section 2 Site Location and Background	2-1
2.1 Site Description.....	2-1
2.2 Site Access and Deed Restrictions.....	2-1
2.3 Document Repository	2-1
2.4 Site History	2-2
2.5 Operable Unit 1 Remedy and Operations and Maintenance.....	2-4
2.6 Operable Unit 2 Remedy	2-6
2.7 Annual O&M Tasks for Operable Units 1 and 2	2-6
2.8 Annual O&M Tasks For Development of Pollinator Habitat	2-7
2.9 Other Contamination Sources in the Vicinity of the Agrico Site	2-7
3. Section 3 Hydrogeology	3-1
3.1 Hydrogeologic Framework of the Sand-and-Gravel Aquifer	3-1
3.1.1 Surficial Zone.....	3-1
3.1.2 Low-Permeability Zone	3-1
3.1.3 Main Producing Zone	3-1
3.2 Hydraulic Head Differences and Groundwater Flow Boundaries	3-2
3.3 Rainfall Conditions	3-2
4. Section 4 Notification Tasks	4-1
5. Section 5 Sampling Results	5-1
5.1 Groundwater Sampling	5-1
5.1.1 Monitoring Well Network.....	5-1
5.1.2 Well Purging	5-1
5.1.3 Investigation Derived Waste.....	5-2
5.1.4 Water Level Measurements	5-2
5.2 Bayou Texar Sampling	5-2
5.3 Chemical Analyses.....	5-3
5.4 Sampling Results	5-3
5.5 Groundwater Field Parameters	5-4
5.5.1 Conductivity.....	5-4
5.5.2 pH.....	5-6
5.5.3 Dissolved Oxygen.....	5-10
5.5.4 Oxidation-Reduction Potential.....	5-12
5.6 Bayou Texar Sampling Results.....	5-14
5.7 QA/QC REview	5-14

Table of Contents

5.8	Groundwater Sampling Results	5-16
6.	Section 6 Conclusions/Recommendations	6-17
6.1	OU-1 Remedy	6-17
6.2	OU-2 Remedy	6-17
	6.2.2 Sampling Results – Groundwater and Surface Water.....	6-18
	6.2.3 Bayou Texar.....	6-20
6.3	Recommendations.....	6-21
7.	Section 7 References and Additional Bibliography.....	7-1

List of Tables, Figures and Appendices

Tables

Table 1	Groundwater Monitoring Well Network – Annual and Periodic Monitoring Wells
Table 2	Monitoring Well Construction Details
Table 3	Groundwater Field Parameter Results
Table 4	Groundwater Elevations
Table 5	Surface Water Field Parameter Results
Table 6	Advisory Notice Distribution List
Table 7	Irrigation Well Information
Table 8	Comparisons of COC Results at Annual Groundwater Monitoring Locations for Surficial Zone and Main Producing Zone
Table 9	Fluoride Results at Annual Surface Water Monitoring Locations

Figures

Figure 1	Site Location and Site-wide Monitoring Well Locations - OU-1 and OU-2
Figure 2	View of OU-1 (Former Facility Area) with Current Features
Figure 3	Irrigation Well Locations
Figure 4	Hydrogeologic Conceptual Model (from Agrico Site to Bayou Texar)
Figure 5	Potentiometric Surface, Surficial Zone, November 2024
Figure 6	Potentiometric Surface, Main Producing Zone, November 2024
Figure 7	Annual Rainfall and Cumulative Departure from Normal, NOAA Rainfall Station, Pensacola, Florida
Figure 8	Fluoride Concentrations (Main Producing Zone), November 2024
Figure 9	Combined Radium 226 + 228 Concentrations (Main Producing Zone), November 2024
Figure 10	Concentration Trends for Surficial Zone Annual Monitoring Wells
Figure 11	Concentration Trends for Main Producing Zone Annual Monitoring Wells

Appendices

Appendix A	Analytical Laboratory Reports
Appendix B	Groundwater Level Trends for Surficial Zone and Main Producing Zone Monitoring Wells
Appendix C	Pertinent OU-1 and OU-2 Correspondences and Documentation
Appendix D	Inspection Reports for 2024
Appendix E	Historical Field Parameter Graphs

The activities being conducted for the Agrico Site in Pensacola, Florida are under the oversight of the U.S. Environmental Protection Agency (EPA), as outlined by the Consent Decrees (1994 and 1997) and the EPA Records of Decision (RODs) (1992 and 1994). The Site has been divided into two operable units (OUs). The first operable unit (OU-1) addressed the cleanup of on-site source material. The second operable unit (OU-2) addressed groundwater under the Site and downgradient of the Site. In 1995, remedial actions began for OU-1. Impacted soils and all sludge materials were collected and treated by solidification/stabilization. Additional fluoride-impacted soils were excavated. These soils, as well as the treated soils and sludge, were stabilized by placing them into an engineered, excavated, unlined area above the water-table and covering them with a multi-layered cap designed to prevent rainfall infiltration from contacting the materials. By keeping the underlying soil dry, the soils remain stabilized. The OU-1 remedial actions were certified complete by the EPA in April 1997. With the source area controlled, the EPA addressed OU-2, the groundwater, by selecting a monitored natural attenuation (MNA) remedy. The selected remedy involves actions aimed at limiting exposure while natural attenuation processes remediate the groundwater.

After extensive sampling of many constituents during the assessment phase (1990-1993), a risk evaluation was performed. The EPA selected seven constituents of concern (COCs) for initial long-term groundwater and surface water monitoring. For OU-1, these COCs included lead, arsenic, and fluoride. These were soil COCs and since the soils were stabilized on-site, monitoring of these constituents in the groundwater provided for assessing the integrity of the OU-1 remedy over time. For OU-2, these constituents include arsenic, fluoride, combined radium 226 plus radium 228, chloride, sulfate, and nitrate plus nitrite. The groundwater performance standards established by each of the RODs for OU-1 and OU-2 are as follows:

- Total Lead 0.015 milligrams per liter (mg/L)
- Total Arsenic 0.050 mg/L
- Fluoride 4.0 mg/L
- Radium 226 +228 5.0 pico Curies per liter (pCi/L)
- Chloride 250 mg/L
- Sulfate 250 mg/L
- Nitrate + nitrite 10 mg/L (analysis of nitrite indicates results at all groundwater monitoring locations are less than detection limit and a higher performance standard is appropriate; nitrite analysis discontinued as per the EPA approval, January 22, 2007).

In January 2005, the FDEP changed their arsenic drinking water standard to 0.010 mg/L. The EPA also revised the federal drinking water standard for arsenic to 0.010 mg/L effective January 23, 2006. As a result, the performance standard for arsenic for the Site was also revised in 2005 to 0.010 mg/L to be compliant with the new state and federal standards.

Beginning in November 2005, changes were approved for the long-term monitoring network. In 2005, an upgradient groundwater monitoring well (PIP-D) was added to the network. In 2007, the OU-1 monitoring well network was merged with the OU-2 monitoring network to form the long-term site-wide network. Initially all constituents were monitored in the OU-1 wells. In 2007, nitrite was eliminated as a constituent since it was determined that the nitrogen detected was only nitrate. Also, in 2007, surficial zone monitoring wells AC-5S, AC-24S, AC-26S, NWD-2S, and

NWD-4S were changed from long-term monitoring to periodic monitoring. In 2009, periodic monitoring wells, AC-9D2, AC-24D, and AC-28D were changed to annual sampling locations. In 2010, arsenic and lead were discontinued from the list of analytes for the long-term network including monitoring wells located in OU-1. Per the EPA-approved (February 5, 2010) recommendation from the *Evaluation of Monitored Natural Attenuation in Groundwater Report* (August 19, 2009), arsenic was deleted from the list of analytes for the long-term monitoring well network except at AC-2S and AC-3S. In 2010, the surface water long-term monitoring network changes included the deletion of the upstream monitoring of Carpenter's Creek (ACSW-BL). Other changes for 2010 included three additional monitoring stations in Bayou Texar. These stations included near-bottom surface water sampling for fluoride only.

During 2019, monitoring wells AC- 14D, AC- 26S, AC- 26D, and AC- 36D were recommended for removal from the long-term monitoring well network because they had been destroyed by the City of Pensacola stormwater upgrade projects. The EPA agreed with the recommendation to remove all four wells from the monitoring well network, but the EPA stipulated that if wells upgradient of these former well locations begin to show significant groundwater COC concentration increases, replacement wells would be required. Replacement of AC- 14D, AC- 26S, AC- 26D, and AC- 36D will be considered pending future groundwater quality data and trends in surrounding monitoring wells.

For 2024, the Five-Year Review sampling program was generally implemented in accordance with the Florida Department of Environmental Protection (FDEP) Memorandum dated March 10, 2015, and approved by the EPA on May 29, 2015, that included the following:

1. At a minimum, annual groundwater monitoring will continue for the following wells: ACB-31S, AC-2S, AC-2D, AC-3D, AC-29D, AC-24D, AC-25D, AC-35D, AC-12D, and AC-13D for the existing set of parameters. Groundwater elevations shall continue to be measured in all Agrico monitoring wells prior to initiating sampling.
2. At a minimum, annual surface water monitoring should continue for the following locations: BT-02, BT-107, and BT-127 for fluoride only. A map showing the location of the surface water stations relative to the plume should be included.
3. The full plume network and surface water network should be sampled every 5 years to correspond with the Five-Year Review. The full plume network, with a few exceptions discussed in Section 5.1, was sampled in November 2024. The next comprehensive event is scheduled for November 2029.
4. Trend Plots for each constituent of concern shall continue to be updated for each sampling event for the wells sampled.
5. Other annual activities should continue as in previous years for the Agency Coordination Memorandum, the Florida Department of Transportation (FDOT) inquiry for intrusive activity, the Advisory Notice to Water Well Contractors/Irrigation System Installers/Pool Contractors, and a check of the Northwest Florida Water Management District (NFWFMD) construction permits for new wells within the Delineated Area.
6. Site and cap integrity inspections shall continue semiannually and after major storm events.

The Site is currently in the long-term Operations and Maintenance (O&M) phase, with MNA as the selected groundwater remedy.

This 2024 Annual Report presents the results of groundwater activities conducted for the annual and Five-Year Review sampling program. The 2024 O&M tasks were as follows:

- Annual groundwater sampling for the defined COCs (fluoride, radium 226, radium 228, chloride, sulfate, and nitrate) from 10 groundwater monitoring wells. Data collected during the annual sampling events are used to evaluate the effectiveness of the MNA remedy for groundwater.
- Five-year groundwater sampling for the defined COCs (fluoride, radium 226, radium 228, chloride, sulfate, and nitrate) from an additional 24 groundwater monitoring wells (two wells AC-6S and AC-6D could not be sampled).
- Annual surface water sampling in Bayou Texar from three locations for fluoride. This sampling is to assess the surface water quality for potential effects from the groundwater discharge.
- Five-year surface water sampling for the defined COC (fluoride) from an additional two surface water locations.
- Distribution of annual advisory notices to water well contractors, irrigation system installers, and pool contractors to inform these contractors of the area where groundwater impacts related to the Agrico plume are located. The annual advisory also informs them of the well construction moratorium in effect by the NFWFMD.
- Review of the NFWFMD well construction permit records to confirm that no wells have been inadvertently installed within the OU-2 moratorium area. Because of the existing well construction moratorium, the expectation is that no new wells will be permitted in this area.
- Activities related to coordination and dissemination of site information to local, regional, and state agencies.
- Site inspection reporting and site maintenance activity.

OPERABLE UNIT 1 REMEDY

The OU-1 remedy addressed the cleanup of the source on-site. The EPA approved the source remedy in the 1992 OU-1 ROD, and it included excavation, solidification, and stabilization for on-site soils and sludge. Following the ROD issuance, actions by Conoco were initiated to re-acquire ownership of the property so that the OU-1 remedy could be implemented.

In 1995, remedial construction activities began. Lead and arsenic-impacted soils and all sludge materials were collected and treated by solidification/stabilization using cement. Other fluoride-impacted soils were collected for consolidation. These consolidated soils and treated soils and sludge were installed in lifts and compacted in the excavation based on engineering designs and standards. The material was placed approximately 20 feet above the saturated groundwater level within the unsaturated, dry portion of the sediments underlying the Site. The source control was certified by the EPA to be complete in April 1997.

OPERABLE UNIT 2 REMEDY

The remedy chosen by the EPA for the impacted groundwater associated with the Agrico Site is MNA. The 2024 results indicate that the Agrico plume continues to be adequately defined. The 2024 sampling results compare favorably to past sampling results, which indicate that the source area remains controlled. The decreasing and stable trends in the surficial and main producing zones are a result of the OU-1 source control measures which have allowed natural attenuation processes to be effective downgradient. The source area remedy remains an effective measure in eliminating migration of COCs from the OU-1 area to the groundwater.

Monitored Natural Attenuation Results

An evaluation of MNA at the Site was performed by William A. Huber, Ph.D., Quantitative Decisions (Rosemont, Pennsylvania) in 2009. Dr. Huber concluded in his report that the data show that mechanisms for attenuation are in place throughout the OU-2 area. These mechanisms and the OU-1 source remedy are resulting in decreasing concentrations that are propagating downgradient toward Bayou Texar. For the plume area, the highest concentrations for each COC are declining and downgradient peaks are less than historical highs. Some limited increases are periodically observed in a few wells, but these concentrations are less than the historical highs. Huber's statistical evaluation estimated that much of the groundwater will reach the target concentrations within two to three decades (~ 2030). However, attenuation in the discharge area near Bayou Texar may take longer. The processes at the discharge boundary are more complex and do not follow the upgradient timeline. Additionally, radium declines may lag behind the other COCs and are more dependent on increases in pH as the overall chemical conditions improve upgradient. Initial fate and transport modeling performed for the Site in the early 1990s suggested targets would not be reached for at least 70 years. About 27 years (1997 - 2024) have passed since the source controls were implemented. Based on Huber's 2009 statistical evaluation, achieving the targets within the approximately 44 years remaining in the originally estimated timeframe (~ 2070) is still reasonable.

The statistical uncertainty for the Agrico data set is low. Data are consistent within each well and show relatively little random variability. This consistency indicates that allowed enough time, attenuation will eventually occur everywhere within the OU-2 area.

Groundwater Sampling Results

Groundwater results for November 2024 continue to compare favorably to past results.

Overall, concentration trends within the surficial shallow zone are decreasing, and impacts to the surficial zone are limited. This is a direct result of effective source control and local hydrogeologic conditions. During the 2024 sampling, ACB-31S, located onsite near the upgradient boundary of OU-1, had a detection of combined radium 226+228 (5.99 pCi/L) slightly above the performance standard (5.0 pCi/L).

For the deeper main producing zone, the trends in COC concentrations are stable or decreasing indicating continued plume stability.

Slight upward or downward ticks in the concentrations for the COCs are to be expected over time. It is the long-term trend for each COC that is important.

Groundwater Levels

During 2024, water levels in both the shallow and deep aquifers near the Site decreased on average approximately 1.44 feet as compared to 2023. Cumulative rainfall was higher in 2024 versus 2023 and was 64.60 inches in 2024 versus a cumulative total of 60.19 inches in 2023 (**Figure 7**).

Results of water level measurements collected in November 2024 indicate that groundwater flow remains to the northeast and east-northeast toward Bayou Texar for both the surficial zone and main producing zone. In 2024, groundwater flow patterns closely followed historical patterns.

Bayou Texar Sampling Results

The long-term surface water results indicate that groundwater from the Agrico Site is not adversely affecting Bayou Texar. Near-bottom surface water sampling in November 2024 indicated that fluoride concentrations decreased slightly from the 2023 value at one location (BT-02); however, concentrations slightly increased in the other two annual locations (BT-107 and BT-127). Fluoride concentrations in the additional five-year locations (ACSW-1 and ACSW-2) were below 1 mg/L, and all concentrations remain within historical levels and well below the applicable surface water standard (SWS) of 5.0 mg/L.

The evaluation (URS, September 4, 2009) of the primary discharge area for the Agrico plume in Bayou Texar indicates there is no significant risk to populations of demersal fish or to benthic macroinvertebrate communities that inhabit the reach due to fluoride concentrations. Furthermore, results indicate the fluoride solubility in the majority of surface sediments and in all pore waters within the primary discharge area for the Agrico plume is controlled by mineral precipitation reactions. This reaction causes dissolved fluoride concentrations to be buffered in near surface sediment pore water and in surface water in this primary discharge reach of Bayou Texar.

NFWFMD Well Construction Moratorium

For 2024, no additional irrigation wells were identified from the NFWFMD well construction permit records. The well construction moratorium initiated in February 2001 is still in effect and has no termination date. In a public meeting held on March 27, 2017, discussions with NFWFMD representatives indicated that they were not inclined to end the well construction moratorium. Well prohibition for the defined area which includes the Agrico groundwater plume area is part of the NFWFMD's Rule 40A-3.

Advisory Notice

The annual advisory notice was distributed to water well contractors, irrigation system installers, and pool contractors to inform them of the groundwater conditions and the existence of a well construction moratorium within the OU-2 area.

Institutional Controls Coordination

A memorandum was distributed on February 8, 2024, to the local, regional, and state agencies listed below, soliciting information for any changes or proposed new regulatory rules or policies that may affect the institutional controls currently in place for the area. No agencies responded with any items that might affect the controls in place. The notified agencies included:

FDEP, Tallahassee and Pensacola
Emerald Coast Utilities Authority (ECUA) (formerly Escambia County Utilities Authority)
NFWFMD
City of Pensacola
Escambia County Health Department (ECHD)
Escambia County Neighborhood and Environmental Services Department
FDOT, District Three (Chipley)

FIVE-YEAR REVIEWS

Five, Five-Year Reviews have been conducted by the EPA for the Agrico Site. The First Five-Year Review occurred in 2000; the Second Five-Year Review in 2004-2005; the Third Five-Year Review occurred in 2010; the Fourth Five-Year Review occurred in 2015; and the Fifth Five-Year Review occurred in 2019. In 2024, the Sixth Five-Year Review sampling event occurred, and the results will be reported in the EPA's 2025 Five-Year Review Report. Each of the previous Five-Year Review reports concluded that the remedy at the Site is functioning as intended by the RODs for OU-1 and OU-2 and remains protective of human health and the environment. The O&M activities were to be continued and conducted as approved. The next (seventh) Five-Year sampling event will occur in 2029 and will be reported in the EPA's 2030 Review Report.

BUTTERFLY HABITAT

In June 2014, President Obama issued a memorandum establishing a Pollinator Health Task Force, co-chaired by the U.S. Department of Agriculture (USDA) and the EPA, to create a National Pollinator Health Strategy that promotes the health of honeybees, butterflies, and other pollinators. Early in 2015, the EPA approached AECOM regarding the possibilities of the Agrico Site being used to enhance butterfly habitat. The responsible parties approved participation in this initiative, and in August 2015 a portion of the Site was converted to flowering plant beds. The goal is to establish a plant habitat that will attract butterflies to provide a safe area for feeding and support of the butterfly's life cycle. Maintenance of the habitat was conducted in 2024 and will continue in 2025.

RECOMMENDATIONS

(In accordance with Regulatory Agency Requirements)

- Groundwater and surface water sampling will continue for 2025 as last modified by the March 10, 2015, FDEP Memorandum and updated by the EPA concurrence of the recommendations included in the 2019 groundwater monitoring report.
- Operations and maintenance, including mowing related to OU-1, will continue in accordance with the OU-1 O&M Plan as amended November 18, 2009, and approved by the EPA on January 25, 2010. This also includes maintenance of the butterfly habitat areas.
- The advisory notice to contractors and the query of the NFWFMD well construction permit database will continue annually.
- The Agency Coordination Memo and the FDOT inquiry for intrusive activity will continue annually.

- Remove AC-6S and AC-6D from the Five-Year Review monitoring well network. AC-6S could not be located and AC-6D was found significantly damaged during the 2024 sampling event. Concentrations in AC-6S and AC-6D during the 2019 event indicated that all COCs were below clean-up target levels. Additionally, both wells are located side-gradient of the Agrico groundwater plume.

AECOM Technical Services, Inc. (AECOM) through URS Corporation (URS), a wholly owned subsidiary, has prepared this 2024 Annual Report on behalf of Phillips 66 Company and Agrico Chemical Company represented by Williams Companies, Inc. (Williams) and in accordance with the following:

- U.S. Environmental Protection Agency (EPA) Consent Decree (CD) dated May 4, 1994, and the March 10, 1997, amended Consent Decree for the Agrico Site (Agrico);
- The Record of Decision (ROD) for Operable Unit One (OU-1) issued on September 29, 1992;
- The Operation and Maintenance (O&M) Plan for OU-1 dated September 1996 including Appendix I – Groundwater Monitoring Plan by Woodward-Clyde Consultants;
- The ROD for Operable Unit Two (OU-2) issued August 25, 1994;
- The Scope of Work (SOW) which outlines the work to be performed as the remedy for OU-2;
- The EPA-approved (April 26, 1999) Remedial Action Work Plan and related plans;
- The O&M Plan dated November 1998;
- The *Evaluation of Long-Term Groundwater Monitoring Network – Section 12 - Recommendations*, Technical Memorandum Report dated November 30, 2006, and subsequent EPA approval of recommendations in the EPA comment letter dated January 22, 2007;
- The EPA approval dated September 2, 2008, to discontinue OU-1 semi-annual sampling and to perform annual sampling. The last OU-1 semi-annual sampling event was conducted in May 2008;
- Minor O&M recommendations dated November 18, 2009, approved by the EPA on January 25, 2010;
- Recommendations in the report, *Evaluation of Monitored Natural Attenuation in Groundwater* (August 19, 2009- William Huber) and approved by the EPA on February 5, 2010;
- EPA’s Third Five-Year Review (June 2010) recommendations related to surface water sampling locations for Bayou Texar;
- Recommendations in the second report, *Evaluation of Monitored Natural Attenuation in Groundwater* (October 23, 2013-William Huber);
- FDEP’s recommendations in their memorandum outlining a modified annual sampling program issued on March 10, 2015, and approved by the EPA on May 29, 2015; and
- Recommendations included in the *2019 Annual Report, Operable Units One (OU-1) and Two (OU-2), Agrico Site, Pensacola, Florida*.

This is the twenty-sixth annual report, since the initial one in 1999. The report documents both OU-1 and OU-2 activities performed at the Site for 2024. The comprehensive annual report was preceded by OU-1 semi-annual sampling results reported annually from 1997-1999. These OU-1 annual reports continued through 2005. The annual report for OU-2 was submitted separately from the OU-1 report from 1999 through 2005. One of the recommendations of the evaluation of the long-term monitoring network (URS, November 30, 2006) was to combine these networks.

Beginning with the 2007 Annual Report, the groundwater requirements were integrated so that OU-1 (on-site) and OU-2 (off-site) groundwater impacts could be readily evaluated. Per request by the EPA, since November 2007, groundwater from the OU-1 monitoring wells has been analyzed for the same constituents of concern (COCs) as the OU-2 monitoring wells.

The EPA approved (September 2, 2008) the integration of the groundwater monitoring requirements for OU-1 and OU-2 so that the monitoring satisfies the original OU-2 monitoring objective - monitoring of the surficial zone and main producing zone, on-site and off-site - downgradient of the Site for the purpose of evaluating the monitored natural attenuation (MNA) remedy. The original monitoring objective for OU-1 was only to evaluate the effectiveness of the Resource Conservation and Recovery Act (RCRA) cap remedy. The effectiveness was demonstrated by a statistical evaluation that confirmed the integrity of the containment system with data collected from 1997 to 2001. Data collected since 2001 continue to confirm cap effectiveness.

Summary of Sampling Modifications Initiated in November 2007

- Semi-annual sampling of OU-1 groundwater monitoring wells was discontinued and changed to annual sampling to be conducted in November each year. The OU-1 surficial zone monitoring wells, ACB-31S, ACB-32S, AC-33S, AC-34S, and AC-7SR, were integrated into a site-wide groundwater monitoring network. The analyte list for these wells was changed to include the OU-2 analyte list. In addition to total lead, total arsenic and fluoride (COCs in the OU-1 ROD), the groundwater samples from these wells were analyzed for chloride, sulfate, nitrate, radium 226, and radium 228 (COCs in the OU-2 ROD).
- Nitrite was deleted from the Site's analyte list as modified by implementation of the EPA-approved long-term monitoring evaluation recommendations (URS, 2006d).
- Surficial zone monitoring wells AC-5S, AC-24S, AC-26S, NWD-2S, and NWD-4S were changed from long-term to periodic monitoring wells. Additionally, monitoring well NWD-3S was removed from the monitoring network because it was destroyed during off-site construction.
- The groundwater sampling purging procedure was changed from extracting a minimum of three well volumes to a low-flow purge procedure that allows for collecting water quality field parameters after one well volume is purged, and then one-quarter well volume thereafter until three stable water quality parameter readings are collected. This procedure is in accordance with the FDEP standard operating procedure (SOP) for sampling monitoring wells.
- Annual reporting for OU-1 and OU-2 was combined into one annual report. Prior to November 2006, annual reports were prepared separately for OU-1 and OU-2.

Summary of Sampling Modifications Initiated in November 2009

- Additional groundwater sampling was requested by the EPA in their comment letter dated October 15, 2009, regarding the *Evaluation of Monitored Natural Attenuation in Groundwater Report*. The additional wells included periodic monitoring wells AC-9D2, AC-24D, and AC-28D. COCs to be analyzed from the groundwater at these locations were the same as the long-term network COCs. The status of these wells was changed from periodic to long-term until sufficient sampling results were collected on an annual basis.

Summary of Sampling Modifications Initiated in November 2010

- Analysis of lead and arsenic were discontinued from the long-term network groundwater analyses for monitoring wells based on the EPA approval (February 5, 2010) of recommendations in the August 19, 2009, *Evaluation of Monitored Natural Attenuation in Groundwater*. In that report, the absence of arsenic and lead in groundwater samples collected from the monitoring well network was reported. The exceptions were AC-2S and AC-3S. Total arsenic will continue to be analyzed for these two wells to verify the continued effectiveness of the OU-1 cap.
- Sampling of Carpenter’s Creek at the 9th Avenue Bridge (ACSW-BL) was discontinued as per January 25, 2010, approval of the November 18, 2009, *Recommendations to Operations and Maintenance Plans for OU-1 and OU-2* (URS 2009d).
- Three surface water sampling locations in Bayou Texar were added to the sampling program and include BT-02, BT-107, and BT-127. These near-bottom surface water samples are analyzed for fluoride only (EPA recommendation in June 2010, Third Five-Year Review Report).

Summary of Sampling Modifications Initiated in November 2016

Based on the FDEP Memorandum dated March 10, 2015, and the subsequent the EPA approval dated May 29, 2015:

- Only the following monitoring wells will be sampled annually for the same constituents as have been analyzed historically: AC-31S, AC-2S, AC-2D, AC-3D, AC-29D, AC-24D, AC-25D, AC-35D, AC-12D, and AC-13D.
- Water levels from all Agrico monitoring wells will be measured annually prior to initiating sampling.
- Surface water monitoring will include the following locations: BT-02, BT-107, and BT-127. Only fluoride will be analyzed from each sample collected.
- Trend plots for the above groundwater monitoring wells will be included in each annual report for all COCs.
- The annual Advisory Notice, the Annual Agency Coordination Memo, the Florida Department of Transportation (FDOT) annual inquiry regarding intrusive activity, and the annual checking of the Northwest Florida Water Management District (NFWFMD) records for newly constructed wells within the designated well construction moratorium area will continue as previously documented in the Site O&M plans.
- Site and cap integrity inspections will continue twice a year and after major storm events.
- The full Agrico groundwater monitoring network and surface water network will be sampled every 5 years as part of the EPA’s Five-Year Review.

Summary of Sampling Modifications Initiated in November 2019

Based on the EPA concurrence (EPA memorandum dated June 2, 2020) with recommendations made in the *2019 Annual Report, Operable Units One and Two (OU 1, OU 2), Agrico Site, Pensacola, Florida*, March 2020, AC- 14D, AC- 26S, AC- 26D, and AC- 36D have been removed

from the monitoring well network. Evaluation of the need to replace one or more of these wells will be made following future sampling events and will be based on COC concentrations and trends in upgradient wells.

1.1 FIVE-YEAR REVIEWS

The EPA has conducted five, Five-Year Reviews for the Agrico Site. The results of these reviews were presented in the February 2000, July 2005, June 2010, June 2015, and May 2020 EPA reports. Each of the five reviews concluded that (1) all areas were in compliance and (2) the remedy at the Site is functioning as intended by the RODs for OU-1 and OU-2 and remains protective of human health and the environment. In 2024, the sixth Five-Year Review sampling event occurred, and the results will be reported in the EPA's 2025 Five-Year Review Report. The seventh EPA Five-Year Review report will be prepared in 2030 based on November 2029 data.

2.1 SITE DESCRIPTION

The Agrico Site is located at 118 East Fairfield Drive, at the northwest corner of Fairfield Drive and Interstate I-110 in Pensacola, Escambia County, Florida. The Site consists of 29.84 acres in Township 2 South, Range 30 West of Section 5, and the latitude and longitude at the center of this area is 302709.8914 degrees west and 871318.9648 degrees north, respectively. The Site is bordered by I-110 to the east, Fairfield Drive to the south, CSX railroad to the west, and a construction aggregate business (Vulcan Materials/Conrad Yelvington Distribution) to the north. An approximately 100-foot wide Gulf Power Company easement and overhead electrical lines pass through the Site at the eastern boundary of property. Site access is from the north side of Fairfield Drive, approximately 600 feet west of the I-110 overpass. Uncle Bob's Self Storage operates storage warehouses on an Agrico Site out-parcel in the south-central area. The Site location is shown on **Figure 1**.

2.2 SITE ACCESS AND DEED RESTRICTIONS

Access to the Agrico Site is restricted. The property is secured by a perimeter chain link security fence with locked gates, and the Site is regularly inspected. Restrictive and Site informational signs are posted advising the public of the on-site conditions, and an AECOM contact phone number is also posted for inquiries. Posted signs are present at the entry gates of the fenced OU-1 property. The wording on the signs is as follows:

Authorized Personnel Only
Please Do Not Disturb Soil Cover
Impacted Waste Material May Be Present Below the Ground Surface
For Information Call 850-637-5018

A Restrictive Covenant (**Appendix C**) for the Site was filed against the property deed with the Escambia County Clerk of the Circuit Court and is dated July 11, 1997. The Restrictive Covenant states, in summary, that construction or related activities that would interfere with maintaining the Site remedial measures are prohibited by the legal deed restrictions. Per the covenant, any use of the property contrary to the ROD is prohibited.

2.3 DOCUMENT REPOSITORY

The EPA maintains Site information at the University of West Florida Library. This repository contains project documents, fact sheets, and reference material. The EPA encourages the public to review these documents to gain a more thorough understanding of the Site. The address of the library is as follows:

University Archives and West Florida History Center
University of West Florida Libraries
Building 32
11000 University Pkwy
Pensacola, Florida 32514
850-474-2213

The EPA has Site information located at the following web site:

<https://cumulis.epa.gov/supercpad/cursites/csitinfo.cfm?id=0400818>

A Site website developed for the Agrico Pensacola Site is located at:

<http://www.agricopensacola.com/>

This website contains general information about the Agrico Site, contains the Site fact sheets, and provides contact information for the EPA. A documents' page has been added, and electronic files for several reports have been uploaded to this page. The reports that are now accessible via this website include:

- Evaluation of Monitored Natural Attenuation in Groundwater (URS, 2009)
- The Third Five-Year Review Report (E2 Inc., 2010)
- The 2011 Annual Report (URS, 2012)
- The 2012 Annual Report (URS 2013)
- Evaluation of Monitored Natural Attenuation in Groundwater (Report #2), (URS, October 2013)
- The 2013 Annual Report (URS 2014)
- The 2014 Annual Report (URS 2015)
- The Fourth Five-Year Review Report for Agrico Chemical Company (EPA, June 2015)
- The 2015 Annual Report (AECOM 2016)
- The 2016 Annual Report (AECOM 2017)
- The 2017 Annual Report (AECOM 2018)
- The 2018 Annual Report (AECOM 2019)
- The 2019 Annual Report (AECOM 2020)
- The Fifth Five-Year Review Report for Agrico Chemical Company (EPA, May 2020)
- The 2020 Annual Report (AECOM 2021)
- The 2021 Annual Report (AECOM 2022)
- The 2022 Annual Report (AECOM 2023)
- The 2023 Annual Report (AECOM 2024)

2.4 SITE HISTORY

The former facility at the Agrico Site was a superphosphate process facility not a continuous wet-process phosphoric acid facility that became dominant in the phosphoric fertilizer industry starting in the 1960s and 1970s and continuing during the modern era. According to the U.S. Department of Agriculture and Tennessee Valley Authority document titled *Superphosphate: Its History, Chemistry, and Manufacturing* (December 1964), the Irish firm known as W. & H. M. Goulding, Ltd. of Dublin, Ireland, opened the Goulding Fertilizer Company, Pensacola, Florida, factory in 1891 at the current Agrico Site location. The Goulding Fertilizer Company plant had an annual fertilizer production capacity of 45,000 tons. A sulfuric acid manufacturing plant co-existed on the Site. The source of sulfur was pyrite ore. The phosphate for manufacturing the fertilizer was transported via rail from Central Florida mines. The Pensacola plant started operations by manufacturing normal superphosphate, and then operated as a concentrated superphosphate plant (the second of its kind in the U.S. at the time) from 1898 to 1901. Operations by the Goulding Fertilizer Company continued until 1911, when the factory was sold to an American interest, The American Agricultural Chemical Company (TAACC).

The TAACC manufactured normal superphosphate and continued the manufacturing of sulfuric acid using pyrite ore until 1920, when the source of sulfur dioxide was changed to elemental sulfur. The TAACC operated the plant through 1963, when Continental Oil Company (Continental) purchased the assets of the TAACC (U.S. Department of Agriculture, 1964).

After the acquisition of the TAACC, Continental operated the agrichemical business as the Agrico Chemical Company, a wholly owned subsidiary of Continental. From 1963 to 1972, Agrico Chemical Company used the same manufacturing process as was used during the TAACC period (U.S. Department of Agriculture, 1964). From 1967 to 1968, in addition to producing virgin acid from sulfur, the plant purchased and utilized an unknown volume of spent sulfuric acid (Geraghty & Miller, 1993a and 1993b). Continental operated the plant until 1972.

In April 1972, The Williams Companies, Inc. (Williams) (Tulsa, Oklahoma) purchased the assets associated with Agrico Chemical Company from Continental Oil's Agrico Chemical Division. Under Williams, Agrico Chemical Company operated as a newly formed Delaware corporation and subsidiary of Williams. At that time, Agrico Chemical Company was one of the country's largest chemical fertilizer companies. In 1972, the Pensacola plant began manufacturing monoammonium phosphate in addition to superphosphate and continued this manufacturing from 1972 to 1975. Normal superphosphate was combined with ammonia to produce monoammonium phosphate. The ammonification process produced nitrate. The macronutrient potassium was blended into the ammoniated phosphate product in various blends. The potassium source was potash, mostly potassium chloride, stored on-site, inside the plant, on concrete floors. In later years, two micronutrients, zinc and magnesium, were added to the ammoniated phosphate product blends at the plant. According to the plant manager and Agrico corporate purchasing agent, the macronutrient and micronutrient were purchased as pure products and not as by-products. The peak season for production at the Pensacola plant was March through June. Agrico Chemical Company operated the plant continuously until June 1975, when the plant was shut down (Geraghty & Miller 1993a and 1993b).

The former plant property was sold to Margod, a Florida partnership, and F.A. Baird, Jr. in August 1977. The former plant buildings and process equipment were demolished in late 1979. After demolition, only the concrete foundations remained in place. A storage warehouse was constructed on the southern portion of the property adjacent to Fairfield Drive between 1979 and 1981, with additional warehouse construction taking place between 1981 and 1986. The warehouse area is considered an out parcel of the original property. The Agrico Chemical Company assets were sold to Freeport-McMoRan Resources Partners (Freeport McMoRan) in 1987. The Site property (except for the storage warehouse outparcel) was sold to Conoco, Inc. in 1995.

Most of the remaining Site debris and concrete foundations were later consolidated and placed with the waste material under the RCRA cap during the OU-1 Remedial Action (RA) activities beginning in 1995. There are no permanent buildings from the original operations remaining on the Site. One foundation from an original Site building remains in the southwest portion of the property.

The EPA conducted a hazardous waste site investigation at the facility in October 1983. The results of the study indicated that the on-site soils and an on-site surface water impoundment were impacted with elevated levels of fluoride and lead. Groundwater was not sampled during that investigation. However, an effort was made to locate private shallow wells in the vicinity of the Site, and none were located.

The Florida Department of Environmental Regulation (FDER) (now FDEP) conducted a groundwater assessment at the Site in January 1987 (Watts, et.al., July 1988) followed by a supplementary assessment in January and February 1989 (Watts, et.al., August 1989). The study concluded that the Site contaminants, primarily fluoride and sulfate, had impacted the area groundwater. While conducting the assessment for the former Agrico Site, the FDER discovered contamination from the former Escambia Treating Company (ETC) Site that had comeingled with a portion of the Agrico plume.

The EPA listed the Site on the National Priorities List (NPL) on October 4, 1989. Conoco, Inc. and Freeport McMoRan (parents of the Agrico Chemical Company) entered into an Administrative Order on Consent (AOC) on September 29, 1989. According to the terms of the AOC, the companies agreed to conduct source (soils) and groundwater investigations at the Site. The Site was remediated starting in 1995, and remediation of impacted soils and sludge was certified complete by the EPA in April 1997.

Currently, Williams (on behalf of Agrico Chemical Company) and Phillips 66 (representing Conoco, Inc.) are responsible for implementing the activities associated with the O&M Plans for OU-1 and OU-2. In mid-2012, ConocoPhillips separated into two standalone companies. The environmental remediation activities conducted at the Agrico Site in the past by ConocoPhillips are now managed by Phillips 66.

2.5 OPERABLE UNIT 1 REMEDY AND OPERATIONS AND MAINTENANCE

Figure 2 shows a recent aerial photograph of the Site and the current features associated with OU-1 that represents the on-site source of contamination. A ROD for OU-1 issued by the EPA Region 4 on September 29, 1992, selected the stabilization and cap remedy to address contamination of on-site soils and sludge. The selected remedy was based on a Site remedial investigation and feasibility study, including human health and environmental risk assessments, and site soil and groundwater characterization. Following the ROD issuance, Conoco initiated actions to re-acquire ownership of the property so that the remedy could be implemented.

In 1995, remedial construction activities began. Lead and arsenic-impacted soils and all sludge materials were collected and treated by solidification/stabilization using cement. Other fluoride-impacted soils were collected for consolidation. These consolidated soils and treated soils and sludge were installed in lifts and compacted in the excavation based on engineering designs and standards. The material was placed approximately 20 feet above the saturated groundwater level within the unsaturated, dry portion of the sediments underlying the Site. The source control was certified complete by the EPA in April 1997.

On the surface, the material was covered with a 4-foot thick multi-layered engineered cap designed to prevent rainfall from contacting the underlying stabilized soils. The cap covers an area of 12 acres. The impervious nature of the cap causes storm water runoff volumes to be significantly greater than the volume generated before the construction of the remedy. For this reason, an elaborate system of piping and runoff collection devices was installed at the Site. The storm water collection system significantly minimizes runoff flowing off the Site. Runoff generated on-site is collected and contained on-site by returning it to one of two storm water management impoundments constructed as part of the OU-1 remedial action. Because the north storm water impoundment is located upgradient from the stabilized soils, the EPA required that a slurry wall be constructed between the north storm water impoundment and the stabilized containment area. The

purpose of the slurry wall is to prevent infiltrating storm water from contacting the stabilized materials that are contained within the unsaturated subsurface containment area. A continuous limonite lens (a thin iron precipitation concretion) underlies the north storm water pond. This dense lens causes standing water for extended periods of time within this pond. The south drainage pond is not underlain by the limonite layer and storm water readily infiltrates into the subsurface beneath this pond so that the south pond is dry most of the time.

The following actions were performed as part of the OU-1 remedial action completed in April 1997:

- Excavated and solidified approximately 45,000 cubic yards of arsenic- and lead-impacted soil and contaminated sludge and soils from Site sludge ponds.
- Consolidated approximately 110,000 cubic yards of fluoride-impacted soils.
- Placed rubble from building foundations and consolidated soils in a layered fashion within the excavation area, with the uppermost portion of the excavation filled with solidified/stabilized soils and sludge.
- Constructed an engineered 4-foot thick, seven-layer cap, consisting in part of impervious fabric, High Density Polyethylene (HDPE) liner, and geotextile materials, over the stabilized soils within the containment area.
- Constructed a 700-foot long, 2-foot thick slurry wall upgradient of the containment area to prevent infiltrating storm water from contacting consolidated/stabilized soils.
- Installed a drainage collection system so that storm water generated on-site is contained on-site in one of two storm water impoundments, preventing off-site runoff.
- Attached deed restrictions to the property controlling future uses of the property, assuring protection of the containment structure.
- Installed security fencing with locked gates to restrict unauthorized access to the property.
- Constructed five monitoring wells to serve as long-term groundwater sampling locations to evaluate the effectiveness of the implemented OU-1 remedial action. These five monitoring wells were monitored to demonstrate the effectiveness through 2007. After 2007, the wells were integrated and combined with the OU-2 wells to form a site-wide groundwater monitoring network. The purpose of this site-wide network is to demonstrate the effectiveness of the MNA remedy for groundwater.

Operations and Maintenance

Regular activities are conducted for the Site in accordance with the EPA-approved O&M Plan for OU-1 (September 20, 1996).

Elements of the O&M for OU-1 are as follows:

- General facility inspection and regular lawn care service for the Site. The grass is cut on at least a monthly basis between October and April and on at least a biweekly basis between May and September.
- Visual inspections of the drain inlet and outlet system are conducted during mowing and after storm events with maintenance initiated, as required.

- Documented O&M inspections of the Site are conducted at a minimum of twice a year and following major storm events.

The inspection reports for 2024 are presented in **Appendix D**.

2.6 OPERABLE UNIT 2 REMEDY

The ROD for OU-2 was issued by the EPA Region 4 on August 25, 1994. The OU-2 ROD presents the EPA's selected RA for treatment of groundwater. The following discussion is based on the August 1994 ROD and includes the rationale for the selected OU-2 remedy. The OU-2 area is shown on **Figure 3** and was delineated to correspond to the previously completed irrigation well survey area. This area encompasses a larger area than the defined groundwater impact area. The OU-2 area is roughly bound by Palafox Street to the west, E. Cross Street to the south, Fairfield Drive to the north, and Bayou Texar to the east.

The EPA selected MNA as the remedy, and MNA meets all the EPA and Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) criteria. The remedy is protective of human health and the environment and complies with federal and state requirements that are legally applicable or relevant and appropriate to the RA. This remedy utilizes permanent solutions and alternative treatment (or resource recovery) technologies to the maximum extent practicable. The reduction of toxicity, mobility, and volume of the Site groundwater contamination has been controlled through source control (OU-1) and MNA (OU-2).

The EPA views the MNA remedy at least as protective of human health and the environment as the pump-and-treat technology alternatives that were previously considered for this Site. Additionally, MNA avoids potentially adverse impacts associated with the groundwater extraction and treatment alternatives.

2.7 ANNUAL O&M TASKS FOR OPERABLE UNITS 1 AND 2

The field activities associated with this 2024 Annual Report included the following O&M tasks:

- Annual groundwater sampling of 10 long-term groundwater monitoring wells (for both OU-1 and OU-2).
- Annual surface water sampling at three surface water sampling locations within the primary groundwater discharge reach of Bayou Texar.
- Annual advisory notices distributed to water well contractors, irrigation system installers, and pool contractors. This list of contractors was compiled from the NFWFMD list of licensed water well contractors, from Escambia County construction permit records, and from a search completed through the internet.
- Coordination and dissemination of site information to local, regional, and state agencies.
- Annual FDOT inquiry of construction activities scheduled for Fairfield Drive between the CSX overpass and the I-110 interchange.
- Annual review of the NFWFMD well construction permit records to identify any potential new well construction downgradient of the Agrico Site.
- Annual inquiry on status of the NFWFMD well construction moratorium in the vicinity of the ETC and Agrico sites.

- Regular maintenance of property associated with the former Agrico Chemical Company (OU-1).

2.8 ANNUAL O&M TASKS FOR DEVELOPMENT OF POLLINATOR HABITAT

In June 2014, President Obama issued a memorandum establishing a Pollinator Health Task Force, co-chaired by the U.S. Department of Agriculture (USDA) and the EPA, to create a National Pollinator Health Strategy that promotes the health of honeybees, butterflies, and other pollinators. Early in 2015, the EPA approached AECOM regarding the possibility using the Agrico Site to enhance butterfly habitat. The responsible parties approved participation in this initiative, and in August 2015 a portion of the site was converted to flowering plant beds. The goal was to establish a plant habitat that will attract butterflies to provide a safe area for feeding and support of the butterfly's life cycle.

O&M activities associated with the pollinator beds includes the following:

- Continued cultivation of plant beds to get established flowering plants
- Continued planting of flowering species to diversify flowering periods and increase the density of plants
- Routine watering and weeding of plant beds to maintain their health.

2.9 OTHER CONTAMINATION SOURCES IN THE VICINITY OF THE AGRICO SITE

Past sampling results conducted by the ECUA for supply wells south of the Agrico area have indicated impacts to the ECUA supply wells, which initiated an assessment by the FDEP in the late 1990s. This assessment identified two areas, collectively referred to as Site 348. Both areas are located less than 0.5 miles south of the Agrico Site. One is the former fertilizer manufacturing operation known as Kaiser Fertilizer plant. The second is known as the former Southern Cotton Oil Company. This site was a fertilizer mixing and storage facility.

Reportedly, the sources which may have contributed to impacted groundwater affecting the ECUA wells (F & Scott Streets Well, the East Plant Well, Well No. 6, Well No. 8, and Well No. 9) are still under investigation by the FDEP. Three of these ECUA wells have been shut down and pumping discontinued (East Plant, Well No. 8, and Well No. 9) due to groundwater impacts. The COCs identified by the FDEP at Site 348 are similar to the Agrico COCs, including radium 228 and ammonia. The Agrico plume was not implicated as a source or a factor in the impacts to these ECUA wells (Mactec, 2010). Additionally, the former Agrico plant was not associated with the either of the operations identified by the FDEP that are related to Site 348.

No pumping effects are occurring within the current Agrico plume boundary that will cause the plume to move outside the natural groundwater flow path. This is verified by the past 23 years of water level measurements and potentiometric surfaces that show the natural groundwater flow direction remains consistently to the east, toward Bayou Texar. Consistency of groundwater flow patterns is also demonstrated by the individual water level trend data. The discontinued municipal pumping in the downtown area due to impacts from non-Agrico sources, also significantly decreases the potential of the Agrico plume to migrate from its current plume boundary. These conditions and other groundwater flow conditions negate the potential for future Agrico plume migration that could affect any public water supply well.

Water level measurements collected annually during the past 23 years indicate that the remaining irrigation pumping occurring within the OU-2 area is not significantly affecting the direction of groundwater flow. The primary groundwater flow controls are natural, including Bayou Texar, which functions as the eastern discharge boundary for the Agrico plume.

3.1 HYDROGEOLOGIC FRAMEWORK OF THE SAND-AND-GRAVEL AQUIFER

The vertical profile of the Sand-and-Gravel aquifer consists of beds of sand and gravel interbedded with beds of silt, clay, and fine sand sediments (**Figure 4**). The permeability of these beds is variable, both laterally and vertically. However, the subsurface sequence can be divided into three distinct zones. These zones vary greatly in thickness and lithology throughout Escambia County. In addition, individual beds of sand or clay within these zones are highly discontinuous, resulting in considerable heterogeneity within the zones. The major zones are the surficial zone, the low-permeability zone, and the main producing zone (Roaza, et al., 1991).

3.1.1 Surficial Zone

The surficial zone consists of the uppermost layer of sediments. It contains the unsaturated zone and the shallow surficial water table. The surficial zone varies in thickness, but it is generally less than 100 feet thick beneath the OU-2 monitoring area. The surficial zone consists primarily of quartz sand ranging in size from fine sand to gravel. Thin beds of limonite-cemented sandstone also occur. The zone contains thin beds of clay and silt that are highly discontinuous. These low-permeability beds occur both in the unsaturated and the saturated portions of the zone. Groundwater within the surficial zone primarily moves downward through the underlying lower-permeability zone to the main producing zone of the aquifer.

3.1.2 Low-Permeability Zone

The low-permeability zone underlies the surficial zone and is composed of sediments with overall lower permeability characteristics than sediments above or below the zone. This zone forms a semi-confining layer and helps to limit the vertical flow of groundwater between the overlying surficial zone and the underlying main producing zone. The actual lithology of this zone is variable, ranging from poorly sorted sand and silt to sandy clay to clay beds. Locally, well-sorted, water-bearing sands can also occur within this zone. Poor sorting and a higher percentage of clays and silts distinguish this zone from the other zones. The thickness of this zone in the subsurface underlying the facility ranges from about 20 to 50 feet (Roaza, et al., 1993).

The thickness and lithology of this zone is important because of its effect on vertical permeability. The low vertical permeability of this zone maintains the hydraulic head difference between the surficial and main producing zones in certain areas. This head difference imparts the vertical gradient responsible for the transport of dissolved constituents downward from the surficial zone to the main producing zone beneath the OU-1 area of the Site (see **Figures 5 and 6**).

3.1.3 Main Producing Zone

The main producing zone is the most productive portion of the Sand-and-Gravel aquifer and is the zone tapped by most water supply wells. The main producing zone is the deepest portion of the aquifer. The groundwater within this zone exists under semi-confined conditions. The main producing zone consists of moderate to well-sorted sand and gravel, along with minor interbedded layers of sandy clay and clay. Locally and regionally, variations occur in the lithology of the main producing zone. Changes with depth tend to be gradual and include varying grain size distribution and changes in the degree of sorting.

The clay beds interbedded within this zone generally constitute 10 to 40 percent of the thickness. In some areas, the productive intervals can be correlated and appear to be continuous over many miles. The saturated thickness of the main producing zone near the Site is approximately 100 feet.

The main producing zone is recharged by leakage through the overlying low-permeability zone. The actual amount of recharge is determined by the hydraulic head difference between the surficial zone and the main producing zone, the vertical permeability of the low-permeability zone, and the presence of any pumping wells. Groundwater from this zone discharges into Bayou Texar from the east and the west, and the bayou represents a discharge boundary for groundwater in OU-2.

3.2 HYDRAULIC HEAD DIFFERENCES AND GROUNDWATER FLOW BOUNDARIES

Within the former Site boundary (OU-1), the hydraulic head for the surficial zone is slightly higher than the hydraulic head in the main producing zone, which causes the surficial zone to infiltrate and recharge the main producing zone. This causes the plume emanating from the Site to be transported and diverted to the main producing zone within about 0.4 mile of the Site. The surficial zone plume has limited areal extent; and with source control and ongoing source depletion, significant trends toward decreasing concentrations within the plume have occurred in the surficial zone. Near the bayou, the main producing zone hydraulic head is slightly higher than the surficial zone, causing the main producing zone to discharge into the bayou (see **Figures 4, 5, and 6**). Bayou Texar is a groundwater discharge boundary; therefore, groundwater from the west and east discharge into the bayou. This creates a boundary condition for the groundwater flow and plume transport. The Agrico plume discharges from the west into Bayou Texar along with the westerly groundwater flow component. Groundwater from the east (at least as far away as the Pensacola Airport) also discharges to the bayou. **Figure 4** shows the hydrogeologic conceptual model from the Agrico Site to Bayou Texar.

Within OU-2, groundwater generally flows laterally and vertically (both upward near the discharge boundary and downward in recharge areas) within the Sand-and-Gravel aquifer. The overall direction of groundwater flow is easterly toward Bayou Texar. Head variations between zones are important in controlling the vertical direction of groundwater flow. **Figures 5 and 6** show the potentiometric surfaces in November 2024 for the surficial zone and main producing zone, respectively. These surfaces are consistent with those measured historically.

The flow direction downgradient of the Agrico Site is primarily controlled by the Bayou Texar discharge boundary condition. Near the bayou, vertical head differences between aquifer zones cause groundwater to flow vertically from the main producing zone upwards, and groundwater discharges to the bayou. There is evidence that the bayou is a discharge boundary for both the surficial and main producing zones of the aquifer, and that groundwater does not pass under the bayou as underflow. Water levels within both zones to the north, east, and west of Bayou Texar indicate a groundwater flow direction toward the bayou boundary.

3.3 RAINFALL CONDITIONS

Rainfall records collected at the Pensacola Airport indicate that 2024 was characterized by about 1.81 inches above average normal rainfall (annual average is about 62.79 inches based on the 1900-2024 period of rainfall record), with a total accumulation of 64.60 inches during 2024. The total accumulation of rainfall in 2024 is approximately 4.41 inches more than occurred in 2023.

Over the past 23 years, extremes in rainfall have occurred. Hurricanes produced abundant rainfall in 2005 (87.32 inches) followed by a drought in 2006. During 2006, the total rainfall was 45.26 inches, or 17.49 inches below normal. The 2017 rainfall represents a record annual rainfall total for the period starting in 1900 with a total of 91.91 inches, and rainfall in 2018 totaled 90.01 inches.

A significant storm event occurred in the Pensacola area during April 2014. Between April 29 and April 30, 2014, the area received rainfall totals ranging from 16 to 24 inches. Widespread flooding occurred in many parts of the county and within the vicinity of the Site. The rain ended about 6:30 am on April 30, 2014. The Site was inspected at 14:15 pm on April 30, 2014. The south drainage pond had topped the pond banks. Flood water was contained north of the Fairfield Drive railroad overpass and the railroad right-of-way. Flooding extended along the southern annex road to just east of the storage warehouse property where the storm water pond on this out parcel also topped the pond's banks. The north pond was full and topping its bank, but flooding was contained on Site. An inspection of the cap area indicated that the cap was intact, and no damage had occurred.

During 2024, rainfall was above average for the year. **Figure 7** presents the annual rainfall data for the period of record from the NOAA Pensacola station. Also included on **Figure 7** is a graph showing the cumulative departure from normal rainfall. This cumulative departure graph generally mimics groundwater level trends.

An annual advisory notice (**Appendix C**) is sent to contractors conducting work in southern Escambia County. The advisory notice is sent to water well contractors, irrigation system installers, and pool contractors informing them of groundwater conditions in the vicinity of the Agrico Site. The contractor listing is updated annually from returned “not deliverable – no forwarding address” notices. For the purposes of the advisory notice, the area identified is approximately bounded on the north by Fairfield Drive, on the west side by Palafox Street, on the south side by Bobe Street, and on the east side by Bayou Texar. The notice states that the construction of wells in this area, including lawn irrigation wells, may be restricted due to the occurrence of impacted groundwater. The contractors are advised to contact the NFWFMD, the Northwest District of the FDEP, or the ECHD for further information. The annual advisory notice was distributed in December 2024 to the contractors listed in **Table 6**.

Currently, institutional controls are in place that provide protection to the public drinking water supply. As part of the OU-2 remedy, periodic checking is performed to determine the status of institutional controls established by local, regional, and state agencies. To verify that controls remain in place, annual letters are sent to the various agencies requesting information on any changes or proposed changes. Since these agencies also receive reports regarding groundwater conditions, the purposes of the communication are: 1) to address any questions the agencies have concerning groundwater conditions and 2) to receive a status report from the agencies concerning the existing regulations, planned rule changes, or new regulations which control groundwater use in the Agrico OU-2 area.

Institutional controls include the following:

1. Well construction and consumptive use approval (NFWFMD)

On February 22, 2001, the NFWFMD Board passed a moratorium on drilling new wells, including irrigation wells, in the Agrico and ETC areas. In a public meeting held on March 27, 2017, discussions with the NFWFMD representatives indicated that they were not inclined to end the well construction moratorium. Therefore, the moratorium remained in effect during 2021 and is expected to continue since there is no expiration date for the moratorium.

The moratorium affects the west side of the bayou only because the Agrico plume does not extend across the bayou due to hydrogeologic boundary flow conditions. The bayou serves as a flow boundary to the Agrico plume and prevents flow farther east.

This moratorium is governed by the NFWFMD Rule 40A-3 which is incorporated into the rule as 40A-3.055 Prohibitions:

- (1) The construction of certain, specified types of water wells shall be prohibited in the following areas:
 - (a) Escambia Treating and Agrico Superfund Sites, South Escambia County – permitting of all water wells other than monitor wells or aquifer restoration wells shall be prohibited with the area inside and bounded on the west by CSX railroad corridor, on the east by Bayou Texar, on the south by East Cross Street projected in a straight line until it intersects Bayou Texar, and on the north by Hyatt Street, North Davis Highway, Wynnehurst Street, Kenneth Street, Boxwood Drive, Ash Drive, Ninth Avenue, and Hillbrook Way projected in a straight line until it intersects Bayou Texar.

4. Irrigation systems approval (ECHD):

A letter dated February 2, 2005, was received from the Director of the Environmental Health Services (ECHD) indicating that the ECHD no longer approves or disapproves irrigation systems. The coordination with the City of Pensacola Building Inspection office for installation of irrigation systems is *no longer* a function performed by the ECHD.

Based on this information, the only regulatory control as it relates to groundwater within the OU-2 area is managed by the NFWFMD in their well construction permit program.

3. The location of the Agrico plume is well defined, and the ECUA is on the distribution list for reports related to the Agrico plume. Therefore, a future supply well location in the vicinity of the Site is highly improbable.
4. Existing wells are regularly sampled by the ECUA, which reports these data as part of their permit reporting to the FDEP. Any potential impacts to the supply wells caused by existing plumes can be assessed. For example, existing impacts from Site 348 are under assessment by the FDEP based on analytical results from the ECUA wells (F & Scott Well, East Plant Well, Well No. 8, and Well No. 9).
5. The Northwest District of the FDEP has designated the area that encompasses both the Agrico plume area and the ETC plume area as a contaminated area under Chapter 62-524, Florida Administrative Code (FAC). The area is the same as the OU-2 area defined on **Figure 3**. The FDEP designated area also includes a portion to the north of the Agrico OU-2 area that is associated with the ETC plume. Chapter 62-524 FAC is closely tied to the NFWFMD well construction permit program since the designated area requires more stringent processes by the permit applicant before a well construction permit can be issued by the NFWFMD. Since there is a moratorium on the issuance of a well construction permits within the designated area, the moratorium provides more stringent restrictions than Chapter 62-254.
6. On January 6, 2025, the NFWFMD online well mapping database was queried, and no new wells were found confirming no new well construction was documented in the moratorium area during the 2024 reporting period. **Table 7** presents all the irrigation well information that has been identified from the NFWFMD well construction permit records.
7. Deed restrictions on the Agrico Property provide for certain future land use and subsurface limitations.

In February 2024, a memorandum was distributed to:

- Alex Webster– FDEP, Northwest District, Pensacola,
- Billy Hessman – FDEP, Tallahassee
- Bruce Woody – ECUA
- Tom Brown– NFWFMD
- Brad Hinote – City of Pensacola
- Gregory Berrian – ECHD
- Chips Kirschenfeld, Escambia County
- Alan Hagans – FDOT, District Three (Chipley)

No responses to the memorandum were received.

5.1 GROUNDWATER SAMPLING

Annual groundwater samples were collected from the modified long-term monitoring network in November 2024. A total of 10 monitoring wells were sampled. Additionally, samples were collected from 24 of the Five-Year Review wells. Samples were not collected from wells AC-6S (could not be located) and AC-6D (located, but damaged and not accessible).

Groundwater samples were collected in accordance with the FDEP's SOPs for Field Sampling (Revised October 2024). Sample collection techniques, sample documentation, preservation requirements, sampling equipment decontamination procedures, the types and number of quality assurance/quality control (QA/QC) samples collected, and specifications that allow for the verification of the precision, accuracy, and completeness of data collected are all detailed in the sampling and analysis plan (SAP) included in the November 1998 O&M Plan.

5.1.1 Monitoring Well Network

Monitoring Locations

Locations of monitoring wells installed either in the surficial or main producing zones of the Sand-and-Gravel aquifer are shown on **Figure 1**. **Table 1** lists the wells in the Agrico monitoring network, including long-term monitoring wells which are sampled annually (includes measuring groundwater levels) and periodic monitoring wells where groundwater levels are measured annually and wells that are sampled and gauged during the Five-Year Review. **Table 2** presents the well construction details for all monitoring wells associated with the groundwater monitoring program for the Agrico Site.

Sampling Constituents

Groundwater was sampled in 2024 for the following COCs in both the surficial and deep zones:

- Fluoride
- Arsenic, Total (only from monitoring well AC-2S)
- Chloride
- Sulfate
- Nitrate
- Radium 226 and Radium 228 (naturally occurring); also reported as the sum of combined radium 226 + 228 results

Lead and arsenic are no longer included as analytical parameters for all groundwater samples. Arsenic is only analyzed annually in AC-2S. Lead is not analyzed for any well locations.

5.1.2 Well Purging

Each monitoring well associated with the modified monitoring network and sampled during November 2024 was purged and sampled with an electric, 2-inch, stainless steel, low-flow submersible pump and polyethylene tubing. All wells were purged a minimum of one well volume

before sampling. No wells were purged dry during the November 2024 sampling event. Field parameters, including pH, specific conductivity, turbidity, temperature, dissolved oxygen, and oxidation reduction potential were collected from all wells during purging. A summary of groundwater field parameters is presented in **Table 3**.

5.1.3 Investigation Derived Waste

Development and purge water pumped from each well was collected in a temporary storage tank installed on a field trailer. When the mobile storage tank was reached capacity, the recovered water was transferred to a larger temporary storage tank located on the Agrico OU-1 Site. In accordance with the FDEP guidelines, the wastewater is managed as industrial waste.

The investigation derived waste (IDW) (non-hazardous groundwater purge water) is transported by Erwin Remediation, Inc. (Erwin) to their Mobile, Alabama facility (EPA ID Number ALO 000 859 421). There it is treated and disposed of in accordance with state and federal regulations. IDW was removed on November 15, 2024, and December 2, 2024.

5.1.4 Water Level Measurements

In November 2024, groundwater levels were measured in all Agrico network monitoring wells for OU-1 and OU-2 except AC-5S, AC-5D, AC-6S, and AC-22D.

Water levels measurements were collected on a single day prior to purging of wells scheduled for sampling, and these data and contours are consistent with historical data. Water level measurements are used to evaluate water level fluctuations and groundwater flow direction, and they are used to prepare potentiometric maps for the surficial and main producing zones of the Sand-and-Gravel aquifer.

Static groundwater levels from all identified monitoring wells associated with the Agrico Site (**Figure 1**) were measured to within ± 0.01 ft. Measurements were collected with an electronic water level tape using the top of casing (TOC) as the measuring point. The measurements were subsequently referenced to the TOC elevations and used to calculate groundwater elevations. This information was used to confirm that groundwater flow direction remains similar to that measured during previous years. Groundwater elevations are presented in **Table 4**.

5.2 BAYOU TEXAR SAMPLING

Three surface water sampling locations within the primary groundwater discharge reach of Bayou Texar were sampled as per the March 10, 2015, FDEP Memorandum. These locations are shown on **Figure 1**.

Surface Water Sampling

Five near-bottom surface water samples (Annual locations - BT-02, BT-107, and BT-127; Five-Year locations ACSW-1 and ACSW-2) are located within the brackish water locations that are tidally influenced. Saline water from Pensacola Bay is drawn into the bayou during high tide. All surface water samples are collected at low tide.

Surface water sampling is conducted in accordance with the November 1998 SAP. The samples are collected from a boat. A discrete sample is collected at the deepest section of each transect. Samples are collected using a peristaltic pump and disposable polyethylene tubing attached to poly-vinyl chloride pipe, which is lowered to the appropriate depth. The depth of each sample collected is approximately 6 inches above the floor of the bayou. Field parameters, including pH, specific conductivity, turbidity, and temperature, are collected in conjunction with the surface water samples.

A summary of the 2024 surface water quality field parameters is presented in **Table 5**.

Sampling Constituents

For surface water sampling locations, fluoride was the only constituent analyzed.

5.3 CHEMICAL ANALYSES

Groundwater and surface water quality samples collected during the November 2024 event were submitted to Eurofins Environment Testing. (Eurofins), Pensacola, Florida. All analyses were performed by the Pensacola laboratory (Certification No. E81010), except radium 226 and radium 228 which were analyzed by Eurofins St. Louis (Certification No. E87689) and metals which were analyzed by Eurofins Savannah (Certification No. E87052). All analyses were performed pursuant to NELAP requirements. Eurofins is certified by the EPA and the State of Florida. All analytical reports were prepared in accordance with Eurofins’s Level III report format. The following analytical methods were used to analyze the specific media in accordance with SW-846.

CONSTITUENT	ANALYTICAL METHOD
Fluoride	SM4500 F C
Chloride	300.0 (Ion Chromatography)
Sulfate	300.0 (Ion Chromatography)
Nitrate	353.2 Nitrate by calculation
Arsenic	6010D
Radium 226	903.0 Mod (RL-RA—001)(Alpha Scintillation)
Radium 228	904.0 Mod (RL-RA—001)(Gas Proportional Counters)

5.4 SAMPLING RESULTS

The November 2024 sampling activities completed the annual and Five-Year Review sampling requirements for the Agrico Site. A total of 33 monitoring network wells were sampled. **Figure 1** shows the required water quality sampling locations for the Agrico Site.

Field parameter details from the November 2024 sampling event are shown in **Table 3** and historical trends are shown on graphs within **Section 5.5**.

Results of the Bayou Texar sampling are presented in **Table 5** and **Table 9**.

The groundwater sampling results for the identified COCs detected in the surficial and main producing zones for the site-wide required water quality monitoring wells are discussed in this section. Summaries of the results are provided in **Table 8** and on **Figure 8** and **Figure 9**.

Appendix A contains all laboratory analytical reports from the November 2024 sampling event.

5.5 GROUNDWATER FIELD PARAMETERS

In addition to the Agrico COCs, several field parameters are collected as part of the groundwater sampling program (**Table 3**). These parameters include water temperature, pH, dissolved oxygen, turbidity, specific conductance, and the oxidation-reduction potential. An understanding of these parameters can be important in understanding the relationships between COC concentrations and field parameter ranges in values, in defining and understanding ranges of background concentrations, and in evaluating overall COC concentration trends. A more detailed discussion and graphical presentation of selected field parameters, including specific conductance, pH, dissolved oxygen, and the oxidation-reduction potential for the wells in the annual groundwater well network follows. **Appendix E** includes a graphical presentation of the selected field parameters mentioned above for all wells.

5.5.1 Conductivity


Conductivity (specific conductance) is a measure of how well a water sample conducts an electrical current. It is a straightforward measurement that can be made with reasonable accuracy in the field. It is, therefore, often used as a proxy for the total dissolved solids (TDS) analysis. The conductance values are measured in the field with a hand-held instrument and are recorded in microSiemens per centimeter units ($\mu\text{S}/\text{cm}$).

Within the main producing zone during 2024, the conductivity values ranged from 77.9 $\mu\text{S}/\text{cm}$ (AC-2D) to 944 $\mu\text{S}/\text{cm}$ (AC-35D). Conductivity increased from the 2023 conductivity values in main producing zone wells AC-3D, AC-12D, and AC-24D and decreased in the main producing zone wells AC-2D, AC-13D, AC-25D, AC-29D, and AC-35D. Overall, conductivity in the main producing zone seems to be decreasing. In the surficial zone, ACB-31S showed an increase in conductivity with a historically high value of 417 $\mu\text{S}/\text{cm}$. ACB-31S is located onsite near the upgradient boundary of the OU-1 site. AC-2S showed a slight decrease from the 2023 conductivity values. Conductivity values for the Five-Year Review wells were within historical values.

As groundwater recharges the Sand-and-Gravel aquifer in Escambia County, it encounters relatively little soluble material, and the water has characteristically low hardness (soft) and is relatively unmineralized. The aquifer is composed of mostly quartz sand, which is not very soluble. The abundant rainfall and the aquifer's high permeability keep the groundwater moving, and the residence time is such that the water does not tend to contain a significant quantity of dissolved mineral matter. Values are generally consistent with historical data. Measurements will continue to be recorded during future events as trends are indicative of changes in groundwater conditions in the area.


Surficial Zone Groundwater:

The shallow groundwater conductivity vs. time chart is shown below for the annual monitoring network wells. The Five-Year Review wells are shown on the chart in **Appendix E**.



Main Producing Zone Groundwater:

The deep groundwater conductivity vs. time chart for the annual monitoring network wells is shown below. The Five-Year Review wells are shown on the chart in **Appendix E**



5.5.2 pH

Groundwater pH within the Sand-and-Gravel aquifer underlying Escambia County reflects generally acidic conditions (less than 7.0 standard units [su]). The reason for the acidic conditions is that rainwater has a pH generally less than 5.5 su in the Escambia County area (Trapp, 1973). This low rainfall pH, coupled with the high recharge from rainfall to the aquifer and the relatively inert nature of the sandy sediments that comprise the aquifer, yields a groundwater pH that is acidic.

Information from the U. S. Geological Survey (USGS) collected in Escambia County was reviewed for groundwater pH data. The period 1968 to 1980 was an extensive data collection time in Escambia County by the USGS. A total of 222 observations of pH (Coffin, 1982) were collected from 69 sites distributed throughout southern Escambia County. The sites were located to characterize general groundwater conditions and were not associated with any assessment of known contamination sites. The range of pH for the 222 observations was 3.4 to 8.9 su. The average pH for the 12-year period was 5.28 su. Background pH conditions are variable and are controlled by local recharge conditions, seasonal rainfall patterns, and whether the groundwater is from a shallow or deep source. Generally, the groundwater occurring at shallow depths (less than 100 feet below land surface) is more acidic than deeper groundwater that tends to approach neutral conditions.

In addition to review of the USGS groundwater pH data, a review was conducted of long-term pH data for a surface water gaging station on the Perdido River at Barrineau Park. The Perdido River is the westernmost boundary for Escambia County. The station is located about the middle portion of the County and shows that base flow streamflow conditions have pH values generally less than 5 su. Since the base flow of this stream and other streams in the county are derived from groundwater, this is another line of evidence that groundwater pH conditions are acidic.

Geochemically, pH is an important factor in understanding the occurrence of radium in the groundwater beneath Escambia County. Historically, the impacts from radium are well documented within the County and many of these exceedances are not associated with known contaminated sites. As the USGS data indicate, the groundwater can have a naturally occurring background value as low as 3.4 su. Likewise, the data showed that 101 of the 222 observations of pH were less than 5 su indicating that acidic background conditions exist for the groundwater in southern Escambia County.


Exceedances of radium in Escambia County are believed to be associated with naturally occurring thorium minerals in the subsurface. USGS research (Zapeczka and Szabo, 1988) at sites throughout the eastern United States indicate that when groundwater pH is approaching 4.5 to 5 su or lower and thorium is present, a process known as recoil mobilization is possible. This recoil process allows radium 228 to be released to the groundwater from the minerals containing thorium. For Escambia County as a whole, it is possible to activate this release with what are considered background groundwater conditions.

The acidity reflected by low pH in groundwater within the Agrico plume is most likely the result of former operational processes whereby wastewater was disposed in the former on-site impoundments at the former Agrico facility (Watts, et al, 1988).

The trends in groundwater pH from the Agrico network monitoring wells are reflected in the following graphs for the surficial and main producing zones of the aquifer. Measurements in 2024 in the main producing zone indicate that pH levels were higher in most wells than measurements in 2023, but values are still within historical ranges.


Surficial Zone Groundwater:

The surficial zone groundwater pH vs. time chart for the annual monitoring networks wells is shown below. The Five-Year Review wells are shown on the chart in **Appendix E**




Main Producing Zone Groundwater:

The main producing zone groundwater pH vs. time chart for the annual network monitoring wells is shown below. The Five-Year Review wells are shown on the chart in **Appendix E**



The following radium-228 versus pH graph is updated from the original graph (URS, 2007) to show data from all sampling events conducted for the Agrico Site. The data points marked as red diamonds represent results from the November 2024 sampling event. The graph shows the relationship between pH and radium 228 concentrations and illustrates that where the groundwater pH approaches about 5 to 4.5 su or lower, the radium 228 concentration generally increases and often exceeds the 5 pCi/L drinking water standard for combined radium 226 + radium 228. It should be noted that the use of a pH of 4.5 su to demonstrate this relationship is within the range of pH at which the recoil process generally is activated. The recoil activation range is plus or minus a pH of 4.5 su (Zapeczka and Szabo, 1988).

Data from the 2024 sampling also generally follow the historical trend.



Acidic groundwater conditions are also associated with Site 348. This site is located approximately 3,000 feet south of the Agrico Site. Assessment reports for Site 348 (MACTEC, 2010) present pH and radium 228 data which show that low pH conditions result in exceedances of the radium standard of 5 pCi/L for combined radium 226 and radium 228. Data from Site 348 indicate that radium 228 is the predominant isotope present in the groundwater beneath Site 348. Site 348 is in close proximity to former municipal water supply wells. A 2008 sample collected by the ECUA from the F & Scott well reported a combined radium 226 + 228 concentration of 5 pCi/L (www.ecua.fl.org – 2010 Water Quality Report).


5.5.3 Dissolved Oxygen

The solubility limit (saturation concentration) of oxygen in water (in equilibrium with air) at the temperatures, pressures, and salinities encountered in shallow groundwater at the Site is on the order of 8.5 mg/L (ppm). Oxygen's solubility limit increases as temperature decreases. Dissolved oxygen (DO) concentrations greater than 1 mg/L (aerobic conditions) are considered to support aerobic microbial metabolism, and conversely, DO concentrations less than 1 mg/L (anaerobic conditions) support anaerobic microbial systems.

With the exception of AC-5S (a Five-Year Review well) located side-gradient (south) of OU-1, surficial zone DO was above 1.0 mg/L during 2024. Values in the main producing zone varied from anaerobic to aerobic.


Surficial Zone Groundwater:

The shallow groundwater DO vs. time chart for the annual monitoring network wells is shown below. The Five-Year Review wells are shown on the chart in **Appendix E**



Main Producing Zone Groundwater:

The deep groundwater DO vs. time chart for the annual monitoring network wells is shown below. The Five-Year Review wells are shown on the chart in **Appendix E**



5.5.4 Oxidation-Reduction Potential

Oxidation-reduction potential (ORP) reactions control the behavior of many chemical constituents in groundwater. ORP refers to the electric potential required to transfer electrons from one compound or element (the oxidant) to another compound (the reductant). The process of oxidation involves losing electrons, while reduction involves gaining electrons. ORP is used as a qualitative measure of the state of oxidation in aqueous solutions. ORP (and Eh) are typically given in terms of millivolts (mV).

Although similar to ORP, Eh is reserved for consideration where the redox potential is measured with a relatively fragile standard hydrogen electrode. Positive Eh values indicate an oxidizing environment, while negative Eh values indicate a reducing environment. For field applications, ORP is typically measured using silver/silver chloride (Ag/AgCl) reference electrodes.


Field ORP readings can be converted to Eh values by adding the offset value provided by the manufacturer of the ORP calibration solution used (or by experimentation). ORP has been measured at the Site with an YSI (brand) instrument equipped with an Ag/AgCl electrode and calibrated against a Zobell 4 molar potassium chloride (KCl) solution where the offset to Eh is 200 mV. To convert the Site’s field ORP readings to Eh, the offset value of 200 mV is added to the Site’s ORP

readings. For example, ORP readings of +150 and -172 mV translates to Eh values of +350 and +28 mV, respectively. It is common for natural groundwater to present ORP between +300 mV to -400 mV (Eh between +500 mV to -200 mV).

Generally, oxygen-rich water is expected to exhibit positive ORP values (reflecting oxidizing conditions); and, conversely, anaerobic water often presents negative ORP values (reflecting reducing conditions). However, oxidation-reduction reaction couples are numerous and often competitive, so that natural environments affected by anthropogenic constituents can induce ORP behavior atypical of the otherwise classic correlation with DO. ORP is expected to reach equilibrium in groundwater that is at or approaching steady state. Changes in ORP can indicate a system that is out of equilibrium. ORP readings in 2024 were higher than those reported in 2023, but the values remain within the historical ranges except at AC-2S, AC-2D, and AC-3S which were at historical highs. Overall, ORP in the appears to be relatively stable.


Surficial Zone Groundwater:

The shallow groundwater ORP vs. time chart for the annual monitoring network wells is shown below. The Five-Year Review wells are shown on the chart in **Appendix E**



Main Producing Zone Groundwater:

The deep groundwater ORP vs. time chart for the annual monitoring networks wells is shown below. The Five-Year Review wells are shown on the chart in **Appendix E**



5.6 BAYOU TEXAR SAMPLING RESULTS

The modified surface water monitoring network is composed of three sampling locations within Bayou Texar. Freshwater from Carpenter’s Creek flows into the saline estuary, Bayou Texar. **Figure 1** shows the locations of the surface water sampling sites. The samples are analyzed for fluoride only. Brackish water occurs at all three locations where samples are collected.

The surface water sampling results for fluoride at the three stations are shown in **Table 5** (field parameters) and **Table 9** (analytical results). The fluoride results did not exceed the surface water criteria of 5 mg/L at the sampling locations. Laboratory analytical reports are contained in **Appendix A**.

5.7 QA/QC REVIEW

Eurofins job numbers for this annual report are 400-265846-1 and 400-266970-1. The following laboratory narratives describe the sample conditions and associated analytical QA/QC issues.

Laboratory Report 400-265846-1:

All samples were received in good condition, properly preserved, and on ice.

Method 300.0 – Chloride and Sulfate:

- Several samples were diluted due to high conductivity and the elevated reporting limits are provided.
- Several samples were diluted to bring the concentration of target analytes within the calibration range, and the elevated reporting limits are provided.

Method 6010 – Metals:

- No analytical issues were noted.

Method 353.2 – Nitrate-Nitrite:

- Several samples were diluted to bring the concentration of target analytes within the calibration range and reporting limits are provided.

Method SM4500_NO2_B – Nitrate-Nitrite:

- The matrix spike/ matrix spike duplicate (MS/MSD) recoveries for an analytical batch were outside advisory control limits. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample recovery was within acceptance limits.

Method 4500_F_C – Fluoride:

- Several samples were diluted to bring the concentration of target analytes within the calibration range and reporting limits are provided.

Method 904.0 – Radium 228:

- The laboratory control sample (LCS) failed in the original run. There was insufficient volume to perform a re-extraction. An unpreserved volume was sent by Eurofins Pensacola to Eurofins St. Louis and the additional volume was preserved by the laboratory.
- Two LCSs associated with two samples recovered above the LIMS regulatory agency system limits; however, the samples associated with this LCS are not governed by this agency and are therefore held to the in-house statistical limits. The LCS is within criteria and no further action was required.
- The detection goal was not met for several samples due to insufficient sample available for analysis due to the re-extraction. The analytical results are reported with the detection limit achieved.

Method 903.0 – Radium 226:

- Insufficient sample volume was available to perform a batch duplicate for several samples. A laboratory control sample/ laboratory control sample duplicate (LCS/LCSD) was prepared instead to demonstrate batch precision.

Laboratory Report 400-266970-1:

All water quality samples were received in good condition, properly preserved and on ice. No analytical or quality issues were noted.

Results of the QA/QC samples are included with the laboratory reports in **Appendix A**.

5.8 GROUNDWATER SAMPLING RESULTS

The 2024 annual results continue to show that source control actions at the former Agrico Site are effective and that the MNA remedy is functioning as expected with Agrico COCs attenuating in groundwater under the former Site and downgradient of the Site.

Within the surficial zone, historically the overall trend of COCs is downward and there has been an overall shrinking of the area of impacts for this zone. The downward trend in concentrations has been attributed to effective source control. The surficial zone plume is historically captured by the vertical hydraulic component of the groundwater transport approximately one-half mile downgradient of the former Site. Due to these conditions, the areal extent of impacts in the surficial zone is limited.

Historical results show that all Agrico monitoring well locations on the former Agrico property have achieved clean up goals. Presently, there are only two surficial monitoring wells being sampled annually for the Site, ACB-31S (onsite near the upgradient boundary) and AC-2S (directly downgradient of the Site). In 2024, ACB-31S exhibited a radium 226 + 228 concentration that slightly exceeded the clean-up target level. This is the first time since 2014 that the concentration was detected above the clean-up target level. AC-2S exhibits COC (fluoride and arsenic) concentrations above target clean-up goals in the surficial zone. For 2024, fluoride (22 mg/L) exceeds the clean-up target level of 4 mg/L at this location. The fluoride concentrations in shallow groundwater are attenuating. The peak concentration of 210 mg/L occurred in 2002 at well AC-2S. Since that time, fluoride concentrations have exhibited an overall decreasing trend. For arsenic, the concentration is also decreasing. The highest total arsenic concentration of 0.74 mg/L occurred at well AC-2S in 1990. In 2024, arsenic was not detected however the method detection limit was elevated above the performance standard of 0.010 mg/L (revised in 2006).

Five-Year Review well NWM-5S exhibited a combined radium 226 + 228 concentration of 7.16 pCi/L that exceeded the clean-up target level of 5.0 pCi/L. This well is located well downgradient of the site, and relatively near to Carpenter's Creek. The radium concentration has historically been below 5.0 pCi/L in this well, and the concentration in the deeper well at this location was reported below the clean-up target level.

Within the main producing zone, the overall flattening of the trends is what was predicted in the *Evaluation of Monitored Natural Attenuation* by William Huber, Ph.D., Quantitative Decisions, (URS, 2009) and further confirmed by subsequent data evaluations by Huber in the October 23, 2013, Report #2 (URS, 2013b). This flattening should be expected to continue for some time and eventually evolve into a slowly decreasing trend, accelerating as time goes on. Slight upward or downward ticks in the trend for individual monitoring well results are to be expected. It is the long-term trend for each COC that is important. Radium appears to attenuate more slowly than the other Agrico COCs. Radium exceedances occur as the result of a secondary reaction and are not the direct result of infiltration into the groundwater from the source area. Instead, acidic wastewater infiltrated into the groundwater and contacted naturally occurring mineralogy with radium content. The radium in turn was released from the subsurface sediments to the groundwater as the acidic plume is transported downgradient contacting newly exposed aquifer material with the radium mineralogy. As the acidity approaches background conditions, this will stop the release of radium and attenuation of combined radium should progress on a faster path.

Figure 8 and **Figure 9** show the 2024 results for the current monitoring locations for fluoride and combined radium 226 + 228, respectively.

The 2024 fluoride results are consistent with historical results at all wells and are included in **Table 8**. Review of the data in conjunction with review of the fluoride results from the 2024 surface water samples collected in Bayou Texar confirms that fluoride concentrations overall in the main producing zone are decreasing.

Combined radium 226 + 228 concentrations from the 2024 sampling event were slightly higher in most of the monitoring wells than those measured during 2023. However, all results were well below the historical maximums, and overall, the data show decreasing or stable trends for radium.

Chloride, sulfate, and nitrate values in 2024 were reported below the performance standards in all wells, except for chloride in AC-25D. Chloride analyses from AC-25D was slightly above the performance standard of 250 mg/L with a concentration of 260 mg/L that is within the historical range.

Figure 10 presents the trend graphs for fluoride in the surficial zone annual monitoring wells. Although, ACB-31S had a detection of combined radium slightly above the performance standard, a combined radium 226 + 228 trend is not included since this parameter has remained below the performance stand in the previous 9 years. The combined radium 226 + 228 in ACB-31S will be monitored closely in future monitoring events. Also, chloride, sulfate, nitrate, and combined radium 226+ 228 (at AC-2S) trends are not included for the surficial zone since these parameters have remained below the performance standards in the surficial zone for over 5 years.

Figure 11 shows the trend graphs for fluoride, chloride, sulfate, nitrate, and combined radium 226 + 228 for each of the annual sampling monitoring well locations in the main producing zone. For the locations with questionable 2021 fluoride results, as reported in **Table 8**, the reported values have been left off the charts so as not to skew the trends.

6.1 OU-1 REMEDY

The source area remedy was completed in 1997. Since that time, the property has remained secured; institutional controls have been filed on the property deed and are on record with Escambia County; the integrity of the constructed cap has not been compromised by erosion or settlement; the grass cover on the cap has matured and stabilized the soils; and the storm water controls remain intact, preventing storm water runoff from leaving the Site except through infiltration to groundwater in the North and South Ponds. Results of the water and sediment sampling in the infiltration ponds during January 2004 indicated that soils on-site are not affecting the quality of water infiltrating these ponds. Concentrations of all COCs in groundwater of the surficial zone immediately downgradient of the cap have decreased significantly since the remedial actions were completed. Based on the groundwater sampling results, the source area is controlled, and the remaining COC impacts are from residual impacts caused prior to the remedial action. **Results from the 2024 sampling of monitoring wells downgradient of the cap area indicate that the OU-1 remedy remains effective and that source zone depletion is ongoing.**

6.2 OU-2 REMEDY

Annual groundwater and surface water monitoring has been performed at established long-term monitoring locations since 1999. Comprehensive sampling has been performed in conjunction with

each Five-Year Review. The groundwater monitoring continues to be an effective means of evaluating the natural attenuation remedy as well as source zone depletion. The evaluation of the long-term groundwater monitoring network (URS, 2006d), approved by the EPA on September 11, 2007, provides further information regarding the defined plume area and downgradient progression. The evaluations of monitored natural attenuation associated with the Agrico plume (URS, August 2009 and October 2013) further supports that the mechanisms for attenuation are in place throughout the area and the effects of the source zone remedy are evident in the surficial zone of the former source area (OU-1) and are also being observed downgradient (OU-2), as expected. **Results from the 2024 sampling of monitoring wells downgradient indicate that natural attenuation is proceeding as expected and is an effective remedy for the Site.**

6.2.1 Notifications

As part of the annual scope of work, notifications are provided to select groups. This includes issuing an Advisory Notice to contractors, a memorandum to local and regional agency contracts; and querying of the NFWFMD permit records to determine if any new wells have been installed within the well construction moratorium area.

A standard advisory notice was distributed to contractors who might be performing work related to new well installations around OU-2. This notice informs the contractor of the boundaries of the existing moratorium on well construction. It also directs them to the NFWFMD, the FDEP, or the Escambia County Health Department for more information.

According to the NFWFMD permit records, no new irrigation wells were installed within the monitoring area during 2024.

On February 22, 2001, the NFWFMD Board passed a moratorium on drilling wells, including irrigation wells, in the Agrico OU-2 and the ETC groundwater plume areas. The moratorium remains in effect and provides the most stringent institutional controls for the area impacted by the plume. The moratorium has no termination date and is part of the Prohibitions in Rule 40A3. In March 2021, a coordination memorandum was distributed to local and regional agencies requesting input on any rule changes that may affect any institutional controls for the moratorium area (**Appendix C**). No responses indicating work that might affect the area were received.

6.2.2 Sampling Results – Groundwater and Surface Water

The natural attenuation remedy is proceeding as anticipated, with 28 of the estimated 70 years elapsed (remediation of OU-1 was certified complete in April 1997). Conclusions from the monitored natural attenuation evaluations (URS, August 2009 and October 2013) indicate that much of the groundwater is expected to reach the target concentrations within two to three decades. Within the area of the Bayou Texar discharge boundary, the time to reach the targets may be longer. Fluoride results continue to exemplify cleanup progress for the Agrico Site. The results from 2024 continue to show that overall fluoride concentrations are decreasing with time. Additionally, it appears that the plume discharge area remains well defined and limited in areal extent. The 2024 groundwater results compare to historical results for both aquifer zones. Although slight increases in some COC concentrations were detected at monitoring well locations, the increases are well below the maximums detected and within the range of expected concentration fluctuations for a natural attenuation remedy where source control has been implemented and source-zone depletion is ongoing.

Surficial Zone

The surficial zone plume does not migrate to Bayou Texar. The plume in this zone infiltrates to the main producing zone within less than 0.4 mile downgradient of the Site (**Figure 4**). Monitoring of the groundwater within the surficial zone is limited to the OU-1 area and the vicinity of the vertical diversion area between AC-2S and AC-3S. For the last few years, impacts remaining for the surficial zone plume are in proximity of monitoring well AC-2S, and only fluoride was detected above the performance standards in this well during 2024. During 2024, radium was detected above the clean-up target level in ACB-31S located onsite near the upgradient OU-1 boundary. Historically, within the surficial zone, the overall trend in COC concentrations is downward and the overall area of impacts is shrinking. Due to the existing hydrogeologic/hydraulic conditions, the zone has limited areal impacts. For most of the OU-2 area, background conditions exist for the Agrico COCs within the surficial zone since the potential for downgradient impacts beyond the surficial zone diversion area are absent. Any exceptions to background concentrations in these downgradient surficial zone wells are due to non-Agrico sources.

Main Producing Zone

Within the main producing zone, arsenic and lead plumes are not present. The primary indicator of the Agrico plume continues to be fluoride where concentrations exceed the performance standard of 4 mg/L. Also, although not observed during the 2024 sampling, elevated chloride and sulfate concentrations may coexist with elevated fluoride concentrations at some locations. Radium appears to be attenuating more slowly than the other Agrico COCs. This is because radium (naturally occurring) exceedances occur as the result of a secondary geochemical reaction, not the direct result of infiltration into the groundwater from the source area. Instead, low pH acidic wastewater infiltrated into the groundwater and contacted naturally occurring minerals with radium content. The naturally occurring radium was released from the subsurface saturated soil to the groundwater with the low pH acidic plume. As the pH approaches background conditions (neutralizes) downgradient, the release of the naturally occurring radium will subside, and both the pH and radium plumes will continue to shrink.

Historically, the main producing zone plume remains well defined, as the detailed evaluations (URS, 2006d, URS, August 2009, and URS, October 2013) confirmed, and exceedances of COC-specific performance standards only cover limited areal extents. Within the main producing zone, the stability and flattening of COC concentration trends is what was predicted and what is observed. At some locations, the flattening/COC stability is expected to continue for some time. This trend will eventually evolve into a slowly decreasing trend, accelerating with time as it has already developed in many locations.

Sampling results for 2024 showed slightly higher concentrations for some constituents at a few locations within the plume than measured in 2023. These increased concentrations were within the historical ranges, and overall concentrations trends are decreasing. Slight upward or downward ticks in COC trends for individual monitoring well results are to be expected as site conditions change (e.g., water level fluctuations, aquifer heterogeneity, etc.). It is the long-term trend for each COC in the impacted area that is important.

6.2.3 Bayou Texar

The 1993 Bayou Texar Assessment (Entrix, 1993a, 1993b, and 1993c) presented fluoride data that indicated groundwater originating from the Agrico Site was discharging to the bayou. The data also indicated that the discharge zone appeared to be well defined and limited in areal extent. The EPA's review of the data concluded that fluoride would have to be discharging at a concentration of 4,050 mg/L or greater to exceed the surface water standard of 5 mg/L in the bayou. The maximum fluoride concentration in 2024 in the groundwater well (AC-35D) closest to the western edge of Bayou Texar, was 63 mg/L. The maximum historical fluoride concentration recorded for the Agrico plume was 180 mg/L in the same well AC-35D in 2010. Furthermore, in the OU-2 ROD, the EPA (1994) concluded that it is unlikely that the discharge of the groundwater plume into Bayou Texar would result in impacts to fish or wildlife.

There are more than 60 storm water outfalls into Bayou Texar. Several studies have identified impacts caused by storm water from other locations contributing contaminants to the bayou. Mohrherr, et al. (2005) concluded that Bayou Texar is an urban water body that is impacted by a variety of pollutants and pollution sources. Mohrherr, et al. (2005) further concluded that their results corroborate the studies conducted for the Agrico Site indicating that fluoride levels are highest and increase with depth in the northern portion of the bayou where the Agrico plume discharges to the bayou. Mohrherr, et al. (2005) also concluded, as the long-term monitoring data for the bayou confirm, that the fluoride concentrations in the waters of Bayou Texar are below the Chapter 62-302, Class III Marine standard of 5 mg/L.

Surface Water

Surface water concentrations of fluoride remain below Chapter 62-302, Class III Marine Surface Water Standards for Agrico COCs, indicating that sufficient precipitation for the case of fluoride concentrations exists within the bayou. For other Agrico constituents, advection-dispersion is significantly affecting the COCs before and/or after it is discharged to the bayou so that the Agrico plume potential impacts are minimized with no significant risk to the bayou.

Summary of Ecological Impact Evaluation of Bayou Texar Downgradient of Agrico's Groundwater Fluoride Plume

On September 4, 2009, the results of the Phase I and Phase II Bayou Texar sampling for August 2008 and May 2009 were submitted to the EPA. The results of the investigations indicated the following:

- Fluoride in the top 10 centimeters (cm) of sediment (the bioactive zone) within the groundwater plume discharge zone ranged from about 32 to 339 micrograms per gram ($\mu\text{g/g}$).
- Fluoride in the near-bottom surface water (the primary exposure regime for demersal fish) within the groundwater plume discharge zone was consistently less than the Florida Surface Water Quality Criterion for Class III Marine waters for fluoride, 5 mg/L. The concentration of fluoride in most of the surface water samples was less than 1 mg/L.
- Fluoride in the sediment pore water in the bioactive zone (the primary exposure regime for benthic macro-invertebrates) within the groundwater plume discharge zone was less than 3

mg/L in 30 of the 40 stations sampled. Fluoride in pore water exceeded the 5 mg/L standard at only 3 of 40 stations. Spatial analysis determined that the surface area weighted average concentration of fluoride in the bioactive zone pore water was less than the 5 mg/L standard.

The conclusions of this assessment indicated that there is no significant risk to populations of demersal fish or to benthic macro-invertebrate communities that inhabit the reach of Bayou Texar where the Agrico groundwater discharges. Furthermore, the fluoride solubility in most of surface sediments and in all pore waters within the primary groundwater plume discharge reach is controlled by mineral precipitation reactions. These reactions are likely responsible for buffering dissolved concentrations of fluoride in near surface sediment pore water and the surface water in this reach of the bayou.

The EPA has approved the ecological impact evaluation that was conducted for Bayou Texar (URS, 2009C). As part of the Third Five-Year review, the EPA included four recommendations in the June 2010 Five-Year Report. These recommendations were as follows:

1. Continue annual groundwater monitoring.
2. Continue annual near-bottom Bayou Texar surface water monitoring at multiple stations including the 3 locations with pore water greater than 5 milligrams per liter as reported in the September 4, 2009 “Conceptual Site Model Ecological Impact Evaluation of Bayou Texar Downgradient of Agrico’s Groundwater Fluoride Plume” (Phase II results).
3. If the levels of fluoride in near-bottom surface water or in adjacent Bayou Texar groundwater monitoring well, AC-35D increase to levels significantly greater than that measured historically (maximum of 180 mg/L in 2010), submit a work plan to evaluate the increase.
4. Conduct further risk evaluation studies will be conducted if the surface area weighted average for pore water is predicted to be greater than 5 mg/L.

These first two recommendations are continuing tasks of the on-going long-term monitoring program for the Site. As of the November 2010 sampling event, the three locations where pore water results were greater than 5 mg/L were added to the long-term monitoring.

Since the surface water sampling was initiated for Bayou Texar and modified in 2010, no significant concentrations of fluoride have been detected as part of the near-bottom surface water sampling. For 2024, the fluoride concentrations are 0.84 mg/L (BT-02), 0.99 mg/L (BT-107), and 0.95 (BT-127). The value for BT-107 and BT-127 was higher than the value detected during the 2023 sampling event. Results from the other (BT-02) location was lower than values reported in 2023, and results from the Five-Year Review locations ACSW-1 and ACSW-2 were below 1.0 mg/L. Results from all locations continue to be well below the applicable SWS. Historical surface water fluoride concentrations further confirm that the Agrico groundwater discharges to Bayou Texar have no significant risk.

6.3 RECOMMENDATIONS

- Annual groundwater and surface water sampling continue for 2025 as stated in the March 10, 2015, FDEP Memorandum.
- Operations and maintenance including mowing related to OU-1 to continue in accordance with the OU-1 O&M Plan as amended November 18, 2009, and approved by the EPA on January 25, 2010.

- The advisory notice to contractors and the query of the NFWMD well construction permit database will continue annually.
- The Agency Coordination Memo and the FDOT inquiry for intrusive activity will continue annually.
- Continue to work to understand the impacts associated with Site 348 (a FDEP site) and work with the EPA on gathering information pertaining to Site 348.
- Remove AC-6S and AC-6D from the Five-Year Review monitoring well network. AC-6S could not be located and AC-6D was found significantly damaged during the 2024 sampling event. Concentrations in AC-6S and AC-6D during the 2019 event indicated that all COCs were below clean-up target levels. Additionally, both wells are located side-gradient of the Agrico groundwater plume.

- AECOM (formerly URS), 2015. Annual Report for 2014, Operable Units One and Two (OU-1, OU-2), Agrico Site, Pensacola, Florida, February 3, 2015.
- AECOM, 2016. Annual Report for 2015, Operable Units One and Two (OU-1, OU-2), Agrico Site, Pensacola, Florida, March 4, 2016.
- AECOM, 2017. Annual Report for 2016, Operable Units One and Two (OU-1, OU-2), Agrico Site, Pensacola, Florida, March 31, 2017.
- AECOM, 2018. Annual Report for 2017, Operable Units One and Two (OU-1, OU-2), Agrico Site, Pensacola, Florida, March 8, 2018.
- AECOM, 2019. Annual Report for 2018, Operable Units One and Two (OU-1, OU-2), Agrico Site, Pensacola, Florida, March 22, 2019.
- AECOM, 2020. Annual Report for 2019, Operable Units One and Two (OU-1, OU-2), Agrico Site, Pensacola, Florida, March 23, 2020.
- AECOM, 2021. Annual Report for 2020, Operable Units One and Two (OU 1, OU 2), Agrico Site, Pensacola, Florida, March 31, 2021.
- AECOM, 2022. Annual Report for 2021, Operable Units One and Two (OU 1, OU 2), Agrico Site, Pensacola, Florida, March 31, 2022.
- AECOM, 2023. Annual Report for 2022, Operable Units One and Two (OU 1, OU 2), Agrico Site, Pensacola, Florida, March 31, 2023.
- AECOM, 2024. Annual Report for 2023, Operable Units One and Two (OU 1, OU 2), Agrico Site, Pensacola, Florida, March 31, 2024.
- AMEC, 2013. Expanded Site Inspection Report – Palafox Street and Texar Dr. Ammonia Site, Pensacola, Escambia County, Florida; prepared for FDEP, Tallahassee, FL; FDEP Comet Site ID # 155367, EPA ID No. FLN000410706; June 2013.
- Bortone, Stephen A, 1996. Biophysical Monitoring at Bayou Texar: Bathymetric, Sedimentologic and Macroinvertebrate Evaluation at Twelve Outfalls, University of West Florida.
- Carmargo, J.A., 2003. Fluoride Toxicity to Aquatic Organisms: A Review. *Chemosphere* 50 (2003):251-264.
- Cameron-Cole, LLC, 2011. Site Assessment Report, Former Kaiser Agricultural Chemical Company, 2710 North Palafox Street, Pensacola, Florida; prepared for Mr. James W. Bradley and Mr. Donald W. Moore; September 15, 2011. CDM Federal Programs Corp. 1998. Remedial Investigation/Feasibility Study for Source Soils for the Escambia Treating Company Site, Pensacola, Florida. February 9, 1998.
- Camp, Dresser & McKee, Inc. (CDM), 1998. Final Remedial Investigation Feasibility Study for Source Soils for the Escambia Treating Company Site, Pensacola, Florida.
- CDM, 2004. Data Summary Report for OU1 Additional Soil Investigation Remedial Investigation/Feasibility Study for the Escambia Treating Company Site, Pensacola, Florida.
- CDM, 2005a. Final Feasibility Study Report for Source Soils, Operable Unit 1, Escambia Treating Company Site, Pensacola, Florida.

- Coffin, John E., 1982. Summary of Ground-Water and Surface-Water Data for City of Pensacola and Escambia County, Florida: U.S. Geological Survey Open-File Report 82-361.
- E² Inc., 2010. Five-Year Review Report (2005-2009) Third Five-Year Review Report for Agrico Chemical Company, FLD 980221857, Pensacola, Escambia County, Florida, June 2010. Prepared for U.S. Environmental Protection Agency, Region 4, Atlanta, Georgia.
- Entrix, Inc., 1993a. Final Bayou Study Work Plan: Phase 1a and 1b Sediment Sampling Program.
- Entrix, Inc., 1993b. Bayou Texar Study Phase I Report: Sediment and Pore water Sampling and Analysis. May 6, 1993.
- Entrix, Inc., 1993c. Bayou Texar Study Phase I Addendum Report: Bulk Metals Analyses with Additional Interpretation of Pore water Analyses. May 26, 1993.
- Florida Institute of Phosphate Research, 2004. Phosphate Primer.
- Geraghty & Miller, Inc., 1990. Remedial Investigation and Feasibility Study Work Plan. Pensacola Fertilizer Site. Pensacola, Florida. June 1, 1990.
- Geraghty & Miller, Inc., 1991a. Draft Remedial Investigation Additional Work Plan. Agrico Chemical Site. Pensacola, Florida. July 24, 1991.
- Geraghty & Miller, Inc., 1991b. Draft Remedial Investigation. Pensacola Fertilizer Site. Pensacola, Florida. March 28, 1991.
- Geraghty & Miller, Inc., 1992a. Final Phase I Remedial Investigation, Agrico Chemical Site, Pensacola, Florida. March 12, 1992.
- Geraghty & Miller, Inc., 1992b. Phase II Remedial Investigation, Agrico Chemical Site, Pensacola, Florida. September 18, 1992.
- Geraghty & Miller, Inc., 1993a. Final Feasibility Study. Agrico Chemical Site. Pensacola, Florida. June 23, 1993.
- Geraghty & Miller, Inc., 1993b. Final Phase 2 Remedial Investigation. Agrico Chemical Site. Pensacola, Florida. November 26, 1993.
- Gibbons, Robert D., 1994. Statistical Methods for Ground Water Monitoring, John Wiley & Sons, Inc.
- Henningson, Durham, and Richardson, 1974. Bayou Texar Restoration Study.
- Mactec Engineering & Consulting, 2010. Summary of Phase VIII Groundwater Investigation Findings Report, ECUA Well Field Site, Pensacola, Escambia County, Florida; prepared for FDEP (Site 348); February 2010.
- Mohrherr, Dr. Carl J., Dr. Johan Liebens, Dr. J. Eugene Lepo, and Dr. K. Ranga Rao, 2005. Profiles of Selected Pollutants in Bayou Texar, Pensacola, FL; a component of the "Assessment of Environmental Pollution and Community Health in Northwest Florida;" EPA Cooperative Agreement Award X-9745502; University of West Florida. May 10, 2005.
- Moshiri, Gerald A. and Salman Elawad, 1990. Physical, Biological, and Environmental Studies of Bayou Texar, Escambia County, Florida: Physical, Chemical and Biological Characteristics of the Water Column and Sediments; The Institute for Coastal and Estuarine Research, University of West Florida; Vol. II.

- Northwest Florida Water Management District, 1978. Evaluation of the Sedimentation and Hydraulic Characteristics of Bayou Texar and Carpenter's Creek. Escambia County, Florida: Technical File #78-3.
- Northwest Florida Water Management District, 1988. Storm water Evaluation for the Restoration of Bayou Texar. WRSR #88-3.
- Northwest Florida Water Management District, 1989. Ambient Ground Water Quality in Northwest Florida: Water Resources Special Report 87-1 (Revised edition).
- Northwest Florida Water Management District, 1996. Analysis of Ground Water Availability in the Cordova Park Area, Southeastern Escambia County, Florida. April 1996.
- Northwest Florida Water Management District, December 1999. Susceptibility of Public Supply Wells to Ground Water Contamination in Southern Escambia County, Florida.
- Northwest Florida Water Management District (Countryman, Baker, Pratt, and Miller), October/November 2000. Potentiometric Surface of the Surficial Zone of the Sand-and-Gravel Aquifer, Escambia County, Florida. Water Resources Map Series 01-1.
- Northwest Florida Water Management District (Countryman, Baker, Pratt, and Miller), October/November 2000. Potentiometric Surface of the Main Producing Zone of the Sand-and-Gravel Aquifer, Escambia County, Florida. Water Resources Map Series 01-2.
- Roaza, Honesto P., Thomas R. Pratt, Christopher J. Richards, Jay L. Johnson, and Jeffrey R. Wagner, 1991. Conceptual Model of the Sand-and-Gravel Aquifer, Escambia County: Northwest Florida Water Management District, Water Resources Special Report 91-6.
- Roaza, Honesto P., Thomas R. Pratt, and Christopher J. Richards, 1993. Numerical Modeling of Ground Water Flow and Contaminant Transport in the Sand-and-Gravel Aquifer, Escambia County, Florida: Northwest Florida Water Management District, Water Resources Special Report 93-4.
- Richards, Christopher J., Thomas R. Pratt, and Katherine A. Milla, 1997. Wellhead Protection Area Delineation in Southern Escambia County, Florida: Northwest Florida Water Management District, Water Resource Special Report 97-4.
- Stone, Gregory W. and James P. Morgan, 1990. Physical, Biological, and Environmental Studies of Bayou Texar, Escambia County, Florida: Sedimentation, Bathymetric Changes and Tidal Variability in Bayou Texar. The Institute for Coastal and Estuarine Research. University of West Florida.
- Stone, Gregory W., Morgan, James P., Moshiri, Gerald A., and Elawad Salman, 1990. Physical, Biological, and Environmental Studies of Bayou Texar, Escambia County, Florida: Conclusions and Recommendations for Environmental Quality Improvement in Bayou Texar; The Institute for Coastal and Estuarine Research, University of West Florida. Vol. V.
- Trapp, H., Jr., 1975. Hydrology of the Sand-and-Gravel Aquifer in Central and Southern Escambia County, Florida. U.S. Geological Survey Open-File Report FL 74027.
- URS, January 2001. Annual Report. Ground Water Sampling Results –May and November 2000. Operable Unit One, Agrico Site, Pensacola, Florida.

- URS, March 9, 2001. Annual Report for 2000. Operable Unit Two (OU-2), Agrico Site, Pensacola, Florida.
- URS, March 1, 2002. Annual Report for 2001, Operable Unit Two (OU-2), Agrico Site, Pensacola, Florida.
- URS, March 1, 2002. Ground Water Sampling Results – May and November 2001. Operable Unit One, Agrico Site, Pensacola, Florida.
- URS, April 2, 2003. Annual Report for 2002. Operable Unit Two (OU-2), Agrico Site, Pensacola, Florida.
- URS, April 2, 2003. Annual Report for 2002. Operable Unit One (OU-1), Agrico Site, Pensacola, Florida.
- URS, April 2, 2004. Annual Report for 2003, Operable Unit One (OU-1), Agrico Site, Pensacola, Florida.
- URS, June 25, 2004. Annual Report for 2003, Operable Unit Two (OU-2), Agrico Site, Pensacola, Florida.
- URS, 2005a. Annual Report for 2004, Operable Unit One (OU-1), Agrico Site, Pensacola, Florida. February 11, 2005.
- URS, 2005b. Annual Report for 2004, Operable Unit Two (OU-2), Agrico Site, Pensacola, Florida. February 11, 2005.
- URS, 2006a. Annual Report for 2005, Operable Unit One (OU-1), Agrico Site, Pensacola, Florida. February 20, 2006.
- URS, 2006b. Annual Report for 2005, Operable Unit Two (OU-2), Agrico Site, Pensacola, Florida. April 6, 2006.
- URS, 2007. Annual Report for 2006, Operable Units One (OU-1) and Two (OU-2), Agrico Site, Pensacola, Florida. March 30, 2007.
- URS, 2006c. Technical Memorandum – Evaluation of Studies on Benthic Community Analysis and Sediment Toxicity Testing Conducted for Bayou Texar, Agrico Site, Pensacola, Florida. November 7, 2006.
- URS, 2006d. Technical Memorandum Report – Evaluation of Long-Term Groundwater Monitoring Network. Agrico Site, OU-1 and OU-2, Pensacola, Florida. November 30, 2006.
- URS, 2008. Annual Report for 2007, Operable Units One and Two (OU-1, OU-2), Agrico Site, Pensacola, Florida. March 28, 2008.
- URS, 2009a. Annual Report for 2008, Operable Units One and Two (OU-1, OU-2), Agrico Site, Pensacola, Florida. March 31, 2009.
- URS, 2009b. Evaluation of Monitored Natural Attenuation in Groundwater, Agrico Site, Pensacola, Florida. Prepared by William A. Huber, Ph.D. (Quantitative Decisions), August 19, 2009.
- URS, 2009c. Conceptual Site Model Ecological Impact Evaluation of Bayou Texar Downgradient of Agrico’s Groundwater Fluoride Plume. In cooperation with Anchor-QEA; September 4, 2009.
- URS, 2009d. Recommendations to Operations and Maintenance Plans Operable Unit One (OU-1) and Operable Unit Two (OU-2) Agrico Site, Pensacola, Florida, November 18, 2009.

- URS, 2010a. Annual Report for 2009, Operable Units One and Two (OU-1, OU-2), Agrico Site, Pensacola, Florida. March 15, 2010.
- URS, 2011. Annual Report for 2010, Operable Units One and Two (OU-1, OU-2), Agrico Site, Pensacola, Florida March 31, 2011.
- URS, 2012. Annual Report for 2011, Operable Units One and Two (OU-1, OU-2), Agrico Site, Pensacola, Florida. March 31, 2012.
- URS, 2013a. Annual Report for 2012, Operable Units One and Two (OU-1, OU-2), Agrico Site, Pensacola, Florida. March 29, 2013.
- URS, 2013b. Evaluation of Monitored Natural Attenuation in Groundwater, Report #2, October 23, 2013, Agrico Site, Pensacola, Florida, by Quantitative Decisions, William A. Huber, Ph.D., October 31, 2013.
- URS, 2014. Annual Report for 2013, Operable Units One and Two (OU-1, OU-2), Agrico Site, Pensacola, Florida, March 7, 2014.
- URS Greiner Woodward Clyde, January 1999. Annual Report. Ground Water Sampling Results – May and November 1998. Operable Unit One, Agrico Site, Pensacola, Florida.
- URS Greiner Woodward Clyde, December 1999. Annual Report. Ground Water Sampling Results – May and November 1999. Operable Unit One, Agrico Site, Pensacola, Florida.
- URS Greiner Woodward Clyde, 2000a. Remedial Action Implementation and First Annual Report (1999), OU-2, Agrico Site, Pensacola, Florida. February 2000.
- URS Greiner Woodward Clyde, 2000b. Five-Year Review, Agrico Site, Pensacola, Florida. February 2000.
- U.S. Army Corps of Engineers, Mobile District, 2005. Second Five-Year Review Report for Agrico Chemical Company, Operable Units 1 and 2, Pensacola, Escambia County, Florida, EPA ID: FLD980221857. Prepared for U.S. Environmental Protection Agency, Region 4. July 2005.
- U.S. Department of Agriculture and Tennessee Valley Authority, 1964. Superphosphate: Its History, Chemistry, and Manufacturing. December 1964.
- U.S. Environmental Protection Agency, 1992. Agrico Chemical Superfund Site, Record of Decision Operable Unit One. October 7, 1992.
- U.S. Environmental Protection Agency, 1994. Record of Decision for Operable Unit Two, Agrico Chemical Superfund Site, Pensacola, Escambia County, Florida. August 25, 1994.
- U. S. Environmental Protection Agency, 1994. Symposium on Natural Attenuation of Ground Water. 600/R-94/162.
- U.S. Environmental Protection Agency, 2006. Record of Decision. Summary of Remedial Alternative Selection. Escambia Wood Treating Company Superfund Site. Operable Unit 01 (Soil). Pensacola, Escambia County, Florida. February 2006.
- U.S. Environmental Protection Agency, 2008. Record of Decision. Summary of Remedial Alternative Selection. Escambia Wood Treating Company Superfund Site. Operable Unit 2 (Groundwater). Pensacola, Escambia County, Florida, September 2008.

- Wagner, J.R., T.W. Allen, L.A. Clemens, and J.B. Dalton, 1984. Ambient Ground Water Monitoring Program - Phase I: NFWFMD, DER Contract No. WM65.
- Watts, G., J.M. Wilson, K. Busen, and W.H. Colona, III, 1988. Agrico Chemical, Inc., Escambia County: FDER Groundwater Investigation Report No. 88-08.
- Watts, Geoffrey B., and George E. Wiegand, 1989. Supplementary Contamination Report. Agrico Chemical Company - Escambia County: FDER, Site Investigation Section.
- Wilkins, K.T., Wagner, J.R., and T.W. Allen, 1985. Hydrogeologic Data for the Sand-and-Gravel Aquifer in Southern Escambia County, Florida: Northwest Florida Water Management District Technical File Report 85-2.
- Woodward-Clyde Consultants, 1993. Off-Site Monitoring Well Installation and Ground Water Sampling. Agrico Chemical Site. Pensacola, Florida: Technical Memorandum; Volumes 1 and 2.
- Woodward-Clyde Consultants, 1998. Annual Report. Ground Water Sampling Results – May and November 1997. Operable Unit One, Agrico Site, Pensacola, Florida.
- Woodward-Clyde Consultants, 1997. Work Plan - OU-2 Remedial Design. Agrico Chemical Site. Pensacola, Florida.
- Woodward-Clyde Consultants, 1997. Preliminary Design Analysis, Operable Unit Two Agrico Site. Pensacola, Florida.
- Woodward-Clyde International-Americas, 1998. Intermediate Design Analysis, Operable Unit Two Agrico Site. Pensacola, Florida.
- Woodward-Clyde International-Americas, 1998. Pre-Final Design Analysis, Operable Unit Two Agrico Site. Pensacola, Florida.
- Woodward-Clyde International-Americas, 1998. Remedial Action Work Plan and Related Plans (including Management Plan, Sampling and Analysis Plan, Health and Safety Plan and Operation and Maintenance Plan). Operable Unit Two, Agrico Site, Pensacola, Florida.
- Zapczka, O.S. and Szabo, Zoltan, 1988. Natural radioactivity in groundwater – A Review in Moody, D.W., Chase, E.B., and Paulson, R.W., comp., National Summary 1986 – Ground-water quality: Hydrologic conditions and events: U.S. Geological Survey Water Supply Paper 2325.

TABLES

**TABLE 1
GROUNDWATER MONITORING WELL NETWORK
LONG-TERM AND PERIODIC MONITORING WELLS**

**Agrico Site
Pensacola, Florida**

Well I.D.	Network Component	Description	Aquifer Zone
AC-2D	OU-2 LTGWMW	Downgradient Site, Below PS Concentration	MPZ
AC-2S	OU-2 LTGWMW	Elevated Concentration Area Well	SZ
AC-3S	OU-2 LTGWMW	Flow Path Well, Below PS Concentration	SZ
AC-3D	OU-2 LTGWMW	Elevated Concentrations, Flow Path Well	MPZ
AC-5D	PERIODIC	Outside of Plume	MPZ
AC-5S	PERIODIC	Outside of Plume, Background	SZ
AC-6D	OU-2 LTGWMW	Outside of Plume; Potentially Impacted by Site 348 (Kaiser)	MPZ
AC-6S	PERIODIC	Outside of Plume; Potentially Impacted by Site 348 (Kaiser)	SZ
AC-7SR	OU-1 LTGWMW	In Residual Plume Area	SZ
AC-8D	OU-2 LTGWMW	Outside Plume, Sentry Well	MPZ
AC-9D2 ⁽¹⁾	OU-2 LTGWMW	In Plume	MPZ
AC-10D	PERIODIC	Outside of Plume, Effects by Site 348 (Kaiser) Possible	MPZ
AC-11D	PERIODIC	Outside of Plume	MPZ
AC-12D	OU-2 LTGWMW	Flow Path Well Inside Plume	MPZ
AC-13D	OU-2 LTGWMW	Leading Edge of Plume	MPZ
AC-21D	PERIODIC	Outside of Plume, Potential Effects by Site 348 (Kaiser)	MPZ
AC-22D	PERIODIC	Outside of Plume, Effects by Site 348 (Kaiser) Possible	MPZ
AC-23D	PERIODIC	Sidegradient Fringe of Plume	MPZ
AC-24D	OU-2 LTGWMW	Flow Path Well Inside Plume	MPZ
AC-24S	PERIODIC	Outside of Plume, Downgradient of Diversion Area	SZ
AC-25D	OU-2 LTGWMW	Flow Path Well Inside Plume	MPZ
AC-27D	PERIODIC	Located on East Side of Groundwater Divide	MPZ
AC-27S	PERIODIC	Located on East Side of Groundwater Divide	SZ
AC-28D	OU-2 LTGWMW	Flow Path Well Inside Plume	MPZ
AC-29D	OU-2 LTGWMW	Elevated Concentrations, Flow Path	MPZ
AC-30D	OU-2 LTGWMW	Flow Path, Inside Plume	MPZ
AC-31S	OU-1 LTGWMW	Upgradient but not necessarily Background	SZ
ACB-32S	OU-1 LTGWMW	Upgradient but not necessarily Background	SZ
AC-33S	OU-1 LTGWMW	Downgradient Cap Area	SZ
AC-34S	OU-1 LTGWMW	Downgradient Cap Area	SZ
AC-35D	OU-2 LTGWMW	Elevated Concentration, Flow Path	MPZ
NWD-2D	PERIODIC	Outside of Plume, Effects by Site 348 (Kaiser) Possible	MPZ
NWD-2S	PERIODIC	Downgradient of Diversion Area, Outside of Plume	SZ
NWD-4D	OU-2 LTGWMW	Outside of Plume, Sentry Location	MPZ
NWD-4S	PERIODIC	Outside of Plume, Sentry Location	SZ
PIP-D	OU-2 LTGWMW	Upgradient but not necessarily Background	MPZ

NOTES:

LTGWMW = Long-Term Groundwater Monitoring Well

MPZ = Main Producing Zone

Periodic = Annual water levels and sampling during Five-Year Reviews.

PS = Performance Standard

SZ = Surficial Zone

⁽¹⁾ AC-9D2 is replacement well for AC-9D. AC-9D was plugged and abandoned on October 21, 1993.

Wells plugged with cement and abandoned according to NFWFMD regulations include AC-1S, AC-1D, AC-4S, AC-4D, AC-7S, AC-7D, AC-9D.

The following wells associated with the site were not located as of September 1997: AC-3D2, AC-21S, AC-23S, AC-25S, NWD-D, NWD-I. Evaluation determined that the remaining wells were adequate for an accurate understanding of conditions at the Site.

Former Periodic Well NWD-3S destroyed between November 2005 and November 2006. New construction location covers the former monitoring well location. Evaluation determined that the remaining wells were adequate for an accurate understanding of conditions at the Site.

Beginning in Nov. 2009, AC-2S, AC-31S, AC-2D, AC-3D, AC-12D, AC-13D, AC-24D, AC-25D, AC 29D, AC-35D will be sampled annually to assist in MNA evaluation; once MNA determinations are made, these wells will revert to periodic monitoring.

Former monitoring wells AC-14D, AC-26S, AC-26D, and AC-36D were destroyed by the City of Pensacola stormwater project construction. These wells were removed from the network prior to the 2020 sampling event.

**TABLE 2
MONITORING WELL CONSTRUCTION DETAILS**

**Agrico Site
Pensacola, Florida**

Well I.D.	Elevation Measuring Point (ft NGVD) ⁵	Well Depth (ft bls) ⁶	Screen Interval (ft bls) ²	Diameter (inches) ²	Aquifer Zone
AC-2D ⁽⁴⁾	92.74	149	147.2-149	4	MPZ
AC-2S	88.65	70	50 - 70	4	SZ
AC-3S	88.06	79	59 - 79	4	SZ
AC-3D	88.07	170	150 - 170	4	MPZ
AC-5D	82.4	171	151 - 171	4	MPZ
AC-5S	82.34	69	49 - 69	4	SZ
AC-6D	69.19	170	150 - 170	4	MPZ
AC-6S	69.32	70	50 - 70	4	SZ
AC-7SR	90.59	70	50 - 70	2	SZ
AC-8D	76.44	220	190 - 222	4	MPZ
AC-9D2 ⁽¹⁾	64.13	198	179 - 198	4	MPZ
AC-10D	79.48	224	190 - 224	4	MPZ
AC-11D	73.17	200	200 - 220	4	MPZ
AC-12D	79.23	211	191 - 211	4	MPZ
AC-13D	74.65	223	203 - 223	4	MPZ
AC-14D ⁽⁸⁾	49.79	199	179 - 199	4	MPZ
AC-21D ⁽⁷⁾	75.47	170	160 - 169.5	4	MPZ
AC-22D	76.58	170	160 - 169.5	4	MPZ
AC-23D	79.51	170	160 - 169.5	4	MPZ
AC-24D	79.60	215	205 - 215	4	MPZ
AC-24S	79.50	80	70 - 80	4	SZ
AC-25D	39.75	180	170 - 180	4	MPZ
AC-26D ⁽⁹⁾	26.70	165	155 - 165	4	MPZ
AC-26S ⁽⁹⁾	26.75	35	25 - 35	4	SZ
AC-27D	18.55	150	140 - 150	4	MPZ
AC-27S	18.50	35	25 - 35	4	SZ
AC-28D	74.89	201	181 - 201	4	MPZ
AC-29D	82.26	211	191 - 211	4	MPZ
AC-30D	85.73	211	191 - 211	4	MPZ
ACB-31S	91.92	70	50 - 70	2	SZ
ACB-32S	88.16	69.5	49.5 - 69.5	2	SZ
AC-33S	89.18	69.5	49.5 - 69.5	2	SZ
AC-34S	89.09	70	50 - 70	2	SZ
AC-35D	10.49	145	125 - 145	4	MPZ
AC-36D ⁽⁹⁾	5.26	152	132 - 152	4	MPZ
NWD-2D ⁽³⁾	76.80	180	160 - 180	4	MPZ
NWD-2S ⁽³⁾	77.53	75	55 - 75	4	SZ
NWD-3S ⁽⁷⁾	80.40	75	55 - 75	4	SZ
NWD-4D	34.70	120	100 - 120	4	MPZ
NWD-4S	34.70	45	35 - 45	4	SZ
PIP-D	39.10	180	160 - 180	4	MPZ

NOTES:

ft bls = feet below land surface
MPZ = Main Producing Zone
ROW = Road Right-of-Way
SZ = Surficial Zone

⁽¹⁾ AC-9D2 is replacement well for AC-9D. AC-9D plugged and abandoned on October 21, 1993.

⁽²⁾ All wells are constructed of PVC casing and screen materials.

⁽³⁾ Elevations for NWD-2D and NWD-2S were corrected in this Annual Report based on information from the NFWFMD database.

⁽⁴⁾ Downhole Video Survey conducted in March 2004. Results indicate well filled in and only about 1 ft of screen remains.

⁽⁵⁾ ft NGVD = feet above National Geodetic Vertical Datum of 1988.

⁽⁶⁾ ft = feet

⁽⁷⁾ NWD-3S destroyed as of 2006; AC-21D damaged as of 2007 (measured depth 163 ft bls; only 3 ft of screen remains). Evaluation determined that the remaining wells are adequate for an accurate understanding of conditions at the Site.

⁽⁸⁾ AC-14D destroyed in 2018 during City of Pensacola stormwater system construction project.

⁽⁹⁾ AC-26S, AC-26D, and AC-36D were not located during the 2019 sampling event, and based on recent City of Pensacola stormwater system construction, they appear to have been destroyed. EPA approved the 2019 report recommendation to remove these wells from the monitoring well network. However, should future groundwater data indicate the need, well replacement may be required. AC-14D was also removed from the monitoring well network.

**TABLE 3
GROUNDWATER FIELD PARAMETER RESULTS**

**Agrico Site
Pensacola, Florida**

Well I.D.	Date	pH (su)	Conductivity (µS/cm)	Temperature (°C)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (mV)	Turbidity (NTU)
ACB-31S	11/23/98	5.90	120	23.00	NM	NM	6.0
	05/25/99	5.80	220	26.00	NM	NM	2.0
	11/16/99	6.10	170	21.00	NM	NM	8.0
	05/16/00	5.70	130	24.00	NM	NM	7.0
	11/14/00	5.30	170	20.00	NM	NM	3.0
	05/08/01	5.45	176	22.50	NM	NM	999*
	11/06/01	5.73	111	22.10	NM	NM	4.6
	05/06/02	4.57	144	22.60	6.13	379	15.4
	05/07/03	5.17	108	22.83	NM	NM	7.2
	01/13/04	5.84	196	23.86	6.31	123	0.8
	05/10/04	5.78	208	24.76	NM	NM	10.2
	11/09/04	5.92	296	23.70	NM	NM	9.3
	05/10/05	5.56	248	23.12	6.78	103	5.1
	11/08/05	6.18	176	23.71	9.06	187	5.0
	05/17/06	6.00	218	23.19	6.99	265	2.0
	11/14/06	5.83	247	23.25	7.39	162	2.1
	05/16/07	5.49	223	23.14	7.71	213	2.4
	11/15/07	5.67	208	22.50	7.75	37	0.6
	05/15/08	5.32	218	23.19	7.87	109	0.9
	11/13/08	5.36	229	23.43	7.38	168	1.2
	11/19/09	5.89	220	23.38	6.66	88	2.1
	11/16/10	6.29	228	22.59	6.82	218	0.9
	11/08/11	6.01	220	23.61	8.45	172	3.5
	11/06/12	5.59	178	23.73	8.69	154	0.4
	11/05/13	6.12	172	23.83	8.43	112	1.2
	11/12/14	5.97	167	20.84	10.40	140.6	0.24
	11/18/15	6.13	154	21.73	8.50	188.8	0.40
	11/08/16	5.87	147	23.45	9.02	156.1	0.78
	11/07/17	5.11	140	23.69	7.26	224.4	2.13
	11/06/18	5.05	43	24.01	10.34	204.8	1.20
	11/12/19	6.03	387	23.49	8.36	109.5	1.46
	11/10/20	5.94	103	23.77	7.63	215.8	0.48
11/04/21	6.92	68	23.83	6.20	88.4	0.62	
11/08/22	6.25	163	23.19	7.88	183.7	0.35	
11/07/23	5.87	172	24.84	7.29	147.7	18.7	
11/18/24	6.15	417.6	24.7	6.08	252	16.8	

**TABLE 3
GROUNDWATER FIELD PARAMETER RESULTS**

**Agrico Site
Pensacola, Florida**

Well I.D.	Date	pH (su)	Conductivity (µS/cm)	Temperature (°C)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (mV)	Turbidity (NTU)
AC-2S	09/27/97	6.00	590	24.00	9.10	NM	2.0
	11/16/99	5.80	430	22.00	NM	NM	1.0
	11/21/00	5.70	520	21.00	NM	NM	1.0
	11/15/01	6.05	552	20.00	NM	NM	39.5
	11/26/02	6.01	507	25.90	NM	NM	4.9
	01/23/04	5.86	493	24.75	1.50	179.2	2.5
	11/17/04	5.71	400	23.66	NM	NM	3.31
	11/15/05	5.71	450	23.49	2.73	147.6	9.31
	11/28/06	5.72	478	24.04	1.66	137.8	0.81
	11/21/07	5.93	296	24.39	1.57	153.3	0.00
	11/19/08	5.71	388	24.41	0.86	166.2	1.01
	11/18/09	5.86	268	24.34	1.88	95.8	1.18
	11/29/10	5.62	270	24.48	3.15	132.1	0.07
	11/16/11	5.67	344	24.77	1.45	140.9	3.96
	11/14/12	5.55	335	23.71	2.38	148.6	0.56
	11/12/13	5.53	317	23.99	2.47	183.8	1.07
	11/12/14	5.63	294	21.51	4.33	137.1	0.41
	11/18/15	5.87	320	22.21	2.89	165.3	0.59
	11/09/16	5.41	258	23.87	3.14	200.8	1.45
	11/07/17	4.88	270	23.92	4.35	199.1	2.01
	11/06/18	5.64	216	23.79	4.85	172.8	3.31
	11/12/19	6.02	324	23.19	5.16	123.1	0.61
	11/10/20	5.54	202	23.99	5.13	224.4	1.53
	11/02/21	6.23	210	23.86	6.32	92.8	0.82
11/09/22	5.86	327	22.79	6.06	212.3	0.38	
11/08/23	5.66	257	24.08	5.75	162.1	1.10	
11/21/24	5.81	242.7	24.6	3.86	263.3	0.61	
AC-2D	09/30/97	4.60	100	24.00	9.70	NM	0.0
	11/16/99	4.90	110	22.00	NM	NM	0.0
	11/21/00	4.50	110	21.00	NM	NM	0.0
	11/15/01	4.55	102	21.20	NM	NM	0.0
	11/26/02	4.36	102	23.70	NM	NM	0.4
	01/23/04	4.64	105	23.07	0.17	403.9	2.6
	11/17/04	4.50	105	22.40	NM	NM	1.1
	11/14/05	4.80	91	23.32	2.41	334.2	3.3
	11/28/06	4.68	90	23.30	1.09	200.8	1.7
	11/21/07	4.86	91	22.86	0.70	170.0	0.0
	11/19/08	4.56	109	23.65	1.25	214.9	1.87
	11/18/09	4.59	97	23.37	1.36	151.8	1.18
	11/29/10	4.30	99	22.90	1.79	161.0	0.65
	11/16/11	4.65	99	23.61	0.72	260.9	3.14
	11/14/12	4.45	96	23.59	2.00	293.8	2.15
	11/12/13	4.44	95	23.70	2.48	212.1	2.71
	11/12/14	4.68	94	21.28	3.52	173.6	1.31
	11/18/15	4.98	94	22.02	3.78	325.1	2.11
	11/09/16	4.42	88	24.02	3.72	257.9	2.08
	11/07/17	3.02	99	24.05	3.42	265.9	6.36
	11/06/18	3.06	40	24.42	5.48	165.3	6.94
	11/13/19	3.91	90	23.75	4.68	178.6	3.45
	11/11/20	4.59	75	24.05	5.40	280.5	6.45
	11/02/21	4.87	86	24.05	5.51	135.1	4.00
11/08/22	5.01	87	23.01	3.02	190.1	2.50	
11/08/23	4.26	87	24.33	1.30	181.6	0.06	
11/21/24	4.48	77.9	24.0	5.93	415.0	1.65	

**TABLE 3
GROUNDWATER FIELD PARAMETER RESULTS**

**Agrico Site
Pensacola, Florida**

Well I.D.	Date	pH (su)	Conductivity (µS/cm)	Temperature (°C)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (mV)	Turbidity (NTU)
AC-3D	09/27/97	4.90	1600	24.00	9.50	NM	0.0
	11/19/99	4.60	1200	23.00	NM	NM	0.0
	11/21/00	4.40	1200	21.00	NM	NM	0.0
	11/14/01	4.70	930	22.80	NM	NM	0.0
	11/26/02	4.24	1041	23.80	NM	NM	0.37
	01/22/04	4.32	1013	23.24	0.02	407.2	2.60
	11/17/04	4.11	872	22.81	NM	NM	3.24
	11/15/05	4.37	844	23.35	0.04	202.3	2.96
	11/22/06	4.42	819	23.48	0.06	270.9	1.30
	11/21/07	4.59	640	22.94	0.09	181.3	0.00
	11/13/08	4.52	572	23.77	0.07	158.7	2.20
	11/18/09	4.47	523	23.61	0.10	183.2	0.81
	11/29/10	4.21	480	22.83	0.55	225.2	1.43
	11/15/11	4.40	451	23.53	0.02	196.5	2.04
	11/13/12	4.24	462	23.63	0.07	237.2	0.79
	11/12/13	4.18	407	23.69	0.06	260.9	1.25
	11/11/14	4.30	382	20.74	0.21	329.5	0.16
	11/19/15	4.23	371	21.84	0.11	362.0	0.65
	11/11/16	3.99	377	24.00	0.69	232.5	0.71
	11/08/17	3.46	333	24.00	1.47	321.0	1.71
	11/06/18	4.49	163	24.40	7.11	285.8	1.11
	11/13/19	3.58	348	24.23	2.08	204.2	0.54
	11/10/20	4.41	194	23.97	6.75	355.1	0.72
	11/04/21	4.03	336	23.96	2.79	170.2	0.86
11/09/22	4.62	238	23.29	6.15	281.6	0.12	
11/07/23	4.10	250	24.21	6.32	226.8	0.40	
11/21/24	4.11	308.4	23.9	3.24	437.6	0.66	
AC-12D	09/27/97	4.00	610	24.00	9.00	NM	NM
	11/18/99	3.90	700	23.00	NM	NM	0.0
	11/15/00	3.80	720	23.00	NM	NM	0.0
	11/08/01	3.81	653	21.30	NM	NM	0.0
	11/22/02	3.80	700	24.00	NM	NM	0.54
	01/28/04	3.78	745	23.36	0.40	365.6	1.68
	11/11/04	3.59	551	22.93	NM	NM	0.0
	11/10/05	3.86	749	23.85	0.37	233.6	3.00
	11/16/06	3.91	72	23.67	0.32	392.2	0.11
	11/16/07	3.94	766	22.92	0.33	143.5	0.0
	11/13/08	3.94	749	23.83	0.41	287.4	2.20
	11/12/09	3.98	708	23.77	0.53	166.4	0.52
	11/18/10	3.88	719	23.02	0.87	357.5	0.94
	11/09/11	3.97	661	24.04	0.71	349.9	1.81
	11/08/12	3.70	649	23.77	0.87	401.0	0.32
	11/06/13	3.83	656	23.85	0.68	368.5	1.18
	11/20/14	4.00	621	21.08	0.93	360.0	0.39
	11/19/15	3.99	577	21.92	0.88	449.2	0.63
	11/10/16	3.72	592	23.93	0.91	320.4	0.83
	11/08/17	3.41	543	23.84	1.03	362.8	1.96
	11/07/18	2.82	169	24.38	2.36	323.4	0.71
	11/18/19	4.24	100	23.97	2.23	126.8	0.46
	11/11/20	4.02	370	23.63	0.99	262.8	1.16
	11/03/21	3.87	483	23.82	0.90	151.5	0.79
11/09/22	4.73	111	23.09	1.97	230.6	0.14	
11/08/23	4.39	110	24.12	2.02	185.8	0.31	
11/15/24	4.06	418.5	23.8	1.20	447.5	0.80	

**TABLE 3
GROUNDWATER FIELD PARAMETER RESULTS**

**Agrico Site
Pensacola, Florida**

Well I.D.	Date	pH (su)	Conductivity (µS/cm)	Temperature (°C)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (mV)	Turbidity (NTU)
AC-13D	09/27/97	4.30	580	24.00	9.50	NM	NM
	11/15/00	3.90	570	21.00	NM	NM	0.0
	11/08/01	4.15	565	23.10	NM	NM	0.0
	11/21/02	3.97	599	23.80	NM	NM	0.0
	01/16/04	4.23	629	23.29	0.08	316.2	0.55
	11/11/04	3.81	598	22.68	NM	NM	0.0
	11/10/05	3.98	706	23.81	0.07	228.9	0.17
	11/16/06	3.97	780	23.56	0.04	390.3	0.02
	11/19/07	4.01	796	22.82	0.05	159.7	0.0
	11/11/08	3.90	815	23.49	0.08	211.1	0.13
	11/12/09	4.02	781	23.66	0.16	213.1	0.22
	11/18/10	3.96	741	22.87	0.61	299.5	0.53
	11/09/11	4.01	810	23.97	0.01	297.3	0.54
	11/07/12	3.87	787	23.45	0.46	300.7	0.15
	11/06/13	3.92	761	23.66	0.03	283.4	0.56
	11/19/14	4.00	751	21.06	0.20	251.3	0.10
	11/20/15	4.07	700	21.81	0.06	374.7	0.43
	11/10/16	3.84	652	23.86	0.57	215.3	0.37
	11/08/17	3.37	654	23.62	0.12	357.5	1.50
	11/07/18	4.01	500	23.88	0.51	356.5	0.67
	11/25/19	3.99	636	23.41	0.06	124.5	0.15
	11/12/20	4.08	512	23.42	0.11	262.9	0.31
	11/03/21	3.39	590	23.58	0.06	146.5	0.15
11/10/22	4.30	544	22.70	0.11	301.1	0.45	
11/08/23	3.95	551	23.57	0.27	195.3	0.14	
11/22/24	3.96	496.5	23.6	0.00	253.1	0.18	
AC-24D	09/26/97	4.40	780	23.00	9.50	NM	0.0
	01/21/04	4.11	747	23.09	0.00	344.9	2.40
	11/18/08	4.24	776	22.77	0.11	198.5	0.32
	11/16/09	4.17	784	23.58	0.19	99.8	0.19
	11/23/10	4.12	753	22.80	0.84	303.8	0.30
	11/14/11	4.16	769	23.76	0.85	339.0	0.44
	11/09/12	3.95	848	22.53	0.10	362.1	1.17
	11/07/13	4.05	748	23.56	0.05	312.5	2.00
	11/24/14	4.16	613	23.58	0.29	243.0	1.03
	11/19/15	4.21	604	21.61	0.20	381.4	0.61
	11/10/16	4.00	529	23.69	0.58	265.6	0.42
	11/08/17	3.50	527	23.63	0.16	321.3	2.61
	11/07/18	4.47	281	23.81	0.45	280.6	0.79
	11/21/19	4.10	458	23.53	0.08	107.4	0.10
	11/12/20	4.32	385	23.33	0.08	276.1	0.33
	11/03/21	4.28	422	23.69	0.02	120.6	0.35
	11/10/22	4.86	293	22.56	0.14	244.5	0.61
11/09/23	4.47	365	23.44	0.47	223.0	0.11	
11/12/24	4.34	372.6	23.6	0.02	266.0	0.20	

**TABLE 3
GROUNDWATER FIELD PARAMETER RESULTS**

**Agrico Site
Pensacola, Florida**

Well I.D.	Date	pH (su)	Conductivity (µS/cm)	Temperature (°C)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (mV)	Turbidity (NTU)
AC-25D	09/24/97	4.70	1100	24.00	10.40	NM	0.0
	11/19/99	4.30	1400	23.00	NM	NM	0.0
	11/15/00	4.20	1400	22.00	NM	NM	1.00
	11/08/01	4.31	1240	21.00	NM	NM	9.30
	11/21/02	4.15	1420	22.90	NM	NM	0.05
	01/22/04	4.06	1534	22.61	0.68	177.3	4.19
	11/15/04	4.30	1204	22.69	NM	NM	4.49
	11/10/05	4.17	1502	23.28	0.08	125.4	1.10
	11/20/06	4.16	1481	22.79	0.03	360.9	1.50
	11/20/07	4.23	1449	22.26	0.07	181.9	0.25
	11/18/08	4.08	1356	22.23	0.07	-292.3	0.82
	11/17/09	4.17	1398	22.74	0.12	279.6	0.29
	11/23/10	4.11	1388	22.31	0.42	341.2	2.31
	11/15/11	4.15	1422	23.11	0.10	364.9	0.47
	11/14/12	4.00	1371	23.07	0.09	369.8	0.40
	11/12/13	3.96	1326	23.10	0.04	258.7	0.78
	11/20/14	4.14	1287	20.74	0.10	381.4	0.77
	11/20/15	4.21	1222	20.89	0.50	393.3	0.54
	11/09/16	4.07	1163	23.11	0.65	381.0	0.55
	11/09/17	3.56	1152	23.00	0.27	328.5	1.36
	11/07/18	4.41	573	23.20	0.99	300.4	0.70
	11/20/19	4.55	573	22.79	0.16	177.5	0.12
	11/12/20	4.14	877	22.86	0.15	379.8	0.31
	11/02/21	4.23	984	22.93	0.10	165.4	0.22
11/10/22	4.68	516	22.09	0.42	340.3	0.33	
11/09/23	4.04	890	23.10	0.06	243.3	0.32	
11/20/24	3.86	879	23.0	0.07	330.8	0.55	
AC-29D	09/27/97	4.10	1700	23.00	9.10	NM	NM
	11/18/99	4.20	1500	22.00	NM	NM	0.0
	11/20/00	4.10	1300	22.00	NM	NM	1.00
	11/13/01	4.29	990	22.20	NM	NM	0.0
	11/25/02	3.87	1075	24.00	NM	NM	0.0
	01/23/04	4.14	1050	23.34	0.48	251.7	0.0
	11/12/04	4.08	797	22.61	NM	NM	2.74
	11/16/05	4.11	723	23.71	0.04	188.7	2.57
	11/17/06	4.25	744	23.68	0.05	348.8	0.00
	11/20/07	4.18	772	22.96	0.10	178.0	0.45
	11/18/08	4.05	790	23.55	0.23	309.6	0.11
	11/17/09	4.13	768	23.58	0.11	171.9	0.18
	11/19/10	4.08	782	23.02	0.39	343.5	0.62
	11/11/11	4.17	794	23.91	0.03	399.9	0.78
	11/13/12	4.04	762	23.74	0.11	267.0	0.30
	11/07/13	4.02	661	23.83	0.12	357.3	0.56
	11/17/14	4.09	655	21.13	0.20	408.3	0.81
	11/19/15	4.09	613	21.80	0.03	427.9	0.45
	11/11/16	3.87	572	23.95	0.42	331.7	0.45
	11/08/17	3.42	567	23.85	0.13	354.2	0.90
	11/07/18	3.96	396	24.16	0.38	369.0	0.73
	11/19/19	4.00	492	24.00	0.06	142.4	0.27
	11/11/20	4.06	420	23.61	0.07	344.5	0.29
	11/03/21	3.65	490	23.93	0.01	161.7	0.34
11/10/22	4.18	471	22.97	0.10	415.1	0.20	
11/08/23	3.89	485	23.77	0.11	226.3	0.30	
11/20/24	3.94	469.8	23.7	0.08	303.6	0.13	

**TABLE 3
GROUNDWATER FIELD PARAMETER RESULTS**

**Agrico Site
Pensacola, Florida**

Well I.D.	Date	pH (su)	Conductivity (µS/cm)	Temperature (°C)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (mV)	Turbidity (NTU)
AC-35D	11/18/99	4.20	2200	22.00	NM	NM	8.00
	11/15/00	4.10	2200	22.00	NM	NM	0.0
	11/08/01	4.04	2010	21.40	NM	NM	3.80
	11/21/02	3.91	2037	22.80	NM	NM	2.80
	01/15/04	4.05	2060	22.36	0.01	362.0	0.80
	11/15/04	3.57	1607	21.95	NM	NM	3.89
	11/16/05	3.94	1889	22.87	0.13	187.8	9.20
	11/20/06	4.04	1818	22.89	0.05	237.7	2.20
	11/20/07	4.07	1725	22.25	0.06	210.8	0.00
	11/19/08	3.88	1749	22.75	0.23	271.6	0.91
	11/19/09	4.01	1736	22.97	0.09	193.1	1.43
	11/23/10	4.29	1737	22.36	0.38	247.7	8.99
	11/16/11	3.94	1611	22.98	0.10	303.7	0.24
	11/15/12	3.91	1545	22.93	0.06	281.4	0.28
	11/13/13	3.90	1495	23.00	0.08	351.5	0.59
	11/24/14	3.99	1381	23.16	0.84	233.6	0.65
	11/20/15	4.03	1374	20.76	0.10	384.1	0.65
	11/08/16	3.87	1254	23.07	0.94	244.5	0.54
	11/09/17	3.46	1264	23.02	0.44	314.5	1.20
	11/07/18	4.03	940	23.14	0.54	263.4	0.72
	11/18/19	3.97	974	23.10	0.09	126.0	0.38
	11/02/20	4.01	919	22.98	0.25	184.1	0.31
	11/02/21	4.20	1035	23.09	0.07	171.9	0.16
	11/10/22	4.11	983	22.42	0.11	376.0	0.10
11/08/23	3.79	1015	23.20	0.01	226.3	0.05	
11/20/24	3.77	944	22.9	0.07	249.5	0.24	

NOTES:

su = standard units

µS/cm=microSiemens per centimeter

°C = Degrees Celsius

mg/L = milligrams per Liter

mV = milliVolt

NTU = Nephelometric Turbidity Units

NM = Not Measured

* = turbidity reading above instrument capabilities

Wells purged with a bailer during the May 2001 sampling event

**TABLE 3
5-YEAR MONITORING NETWORK
GROUNDWATER FIELD PARAMETER RESULTS**

**Agrico Site
Pensacola, Florida**

Well I.D.	Date	pH (su)	Conductivity (µS/cm)	Temperature (°C)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (mV)	Turbidity (NTU)
ACB-32S	11/23/98	6.20	100	23.00	NM	NM	30.00
	05/25/99	5.90	140	24.00	NM	NM	3.00
	11/16/99	5.70	170	21.00	NM	NM	21.00
	05/16/00	5.80	140	23.00	NM	NM	3.00
	11/14/00	5.70	160	22.00	NM	NM	4.00
	05/08/01	5.96	256	22.60	NM	NM	999*
	11/06/01	6.43	185	22.30	NM	NM	97
	05/06/02	5.22	133	23.20	8.04	401	19.3
	05/07/03	6.13	295	23.22	NM	NM	8.0
	01/13/04	6.36	322	24.10	6.45	120.4	6.9
	05/10/04	6.01	222	24.13	NM	NM	4.5
	11/09/04	6.06	294	23.46	NM	NM	2.7
	05/10/05	5.82	362	23.16	7.03	90.3	4.7
	11/08/05	6.36	173	23.90	6.05	197.4	2.4
	05/17/06	5.78	180	22.86	3.27	361.2	1.0
	11/14/06	6.43	122	24.22	2.83	113.2	0.6
	05/16/07	6.23	161	23.40	3.86	153.7	2.3
	11/15/07	6.53	174	23.27	5.43	62.6	1.8
	05/15/08	6.2	196	23.59	6.03	112.8	2.1
	11/13/08	6.48	208	24.17	6.41	48.1	2.0
	11/19/09	6.44	141	23.51	6.88	132.8	1.9
	11/16/10	6.79	137	22.79	7.18	185.5	0.7
	11/08/11	6.51	127	24.12	7.61	158.1	1.7
	11/06/12	6.18	100	24.00	7.65	111.7	1.9
11/05/13	6.51	70	24.63	7.09	93.4	1.0	
11/13/14	6.47	132	19.90	8.68	147.5	0.78	
11/12/19	6.52	75	23.13	7.40	76.9	0.85	
11/22/24	6.65	86.7	24.4	7.97	260.9	1.04	

**TABLE 3
5-YEAR MONITORING NETWORK
GROUNDWATER FIELD PARAMETER RESULTS**

**Agrico Site
Pensacola, Florida**

Well I.D.	Date	pH (su)	Conductivity (µS/cm)	Temperature (°C)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (mV)	Turbidity (NTU)
AC-7SR	11/23/98	5.00	120	23.00	NM	NM	7.00
	05/25/99	5.00	170	25.00	NM	NM	2.00
	05/16/00	4.70	110	23.00	NM	NM	2.00
	11/14/00	4.40	180	21.00	NM	NM	3.00
	05/08/01	4.24	194	22.60	NM	NM	999*
	11/06/01	4.63	161	22.00	NM	NM	12.9
	05/07/02	3.84	143	22.20	2.75	389	17.6
	05/07/03	4.41	195	22.49	NM	NM	8.93
	01/13/04	4.88	161	23.29	2.77	251.1	3.30
	05/10/04	4.71	185	23.76	NM	NM	5.44
	11/09/04	4.72	205	23.08	NM	NM	3.41
	05/10/05	4.37	201	23.15	2.00	154.4	4.50
	11/08/05	5.37	158	23.91	3.06	208.6	3.59
	05/17/06	5.07	157	23.08	2.37	428.3	2.00
	11/14/06	5.48	165	22.99	2.41	195.5	1.61
	05/16/07	4.83	155	23.06	2.52	208.0	2.20
	11/15/07	4.67	138	22.24	2.48	36.3	2.50
	05/15/08	4.87	176	22.93	3.19	114.5	1.70
	11/14/08	4.98	172	23.30	2.80	158.1	0.88
	11/19/09	4.65	143	23.40	3.00	129.8	2.80
	11/17/10	5.74	146	22.48	3.58	218.9	0.36
	11/08/11	5.54	165	23.23	2.74	183.1	2.04
	11/06/12	5.09	163	23.39	3.92	156.0	1.06
	11/05/13	5.46	155	23.33	3.49	147.0	1.65
11/13/14	5.70	144	20.00	3.44	151.2	1.56	
11/12/19	5.60	158	23.61	3.73	119.0	5.28	
11/18/24	5.71	185.4	23.9	3.69	270.4	2.85	

**TABLE 3
5-YEAR MONITORING NETWORK
GROUNDWATER FIELD PARAMETER RESULTS**

**Agrico Site
Pensacola, Florida**

Well I.D.	Date	pH (su)	Conductivity (µS/cm)	Temperature (°C)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (mV)	Turbidity (NTU)
AC-33S	11/23/98	6.30	120	23.00	NM	NM	37.00
	05/25/99	5.60	90	24.00	NM	NM	4.00
	05/16/00	5.60	50	23.00	NM	NM	4.00
	11/14/00	5.40	80	21.00	NM	NM	2.00
	05/08/01	5.14	154	22.40	NM	NM	999*
	11/06/01	5.55	129	22.40	NM	NM	110
	05/06/02	4.36	88	22.20	4.93	421	16.2
	05/07/03	5.20	195	22.78	NM	NM	6.81
	01/14/04	5.63	405	23.76	3.70	243.7	0.95
	05/10/04	4.83	144	23.99	NM	NM	1.96
	11/09/04	4.93	160	23.02	NM	NM	3.21
	05/10/05	5.55	464	23.50	0.84	93.8	5.10
	11/08/05	6.15	360	24.27	0.69	146.9	5.27
	05/17/06	4.71	357	23.65	0.55	405.8	1.40
	11/14/06	5.07	97	24.97	0.86	246.4	2.08
	05/16/07	4.81	116	23.32	1.94	268.5	1.12
	11/15/07	5.36	120	22.66	2.46	13.9	0.60
	05/15/08	5.11	124	23.19	2.36	93.9	0.85
	11/14/08	4.92	125	23.37	2.52	137.3	0.36
	11/19/09	5.09	108	24.17	2.80	114.5	2.26
	11/16/10	5.42	130	22.42	1.01	234.1	0.79
	11/08/11	5.42	116	23.35	1.91	214.5	1.21
	11/06/12	5.14	304	23.21	2.65	182.0	0.36
	11/05/13	5.14	102	23.44	1.62	197.0	0.99
11/13/14	5.13	115	19.95	2.62	161.0	0.69	
11/12/19	5.69	122	23.62	3.29	104.0	0.49	
11/18/24	6.06	146.2	24.4	4.84	257.0	1.38	

**TABLE 3
5-YEAR MONITORING NETWORK
GROUNDWATER FIELD PARAMETER RESULTS**

**Agrico Site
Pensacola, Florida**

Well I.D.	Date	pH (su)	Conductivity (µS/cm)	Temperature (°C)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (mV)	Turbidity (NTU)
AC-34S	11/23/98	4.80	150	23.00	NM	NM	26.00
	05/25/99	4.60	210	25.00	NM	NM	4.00
	05/16/00	4.80	120	24.00	NM	NM	3.00
	11/14/00	4.60	170	21.00	NM	NM	5.00
	05/08/01	4.67	200	22.30	NM	NM	999*
	11/06/01	5.40	219	22.20	NM	NM	199
	05/07/02	4.73	214	22.60	2.78	375	134
	05/07/03	4.98	207	22.69	NM	NM	8.49
	01/14/04	5.11	304	23.40	2.69	212.0	6.00
	05/10/04	4.68	353	23.52	NM	NM	4.21
	11/09/04	4.55	351	22.94	NM	NM	2.94
	05/10/05	4.30	407	23.54	2.02	146.6	4.20
	11/08/05	4.63	250	23.64	1.71	226.5	3.04
	05/17/06	4.61	310	23.41	0.92	330.2	0.00
	11/14/06	4.42	298	23.00	0.20	290.5	1.05
	05/16/07	4.08	284	23.20	0.51	234.1	0.64
	11/15/07	4.41	240	22.29	0.78	90.7	1.30
	05/15/08	4.20	235	22.97	2.01	142.7	1.64
	11/14/08	4.14	210	23.26	2.17	182.3	1.19
	11/19/09	4.39	209	23.36	3.98	154.8	2.01
	11/17/10	4.72	246	22.35	3.65	271.7	1.64
	11/09/11	4.86	220	23.27	3.24	243.8	1.92
	11/07/12	5.21	202	23.22	5.40	200.7	1.01
11/05/13	5.39	192	23.68	4.46	159.7	1.65	
11/13/14	5.57	168	20.28	5.64	163.5	2.08	
11/12/19	6.21	211	23.34	6.63	120.3	1.57	
11/18/24	6.21	190.5	24.5	5.37	228.6	14.6	
AC-3S	09/27/97	6.00	150	26.00	7.70	NM	6.00
	11/16/99	6.20	90	24.00	NM	NM	0.00
	11/21/00	6.10	90	21.00	NM	NM	0.00
	11/14/01	6.40	153	22.90	NM	NM	300**
	11/26/02	6.42	128	23.50	NM	NM	3.30
	01/22/04	6.17	117	21.72	4.83	244.0	3.10
	11/17/04	5.77	128	23.13	NM	NM	3.20
	11/15/05	6.32	139	26.98	8.70	161.3	4.16
	11/22/06	6.17	159	25.19	7.06	164.8	1.28
	11/21/07	6.01	150	25.08	7.15	155.7	0.00
	11/13/08	6.00	116	24.91	5.56	87.5	2.62
	11/18/09	5.90	108	21.24	6.40	209.2	1.65
	11/29/10	5.76	134	22.24	6.09	184.7	4.17
	11/15/11	5.67	185	25.38	7.04	35.8	1.05
	11/13/12	5.80	139	26.23	6.62	146.8	0.60
	11/12/13	5.86	126	26.97	6.81	140.3	1.47
	11/11/14	5.94	146	25.17	6.28	163.9	1.18
	11/13/19	5.33	66	27.11	5.53	146.1	0.97
11/18/24	6.02	107.8	27.7	4.79	223.6	2.75	

**TABLE 3
5-YEAR MONITORING NETWORK
GROUNDWATER FIELD PARAMETER RESULTS**

**Agrico Site
Pensacola, Florida**

Well I.D.	Date	pH (su)	Conductivity (µS/cm)	Temperature (°C)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (mV)	Turbidity (NTU)
AC-5S	09/26/97	5.70	150	24.00	8.30	NM	1.00
	11/16/99	5.40	180	23.00	NM	NM	0.00
	11/20/00	5.40	170	23.00	NM	NM	0.00
	11/13/01	5.52	209	25.40	NM	NM	0.00
	11/20/02	5.01	124	26.20	NM	NM	0.13
	01/20/04	5.28	98	24.54	7.15	309.6	2.80
	11/10/04	5.39	208	24.97	NM	NM	0.00
	11/16/05	5.66	155	25.86	3.85	-120.2	3.33
	11/21/06	5.11	156	25.08	6.23	234.1	0.28
	11/13/08	5.07	196	25.58	5.47	188.6	0.18
	11/12/14	5.16	146	23.39	6.54	195	0.53
	11/14/19	5.17	136	25.70	2.97	9.3	4.41
11/22/24	5.76	91.5	24.8	0.35	-69.6	1.76	
AC-6S	09/25/97	4.90	350	23.00	9.50	NM	NM
	01/27/04	4.40	509	23.58	1.92	255.0	2.40
	11/12/08	4.51	425	23.67	3.11	165.8	2.01
	11/17/14	4.60	216	20.39	2.66	243.4	1.87
	11/14/19	4.32	181	23.82	4.54	155.6	1.94
	11/11/24	Could Not Locate					
AC-24S	09/26/97	5.10	80	23.00	9.90	NM	0.00
	11/16/99	5.10	70	23.00	NM	NM	0.00
	11/20/00	5.20	80	23.00	NM	NM	0.00
	11/14/01	5.42	69	21.70	NM	NM	0.00
	11/20/02	4.38	66	23.30	NM	NM	0.57
	01/21/04	5.02	69	23.20	7.04	351.3	2.30
	11/16/04	4.74	76	22.85	NM	NM	0.00
	11/17/05	5.05	90	22.83	10.37	192.5	2.17
	11/21/06	4.90	137	23.17	8.20	282.9	0.05
	11/18/08	4.84	104	22.55	7.31	371.1	0.22
	11/24/14	4.68	99	23.39	7.38	228.3	0.77
	11/14/19	4.25	88	23.83	7.09	157.8	0.74
11/12/24	5.02	84.4	23.5	8.64	279.9	0.63	
AC-26S	09/24/97	4.80	100	24.00	10.00	NM	0.00
	11/16/99	4.60	130	23.00	NM	NM	1.00
	11/20/00	4.50	120	21.00	NM	NM	1.00
	11/14/01	4.70	139	21.00	NM	NM	0.00
	11/21/02	4.42	133	23.20	NM	NM	2.00
	01/20/04	4.45	142	22.50	7.92	419.9	3.10
	11/10/04	4.42	160	23.00	NM	NM	0.96
	11/09/05	4.57	130	23.77	7.66	257.9	0.73
	11/20/06	4.52	158	23.54	7.09	235.1	0.19
	11/12/08	4.53	109	23.76	7.73	171.1	1.60
	11/19/14	5.20	86	20.60	8.73	223.4	0.77
	11/11/19	Could Not Locate					
11/02/20	Removed from Monitoring Network						

**TABLE 3
5-YEAR MONITORING NETWORK
GROUNDWATER FIELD PARAMETER RESULTS**

**Agrico Site
Pensacola, Florida**

Well I.D.	Date	pH (su)	Conductivity (µS/cm)	Temperature (°C)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (mV)	Turbidity (NTU)
AC-27S	09/24/97	5.00	70	23.00	10.00	NM	0.00
	01/13/04	4.67	93	22.30	6.37	238.0	1.34
	11/11/05	4.67	236	22.92	7.20	275.8	2.12
	11/17/08	6.51	83	22.21	0.22	39.1	1.50
	11/13/14	4.73	106	20.04	8.24	202.4	0.21
	11/15/19	4.45	97	22.11	0.63	202.7	0.60
	11/20/24	4.25	96.5	23.40	8.01	354.0	0.51
NWD-2S	09/25/97	4.70	120	23.00	9.90	NM	0.00
	11/17/99	4.60	150	24.00	NM	NM	0.00
	11/20/00	4.50	120	23.00	NM	NM	0.00
	11/14/01	4.69	125	21.70	NM	NM	0.00
	11/20/02	4.39	108	23.30	NM	NM	0.00
	01/19/04	4.53	158	22.87	7.21	334.5	9.60
	11/10/04	4.53	163	23.24	NM	NM	3.11
	11/17/05	4.70	143	23.15	9.01	179.4	3.12
	11/21/06	4.67	148	23.09	7.48	236.2	0.00
	11/12/08	4.54	120	23.34	8.34	271.4	2.31
	11/11/14	4.66	95	20.79	9.02	125.3	0.47
	11/15/19	4.52	79	22.90	8.71	198.0	0.52
	11/12/24	4.75	87.9	23.8	8.95	313.2	1.91
NWD-4S	09/26/97	5.20	30	23.00	10.90	NM	2.00
	11/16/99	5.40	30	22.00	NM	NM	1.00
	11/20/00	5.30	40	22.00	NM	NM	0.00
	11/13/01	5.30	41	22.00	NM	NM	9.60
	11/22/02	4.83	37	22.40	NM	NM	0.20
	01/21/04	4.77	55	22.02	7.45	426.1	2.50
	11/16/04	4.57	59	22.17	NM	NM	0.23
	11/15/05	4.97	70	22.48	8.87	220.4	2.28
	11/21/06	4.92	77	22.35	7.06	235.8	0.54
	11/19/08	4.67	66	22.06	7.35	225.7	0.85
	11/14/14	4.93	41	19.96	8.88	269.9	0.91
	11/19/19	3.67	62	23.31	7.39	177.3	0.23
	11/15/24	4.39	176.2	23.1	9.60	414.5	3.96
AC-5D	09/26/97	5.00	80	24.00	9.40	NM	0.00
	01/20/04	4.59	84	23.79	7.18	310.0	2.40
	11/13/08	4.42	86	23.99	7.24	187.2	0.76
	11/12/14	4.73	64	21.56	8.62	225	0.30
	11/14/19	4.52	55	24.46	6.94	186.2	0.39
	11/22/24	4.33	60.8	23.9	9.33	398.1	0.66

**TABLE 3
5-YEAR MONITORING NETWORK
GROUNDWATER FIELD PARAMETER RESULTS**

**Agrico Site
Pensacola, Florida**

Well I.D.	Date	pH (su)	Conductivity (µS/cm)	Temperature (°C)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (mV)	Turbidity (NTU)
AC-6D	09/25/97	4.90	120	24.00	8.90	NM	NM
	01/27/04	4.65	154	22.67	2.81	123.4	0.00
	11/19/07	4.84	194	22.36	0.07	98.7	0.00
	11/12/08	4.65	193	23.10	0.06	174.3	2.53
	11/16/09	5.47	173	23.01	0.11	-108.8	10.60
	11/22/10	5.13	172	22.59	0.68	116.9	8.12
	11/10/11	5.20	181	23.41	0.03	152.8	9.38
	11/07/12	5.07	187	23.07	0.24	123.3	15.40
	11/07/13	5.19	193	23.25	0.07	103.2	70.40
	11/14/14	5.49	162	20.65	0.29	137.0	21.7
	01/29/20	6.80	151	23.83	0.10	-104.0	29.0
11/11/24	Damaged						
AC-8D	09/25/97	5.00	150	23.00	9.70	NM	0.00
	11/17/99	4.80	140	23.00	NM	NM	0.00
	11/17/00	4.50	140	22.00	NM	NM	0.00
	11/08/01	5.01	143	21.70	NM	NM	0.00
	11/25/02	4.42	140	23.60	NM	NM	0.76
	01/27/04	4.72	152	23.16	5.98	145.2	0.00
	11/10/04	5.42	164	22.12	NM	NM	0.44
	11/09/05	4.82	137	23.37	6.88	201.5	0.00
	11/16/06	4.72	131	23.13	6.49	269.3	0.31
	11/19/07	4.94	133	22.48	7.09	149.3	0.15
	11/11/08	4.77	126	23.24	6.69	243.4	2.59
	11/11/09	4.73	124	23.41	6.83	216.9	0.41
	11/18/10	4.63	121	22.53	6.15	245.6	1.05
	11/09/11	4.84	122	23.43	6.30	282.4	1.92
	11/07/12	4.54	119	23.25	7.13	322.8	1.05
	11/06/13	4.75	117	23.39	6.13	226.3	1.35
	11/13/14	4.83	113	20.63	6.50	200.9	0.36
	11/20/19	4.71	109	23.48	6.34	168.0	0.22
11/14/24	4.55	104.9	23.3	5.67	411.7	0.59	
AC-9D2	09/26/97	4.20	690	23.00	9.20	NM	NM
	01/28/04	3.97	798	23.07	0.88	221.0	0.00
	11/17/08	4.01	813	23.23	1.28	227.2	0.21
	11/12/09	4.09	756	23.33	0.85	198.6	0.41
	11/19/10	4.05	743	22.61	1.17	276.7	0.35
	11/10/11	4.16	722	23.61	0.78	353.1	0.43
	11/12/12	4.05	737	23.36	1.01	372.6	0.32
	11/07/13	4.05	704	23.51	0.94	262.0	0.72
	11/20/14	4.10	708	20.89	0.80	346.9	0.23
	11/21/19	4.02	573	23.64	0.95	145.0	0.08
	01/14/24	4.06	473.2	23.6	0.91	354.7	0.23
AC-10D	09/27/97	5.80	270	24.00	9.70	NM	0.00
	01/28/04	5.21	223	23.18	4.95	153.0	0.00
	11/12/08	5.05	190	23.15	6.78	164.2	0.83
	11/18/14	4.91	161	20.53	7.14	210.6	0.35
	11/21/19	4.73	145	23.35	6.92	132.0	0.78
	11/13/24	4.96	149.1	23.3	7.16	297.5	0.76

**TABLE 3
5-YEAR MONITORING NETWORK
GROUNDWATER FIELD PARAMETER RESULTS**

**Agrico Site
Pensacola, Florida**

Well I.D.	Date	pH (su)	Conductivity (µS/cm)	Temperature (°C)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (mV)	Turbidity (NTU)	
AC-11D	09/24/97	5.30	80	24.00	10.00	NM	2.00	
	01/27/04	4.51	89	22.78	8.22	303.7	1.70	
	11/11/08	4.69	70	23.14	4.53	301.7	2.33	
	11/18/14	5.01	76	20.32	4.03	206.7	0.19	
	11/20/19	4.40	68	23.37	2.65	160.1	0.23	
	11/14/24	4.53	66.8	23.2	2.66	380.0	0.33	
AC-14D	09/24/97	5.70	150	24.00	10.10	NM	2.00	
	01/28/04	4.85	186	22.73	6.71	221.3	1.75	
	11/11/08	5.19	193	23.06	5.97	111.8	0.67	
	11/19/14	5.14	171	20.63	6.35	203.0	0.84	
	11/11/19	Could Not Locate						
	11/02/20	Removed from Monitoring Network						
AC-21D	09/26/97	4.70	180	22.00	8.70	NM	0.00	
	01/29/04	4.81	173	22.92	2.47	255.4	2.24	
	11/12/08	5.48	132	23.11	4.86	111.7	2.58	
	11/17/14	5.67	111	20.34	5.87	182.3	0.91	
	11/14/19	5.09	92	23.55	6.35	138.8	0.42	
	11/15/24	5.16	88.1	23.5	7.56	322.9	2.70	
AC-22D	09/25/97	4.60	140	23.00	9.60	NM	0.00	
	01/29/04	4.57	105	22.72	4.95	167.0	0.26	
	11/11/08	4.57	106	23.19	7.73	328.7	2.91	
	11/18/14	4.57	138	20.56	8.23	219.9	6.48	
	11/18/19	4.41	123	23.57	7.83	141.3	8.86	
	11/20/24	4.37	96	23.4	8.73	309.0	4.00	
AC-23D	09/26/97	4.80	150	24.00	9.80	NM	0.00	
	01/22/04	4.57	129	22.93	0.30	381.3	2.30	
	11/18/08	4.47	151	23.16	0.41	209.4	0.27	
	11/11/14	4.90	124	20.67	0.80	-17.1	0.65	
	11/25/19	4.52	133	23.77	0.10	111.9	1.87	
	11/13/24	4.94	113.2	23.7	0.02	-36.1	0.97	
AC-26D	09/24/97	6.00	80	24.00	10.40	NM	3.00	
	01/20/04	4.73	85	23.10	1.48	152.2	2.80	
	11/12/08	6.53	106	23.18	0.52	-25.5	1.77	
	11/19/14	6.68	99	20.61	0.33	3.4	0.33	
	11/11/19	Could Not Locate						
	11/02/20	Removed from Monitoring Network						
AC-27D	09/24/97	6.40	80	23.00	9.80	NM	0.00	
	01/13/04	6.23	73	22.60	0.69	9.8	2.45	
	11/11/05	6.53	77	22.87	0.19	-39.4	1.89	
	11/18/08	4.68	118	22.87	8.04	286.9	0.55	
	11/13/14	6.66	94	19.93	0.64	-57.5	3.16	
	11/20/19	6.46	90	22.61	0.40	20.3	4.84	
	11/20/24	6.49	85.2	22.6	0.18	11.7	9.10	

**TABLE 3
5-YEAR MONITORING NETWORK
GROUNDWATER FIELD PARAMETER RESULTS**

**Agrico Site
Pensacola, Florida**

Well I.D.	Date	pH (su)	Conductivity (µS/cm)	Temperature (°C)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (mV)	Turbidity (NTU)
AC-28D	09/27/97	4.30	210	23.00	8.80	NM	NM
	01/21/04	4.47	205	23.20	NM	NM	0.00
	11/17/08	4.26	350	23.23	3.00	234.9	0.10
	11/12/09	4.35	287	23.34	3.29	191.5	0.19
	11/19/10	4.27	332	22.66	2.67	283.2	0.57
	11/10/11	4.42	345	23.60	2.98	349.0	0.47
	11/12/12	4.24	334	23.40	3.57	382.6	0.24
	11/06/13	4.22	317	23.50	3.12	288.8	0.64
	11/20/14	NM	NM	NM	NM	NM	NM
	11/21/19	4.01	344	23.64	2.73	146.1	0.16
11/14/24	4.04	307.0	23.6	3.24	386.6	0.32	
AC-30D	09/26/97	4.20	1600	23.00	9.60	NM	0.00
	11/22/99	4.20	1300	23.00	NM	NM	0.00
	11/17/00	4.00	1100	22.00	NM	NM	0.00
	11/13/01	4.30	920	21.70	NM	NM	0.00
	11/25/02	3.89	1022	23.90	NM	NM	0.00
	01/15/04	4.20	873	23.35	0.04	269.0	0.00
	11/16/04	3.94	610	22.19	NM	NM	0.00
	11/17/05	4.23	493	23.18	0.09	263.2	2.25
	11/17/06	4.24	373	23.73	0.12	400.4	0.00
	11/20/07	4.17	303	22.90	0.19	123.5	0.60
	11/18/08	3.94	337	23.60	0.37	255.9	0.12
	11/17/09	4.07	272	23.46	0.56	162.0	0.11
	11/22/10	3.40	226	23.00	1.93	269.4	0.28
	11/14/11	4.11	242	23.97	1.23	318.1	0.14
	11/14/12	4.11	268	23.75	1.25	295.8	0.12
	11/12/13	3.89	242	23.75	1.36	306.4	0.60
	11/25/14	4.03	200	23.62	2.68	335.0	0.09
11/25/19	3.97	170	23.83	3.86	152.8	0.28	
11/21/24	4.05	118.6	23.9	4.22	446.0	0.43	

**TABLE 3
5-YEAR MONITORING NETWORK
GROUNDWATER FIELD PARAMETER RESULTS**

**Agrico Site
Pensacola, Florida**

Well I.D.	Date	pH (su)	Conductivity (µS/cm)	Temperature (°C)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (mV)	Turbidity (NTU)
AC-36D	11/18/99	6.80	170	22.00	NM	NM	16.00
	11/15/00	6.80	180	21.00	NM	NM	5.00
	11/08/01	5.44	125	22.60	NM	NM	13.50
	11/20/02	4.52	122	22.70	NM	NM	5.20
	01/14/04	5.02	126	22.20	6.68	286.3	2.60
	11/11/04	5.21	272	22.67	NM	NM	2.01
	11/09/05	5.01	138	22.78	6.85	250.2	2.00
	11/16/06	4.97	129	22.66	6.44	182.9	0.21
	11/16/07	5.05	126	22.03	6.42	50.7	0.00
	11/11/08	4.86	144	22.66	6.57	210.1	1.11
	11/11/09	4.80	131	23.05	6.98	286.6	1.81
	11/18/10	4.71	136	22.24	6.29	261.0	1.60
	11/09/11	4.92	144	22.90	6.63	266.3	2.63
	11/06/12	4.68	139	22.76	6.78	288.3	3.24
	11/06/13	4.74	145	22.86	6.35	214.1	2.14
	11/18/14	4.89	151	20.31	6.63	238.9	4.21
	11/11/19	Could Not Locate					
11/02/20	Removed from Monitoring Network						
NWD-2D	09/25/97	4.80	90	23.00	9.40	NM	0.00
	01/19/04	4.64	112	23.18	4.72	261.3	2.80
	11/13/08	4.91	112	23.50	6.22	148.9	1.98
	11/11/14	4.98	121	20.84	5.13	145.5	0.13
	11/15/19	4.73	112	22.70	4.36	199.5	0.45
	11/12/24	4.90	120.9	23.5	3.92	318.7	0.37
NWD-4D	09/26/97	4.90	210	24.00	10.10	NM	0.00
	11/17/99	4.80	220	22.00	NM	NM	0.00
	11/20/00	4.70	220	22.00	NM	NM	0.00
	11/13/01	5.00	226	20.60	NM	NM	4.00
	11/22/02	4.52	196	22.80	NM	NM	0.00
	01/21/04	4.68	229	22.32	0.06	378.9	2.57
	11/16/04	4.45	220	22.47	NM	NM	0.00
	11/15/05	4.75	220	22.60	0.08	174.1	2.47
	11/21/06	4.66	187	22.55	0.06	270.0	0.26
	11/19/07	4.84	184	21.99	0.11	130.5	0.00
	11/19/08	4.68	155	22.16	0.04	-148.9	0.41
	11/18/09	5.04	154	22.66	0.08	-43.6	0.24
	11/23/10	6.09	155	22.22	0.66	107.4	0.46
	11/15/11	5.87	163	22.88	0.01	-55.2	0.43
	11/08/12	5.54	188	22.75	0.15	22.1	0.18
	11/08/13	5.52	196	22.97	0.09	34.8	0.60
	11/14/14	5.71	183	20.51	0.30	61.3	3.48
	11/19/19	4.83	108	23.20	0.07	97.2	0.34
11/15/24	5.11	91.9	23.4	0.00	198.9	2.02	

**TABLE 3
5-YEAR MONITORING NETWORK
GROUNDWATER FIELD PARAMETER RESULTS**

**Agrico Site
Pensacola, Florida**

Well I.D.	Date	pH (su)	Conductivity (µS/cm)	Temperature (°C)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (mV)	Turbidity (NTU)
PIP-D	11/14/05	4.91	65	22.60	8.48	260.9	8.45
	11/22/06	4.72	98	21.70	7.17	219.3	24.60
	11/16/07	5.05	77	20.11	7.00	61.5	2.50
	11/13/08	4.57	109	22.32	7.49	211.6	44.10
	11/18/09	4.94	80	21.47	6.46	173.8	18.10
	11/24/10	6.06	90	22.73	6.39	170.5	19.20
	11/11/11	5.05	66	21.07	7.37	294.9	28.30
	11/13/12	4.68	80	21.20	6.31	168.1	6.72
	11/13/13	4.83	90	20.00	6.70	202.8	1.28
	11/14/14	4.79	92	18.93	7.31	328.8	0.87
	11/22/19	4.27	78	21.96	6.79	145.2	2.99
	11/12/24	4.79	79.4	23.3	8.33	299.4	0.79

NOTES:

su = standard units
 µS/cm=microSiemens per centimeter
 °C = Degrees Celsius
 mg/L = milligrams per Liter
 mV = milliVolt
 NTU = Nephelometric Turbidity Units
 NM = Not Measured

* = turbidity reading above instrument capabilities
 Wells purged with a bailer during the May 2001 sampling event
 ** = Well purged with a bailer

**TABLE 4
GROUNDWATER ELEVATIONS**

**Agrico Site
Pensacola, Florida**

Well I.D.	Date	Elevation TOC (ft NGVD)	Water Level (ft btoc)	Water Level Elevation (ft NGVD)
SURFICIAL ZONE				
AC-2S	May-97	88.65	NM	NM
	Sep-97		51.40	37.25
	Nov-97		NM	NM
	May-98		NM	NM
	Nov-98		NM	NM
	May-99		NM	NM
	Nov-99		49.81	38.84
	May-00		NM	NM
	Nov-00		58.68	29.97
	May-01		59.37	29.28
	Nov-01		59.94	28.71
	May-02		61.29	27.36
	Nov-02		60.22	28.43
	May-03		NM	NM
	Jan-04		53.90	34.75
	May-04		54.44	34.21
	Nov-04		52.71	35.94
	May-05		46.87	41.78
	Nov-05		44.76	43.89
	May-06		NM	NM
	Nov-06		50.61	38.04
	May-07		52.94	35.71
	Nov-07		53.89	34.76
	May-08		53.02	35.63
	Nov-08		53.57	35.08
	Nov-09		55.93	32.72
Nov-10	46.73	41.92		
Nov-11	46.73	41.92		
Nov-12	48.74	39.91		
Nov-13	49.19	39.46		
Nov-14	44.74	43.91		
Nov-15	48.39	40.26		
Nov-16	47.49	41.16		
Nov-17	44.45	44.20		
Nov-18	46.64	42.01		
Nov-19	48.91	39.74		
Nov-20	47.46	41.19		
Nov-21	42.03	46.62		
Nov-22	44.26	44.39		
Nov-23	48.00	40.65		
Nov-24	50.76	37.89		
AC-3S	May-97	88.06	54.49	33.57
	Sep-97		55.44	32.62
	Nov-97		NM	NM
	May-98		50.19	37.87
	Nov-98		50.21	37.85
	May-99		56.37	31.69
	Nov-99		57.31	30.75
	May-00		NM	NM
	Nov-00		61.93	26.13
	May-01		NM	NM
	Nov-01		62.97	25.09
	May-02		NM	NM
	Nov-02		63.37	24.69
	May-03		NM	NM
	Jan-04		56.37	31.69
	May-04		57.53	30.53
	Nov-04		56.10	31.96
	May-05		41.03	47.03
	Nov-05		47.79	40.27
	May-06		50.15	37.91
	Nov-06		53.68	34.38
	May-07		56.20	31.86
	Nov-07		57.44	30.62
	May-08		61.65	26.41
	Nov-08		56.90	31.16
	Nov-09		55.84	32.22
Nov-10	49.74	38.32		
Nov-11	49.74	38.32		
Nov-12	52.24	35.82		
Nov-13	52.24	35.82		
Nov-14	47.85	40.21		
Nov-15	51.75	36.31		
Nov-16	50.27	37.79		
Nov-17	47.35	40.71		
Nov-18	49.77	38.29		
Nov-19	51.95	36.11		
Nov-20	50.60	37.46		
Nov-21	44.90	43.16		
Nov-22	47.00	41.06		
Nov-23	50.84	37.22		
Nov-24	50.45	37.61		

**TABLE 4
GROUNDWATER ELEVATIONS**

**Agrico Site
Pensacola, Florida**

Well I.D.	Date	Elevation TOC (ft NGVD)	Water Level (ft btoc)	Water Level Elevation (ft NGVD)
SURFICIAL ZONE				
AC-5S	May-97	82.34	43.86	38.48
	Sep-97		43.87	38.47
	Nov-97		NM	NM
	May-98		42.60	39.74
	Nov-98		42.32	40.02
	May-99		45.66	36.68
	Nov-99		46.65	35.69
	May-00		49.45	32.89
	Nov-00		50.98	31.36
	May-01		51.58	30.76
	Nov-01		52.09	30.25
	May-02		53.45	28.89
	Nov-02		51.73	30.61
	May-03		NM	NM
	Jan-04		46.17	36.17
	May-04		46.71	35.63
	Nov-04		44.94	37.40
	May-05		38.01	44.33
	Nov-05		36.86	45.48
	May-06		39.01	43.33
	Nov-06		42.38	39.96
	May-07		44.83	37.51
	Nov-07		45.34	37.00
	May-08		44.86	37.48
Nov-08	45.49	36.85		
Nov-09	44.35	37.99		
Nov-10	38.33	44.01		
Nov-11	42.20	40.14		
Nov-12	40.62	41.72		
Nov-13	41.05	41.29		
Nov-14	36.75	45.59		
Nov-15	39.77	42.57		
Nov-16	39.15	43.19		
Nov-17	35.78	46.56		
Nov-18	38.54	43.80		
Nov-19	40.57	41.77		
Nov-20	38.86	43.48		
Nov-21	33.07	49.27		
Nov-22	35.60	46.74		
Nov-23	39.57	42.77		
Nov-24	42.45*	39.89		
AC-6S	May-97	69.32	NM	NM
	Sep-97		43.97	25.35
	Nov-97		NM	NM
	May-98		NM	NM
	Nov-98		NM	NM
	May-99		NM	NM
	Nov-99		44.75	24.57
	May-00		NM	NM
	Nov-00		47.75	21.57
	May-01		NM	NM
	Nov-01		48.10	21.22
	May-02		NM	NM
	Nov-02		48.25	21.07
	May-03		NM	NM
	Jan-04		41.81	27.51
	May-04		NM	NM
	Nov-04		41.10	28.22
	May-05		NM	NM
	Nov-05		34.63	34.69
	May-06		NM	NM
	Nov-06		39.56	29.76
	May-07		NM	NM
	Nov-07		42.32	27.00
	May-08		NM	NM
Nov-08	41.17	28.15		
Nov-09	40.47	28.85		
Nov-10	35.84	33.48		
Nov-11	39.58	29.74		
Nov-12	38.10	31.22		
Nov-13	37.59	31.73		
Nov-14	34.78	34.54		
Nov-15	37.31	32.01		
Nov-16	36.08	33.24		
Nov-17	33.75	35.57		
Nov-18	36.01	33.31		
Nov-19	37.62	31.70		
Nov-20	35.58	33.74		
Nov-21	30.70	38.62		
Nov-22	33.05	36.27		
Nov-23	36.32	33.00		
Nov-24	CNL	CNL		

**TABLE 4
GROUNDWATER ELEVATIONS**

**Agrico Site
Pensacola, Florida**

Well I.D.	Date	Elevation TOC (ft NGVD)	Water Level (ft btoc)	Water Level Elevation (ft NGVD)
SURFICIAL ZONE				
AC-7SR	May-97	90.59	52.58	38.01
	Sep-97		NM	NM
	Nov-97		53.29	37.30
	May-98		51.04	39.55
	Nov-98		51.05	39.54
	May-99		54.11	36.48
	Nov-99		54.76	35.83
	May-00		57.93	32.66
	Nov-00		59.70	30.89
	May-01		60.38	30.21
	Nov-01		60.90	29.69
	May-02		62.35	28.24
	Nov-02		61.09	29.50
	May-03		59.64	30.95
	Jan-04		54.99	35.60
	May-04		55.55	35.04
	Nov-04		53.70	36.89
	May-05		47.23	43.36
	Nov-05		45.68	44.91
	May-06		48.27	42.32
	Nov-06		51.46	39.13
	May-07		54.04	36.55
	Nov-07		55.04	35.55
	May-08		54.09	36.50
Nov-08	54.75	35.84		
Nov-09	53.81	36.78		
Nov-10	47.79	42.80		
Nov-11	47.79	42.80		
Nov-12	49.71	40.88		
Nov-13	50.23	40.36		
Nov-14	45.79	44.80		
Nov-15	49.55	41.04		
Nov-16	48.61	41.98		
Nov-17	45.49	45.10		
Nov-18	47.56	43.03		
Nov-19	50.00	40.59		
Nov-20	48.33	42.26		
Nov-21	42.90	47.69		
Nov-22	45.36	45.23		
Nov-23	49.00	41.59		
Nov-24	51.85	38.74		
AC-24S	May-97	79.50	NM	NM
	Sep-97		57.32	22.18
	Nov-97		NM	NM
	May-98		NM	NM
	Nov-98		NM	NM
	May-99		NM	NM
	Nov-99		59.29	20.21
	May-00		NM	NM
	Nov-00		62.81	16.69
	May-01		NM	NM
	Nov-01		63.35	16.15
	May-02		NM	NM
	Nov-02		63.86	15.64
	May-03		NM	NM
	Jan-04		57.97	21.53
	May-04		NM	NM
	Nov-04		NM	NM
	May-05		NM	NM
	Nov-05		51.10	28.40
	May-06		NM	NM
	Nov-06		56.82	22.68
	May-07		NM	NM
	Nov-07		59.45	20.05
	May-08		NM	NM
Nov-08	59.19	20.31		
Nov-09	57.75	21.75		
Nov-10	57.86	21.64		
Nov-11	57.08	22.42		
Nov-12	54.74	24.76		
Nov-13	54.86	24.64		
Nov-14	51.68	27.82		
Nov-15	55.72	23.78		
Nov-16	CNL**	CNL**		
Nov-17	CNL**	CNL**		
Nov-18	51.59	27.91		
Nov-19	55.45	24.05		
Nov-20	52.97	26.53		
Nov-21	47.79	31.71		
Nov-22	50.84	28.66		
Nov-23	54.35	25.15		
Nov-24	56.31	23.19		

**TABLE 4
GROUNDWATER ELEVATIONS**

**Agrico Site
Pensacola, Florida**

Well I.D.	Date	Elevation TOC (ft NGVD)	Water Level (ft btoc)	Water Level Elevation (ft NGVD)
SURFICIAL ZONE				
AC-26S	May-97	26.75	NM	NM
	Sep-97		19.62	7.13
	Nov-97		NM	NM
	May-98		NM	NM
	Nov-98		NM	NM
	May-99		NM	NM
	Nov-99		20.36	6.39
	May-00		NM	NM
	Nov-00		20.74	6.01
	May-01		NM	NM
	Nov-01		20.88	5.87
	May-02		NM	NM
	Nov-02		20.58	6.17
	May-03		NM	NM
	Jan-04		20.04	6.71
	May-04		NM	NM
	Nov-04		19.36	7.39
	May-05		NM	NM
	Nov-05		18.29	8.46
	May-06		NM	NM
	Nov-06		19.60	7.15
May-07	NM	NM		
Nov-07	19.54	7.21		
May-08	NM	NM		
Nov-08	19.61	7.14		
Nov-09	17.99	8.76		
Nov-10	18.26	8.49		
Nov-11	19.80	6.95		
Nov-12	19.12	7.63		
Nov-13	18.82	7.93		
Nov-14	18.52	8.23		
Nov-15	17.95	8.80		
Nov-16	18.23	8.52		
Nov-17	17.35	9.40		
Nov-18	17.21	9.54		
Nov-19	Well Destroyed***			
Nov-20	Removed from the well network			
AC-27S	May-97	18.50	NM	NM
	Sep-97		13.94	4.56
	Nov-97		NM	NM
	May-98		NM	NM
	Nov-98		NM	NM
	May-99		NM	NM
	Nov-99		14.52	3.98
	May-00		NM	NM
	Nov-00		15.24	3.26
	May-01		NM	NM
	Nov-01		15.53	2.97
	May-02		NM	NM
	Nov-02		15.24	3.26
	May-03		NM	NM
	Jan-04		14.55	3.95
	May-04		NM	NM
	Nov-04		13.75	4.75
	May-05		NM	NM
	Nov-05		12.63	5.87
	May-06		NM	NM
	Nov-06		14.19	4.31
	May-07		NM	NM
	Nov-07		13.98	4.52
	May-08		NM	NM
	Nov-08		13.98	4.52
Nov-09	11.78	6.72		
Nov-10	12.77	5.73		
Nov-11	14.09	4.41		
Nov-12	13.43	5.07		
Nov-13	13.63	4.87		
Nov-14	12.89	5.61		
Nov-15	12.32	6.18		
Nov-16	12.09	6.41		
Nov-17	11.42	7.08		
Nov-18	11.36	7.14		
Nov-19	12.42	6.08		
Nov-20	10.84	7.66		
Nov-21	9.50	9.00		
Nov-22	11.61	6.89		
Nov-23	12.61	5.89		
Nov-24	12.15	6.35		

**TABLE 4
GROUNDWATER ELEVATIONS**

**Agrico Site
Pensacola, Florida**

Well I.D.	Date	Elevation TOC (ft NGVD)	Water Level (ft btoc)	Water Level Elevation (ft NGVD)
SURFICIAL ZONE				
AC-33S	May-97	89.18	50.54	38.64
	Sep-97		NM	NM
	Nov-97		51.25	37.93
	May-98		48.93	40.25
	Nov-98		48.86	40.32
	May-99		52.12	37.06
	Nov-99		52.80	36.38
	May-00		55.96	33.22
	Nov-00		57.66	31.52
	May-01		58.32	30.86
	Nov-01		58.90	30.28
	May-02		60.43	28.75
	Nov-02		58.71	30.47
	May-03		57.60	31.58
	Jan-04		52.97	36.21
	May-04		53.56	35.62
	Nov-04		51.60	37.58
	May-05		45.37	43.81
	Nov-05		43.65	45.53
	May-06		46.42	42.76
	Nov-06		49.59	39.59
	May-07		52.17	37.01
	Nov-07		52.89	36.29
	May-08		52.12	37.06
Nov-08	52.80	36.38		
Nov-09	51.79	37.39		
Nov-10	45.88	43.30		
Nov-11	45.88	43.30		
Nov-12	47.70	41.48		
Nov-13	48.30	40.88		
Nov-14	43.95	45.23		
Nov-15	47.62	41.56		
Nov-16	46.83	42.35		
Nov-17	43.56	45.62		
Nov-18	45.55	43.63		
Nov-19	48.25	40.93		
Nov-20	49.25	39.93		
Nov-21	40.74	48.44		
Nov-22	43.56	45.62		
Nov-23	47.32	41.86		
Nov-24	50.13	39.05		
AC-34S	May-97	89.09	51.35	37.74
	Sep-97		NM	NM
	Nov-97		52.09	37.00
	May-98		49.89	39.20
	Nov-98		49.93	39.16
	May-99		52.91	36.18
	Nov-99		53.62	35.47
	May-00		56.63	32.46
	Nov-00		58.46	30.63
	May-01		59.20	29.89
	Nov-01		59.73	29.36
	May-02		61.13	27.96
	Nov-02		60.01	29.08
	May-03		58.45	30.64
	Jan-04		53.74	35.35
	May-04		54.27	34.82
	Nov-04		52.48	36.61
	May-05		46.18	42.91
	Nov-05		44.42	44.67
	May-06		46.90	42.19
	Nov-06		50.14	38.95
	May-07		52.69	36.40
	Nov-07		53.47	35.62
	May-08		52.77	36.32
Nov-08	53.34	35.75		
Nov-09	52.41	36.68		
Nov-10	46.39	42.70		
Nov-11	46.39	42.70		
Nov-12	48.44	40.65		
Nov-13	48.92	40.17		
Nov-14	44.44	44.65		
Nov-15	48.06	41.03		
Nov-16	47.21	41.88		
Nov-17	44.06	45.03		
Nov-18	46.24	42.85		
Nov-19	48.58	40.51		
Nov-20	47.01	42.08		
Nov-21	41.47	47.62		
Nov-22	43.87	45.22		
Nov-23	47.65	41.44		
Nov-24	50.19	38.90		

**TABLE 4
GROUNDWATER ELEVATIONS**

**Agrico Site
Pensacola, Florida**

Well I.D.	Date	Elevation TOC (ft NGVD)	Water Level (ft btoc)	Water Level Elevation (ft NGVD)
SURFICIAL ZONE				
NWD-2S	May-97	77.53	NM	NM
	Sep-97		39.75	37.78
	Nov-97		NM	NM
	May-98		NM	NM
	Nov-98		NM	NM
	May-99		NM	NM
	Nov-99		41.72	35.81
	May-00		NM	NM
	Nov-00		45.82	31.71
	May-01		NM	NM
	Nov-01		46.77	30.76
	May-02		NM	NM
	Nov-02		47.15	30.38
	May-03		NM	NM
	Jan-04		45.67	31.86
	May-04		NM	NM
	Nov-04		44.49	33.04
	May-05		NM	NM
	Nov-05		37.09	40.44
	May-06		NM	NM
	Nov-06		42.60	34.93
	May-07		NM	NM
	Nov-07		46.25	31.28
	May-08		NM	NM
	Nov-08		45.55	31.98
Nov-09	44.70	32.83		
Nov-10	38.84	38.69		
Nov-11	42.82	34.71		
Nov-12	NM	NM		
Nov-13	41.32	36.21		
Nov-14	37.36	40.17		
Nov-15	41.01	36.52		
Nov-16	39.45	38.08		
Nov-17	36.72	40.81		
Nov-18	45.05	32.48		
Nov-19	41.15	36.38		
Nov-20	39.41	38.12		
Nov-21	33.83	43.70		
Nov-22	36.08	41.45		
Nov-23	45.87	31.66		
Nov-24	42.33	35.20		
NWD-4S	May-97	34.70	NM	NM
	Sep-97		19.33	15.37
	Nov-97		NM	NM
	May-98		NM	NM
	Nov-98		NM	NM
	May-99		NM	NM
	Nov-99		20.68	14.02
	May-00		NM	NM
	Nov-00		22.21	12.49
	May-01		NM	NM
	Nov-01		22.58	12.12
	May-02		NM	NM
	Nov-02		21.89	12.81
	May-03		NM	NM
	Jan-04		20.16	14.54
	May-04		NM	NM
	Nov-04		NM	NM
	May-05		NM	NM
	Nov-05		16.59	18.11
	May-06		NM	NM
	Nov-06		19.92	14.78
	May-07		NM	NM
	Nov-07		20.22	14.48
	May-08		NM	NM
	Nov-08		16.59	18.11
Nov-09	18.59	16.11		
Nov-10	17.17	17.53		
Nov-11	19.48	15.22		
Nov-12	17.96	16.74		
Nov-13	17.93	16.77		
Nov-14	16.61	18.09		
Nov-15	17.37	17.33		
Nov-16	17.76	16.94		
Nov-17	15.54	19.16		
Nov-18	16.82	17.88		
Nov-19	18.43	16.27		
Nov-20	16.51	18.19		
Nov-21	13.83	20.87		
Nov-22	16.19	18.51		
Nov-23	18.08	16.62		
Nov-24	18.79	15.91		

**TABLE 4
GROUNDWATER ELEVATIONS**

**Agrico Site
Pensacola, Florida**

Well I.D.	Date	Elevation TOC (ft NGVD)	Water Level (ft btoc)	Water Level Elevation (ft NGVD)
SURFICIAL ZONE				
ACB-31S	May-97	91.92	50.26	41.66
	Sep-97		NM	NM
	Nov-97		51.22	40.70
	May-98		48.78	43.14
	Nov-98		48.50	43.42
	May-99		51.84	40.08
	Nov-99		52.74	39.18
	May-00		55.84	36.08
	Nov-00		57.22	34.70
	May-01		57.94	33.98
	Nov-01		58.53	33.39
	May-02		60.31	31.61
	Nov-02		57.38	34.54
	May-03		57.36	34.56
	Jan-04		53.11	38.81
	May-04		53.62	38.30
	Nov-04		51.34	40.58
	May-05		43.27	48.65
	Nov-05		43.34	48.58
	May-06		46.50	45.42
	Nov-06		49.48	42.44
	May-07		52.25	39.67
	Nov-07		50.98	40.94
	May-08		52.11	39.81
Nov-08	52.37	39.55		
Nov-09	51.14	40.78		
Nov-10	45.76	46.16		
Nov-11	45.76	46.16		
Nov-12	47.70	44.22		
Nov-13	48.28	43.64		
Nov-14	44.00	47.92		
Nov-15	46.38	45.54		
Nov-16	47.14	44.78		
Nov-17	43.18	48.74		
Nov-18	45.31	46.61		
Nov-19	48.36	43.56		
Nov-20	45.83	46.09		
Nov-21	39.73	52.19		
Nov-22	43.72	48.20		
Nov-23	47.50	44.42		
Nov-24	50.48	41.44		
ACB-32S	May-97	88.16	48.11	40.05
	Sep-97		NM	NM
	Nov-97		48.92	39.24
	May-98		46.60	41.56
	Nov-98		46.52	41.64
	May-99		49.84	38.32
	Nov-99		50.62	37.54
	May-00		53.71	34.45
	Nov-00		55.41	32.75
	May-01		56.18	31.98
	Nov-01		56.77	31.39
	May-02		58.30	29.86
	Nov-02		56.65	31.51
	May-03		55.49	32.67
	Jan-04		50.81	37.35
	May-04		51.26	36.90
	Nov-04		49.25	38.91
	May-05		41.13	47.03
	Nov-05		40.99	47.17
	May-06		43.50	44.66
	Nov-06		46.77	41.39
	May-07		49.56	38.60
	Nov-07		49.32	38.84
	May-08		49.64	38.52
Nov-08	49.95	38.21		
Nov-09	48.83	39.33		
Nov-10	42.83	45.33		
Nov-11	42.83	45.33		
Nov-12	45.18	42.98		
Nov-13	45.67	42.49		
Nov-14	41.20	46.96		
Nov-15	43.93	44.23		
Nov-16	44.11	44.05		
Nov-17	40.27	47.89		
Nov-18	42.67	45.49		
Nov-19	45.22	42.94		
Nov-20	43.42	44.74		
Nov-21	37.17	50.99		
Nov-22	40.49	47.67		
Nov-23	44.41	43.75		
Nov-24	47.30	40.86		

NOTES:

ft NGVD = feet above National Geodetic Vertical Datum of 1988.

ft btoc = feet below top of casing.

NM = Not measured

CNL = could not locate

*Depth to water collected after the 24-hour period

** AC-24S was not located during the November 2016 and 2017 sampling due to pavement blocking the area.

*** AC-26S has been lost to City of Pensacola stormwater project construction efforts, and it has been removed from the monitoring well network.

**TABLE 4
GROUNDWATER ELEVATIONS**

**Agrico Site
Pensacola, Florida**

Well I.D.	Date	Elevation TOC (ft NGVD)	Water Level (ft btoc)	Water Level Elevation (ft NGVD)
MAIN PRODUCING ZONE				
AC-2D	Sep-97	92.74	57.74	35.00
	Nov-99		61.09	31.65
	Nov-00		NM	NM
	Nov-01		63.02	29.72
	Nov-02		62.53	30.21
	Jan-04		57.36	35.38
	Nov-04		56.39	36.35
	Nov-05		49.02	43.72
	Nov-06		54.55	38.19
	Nov-07		57.49	35.25
	Nov-08		57.20	35.54
	Nov-09		52.65	40.09
	Nov-10		50.83	41.91
	Nov-11		49.11	43.63
	Nov-12		53.03	39.71
	Nov-13		53.03	39.71
	Nov-14		49.20	43.54
	Nov-15		52.26	40.48
	Nov-16		51.76	40.98
	Nov-17		48.57	44.17
	Nov-18		50.83	41.91
	Nov-19		53.05	39.69
	Nov-20		51.21	41.53
	Nov-21		45.74	47.00
Nov-22	48.55	44.19		
Nov-23	52.13	40.61		
Nov-24	54.76	37.98		
AC-3D	Sep-97	88.07	61.91	26.16
	Nov-99		63.15	24.92
	Nov-00		66.42	21.65
	Nov-01		67.42	20.65
	Nov-02		67.09	20.98
	Jan-04		62.17	25.90
	Nov-04		61.35	26.72
	Nov-05		55.02	33.05
	Nov-06		59.95	28.12
	Nov-07		62.71	25.36
	Nov-08		62.17	25.90
	Nov-09		60.78	27.29
	Nov-10		56.32	31.75
	Nov-11		60.06	28.01
	Nov-12		58.33	29.74
	Nov-13		58.41	29.66
	Nov-14		54.90	33.17
	Nov-15		57.96	30.11
	Nov-16		57.03	31.04
	Nov-17		54.60	33.47
	Nov-18		56.18	31.89
	Nov-19		58.11	29.96
	Nov-20		56.60	31.47
	Nov-21		51.56	36.51
Nov-22	54.04	34.03		
Nov-23	57.28	30.79		
Nov-24	53.34	34.73		
AC-5D	Sep-97	82.40	50.16	32.24
	Nov-99		53.21	29.19
	Nov-00		54.83	27.57
	Nov-01		57.58	24.82
	Nov-02		55.47	26.93
	Jan-04		50.67	31.73
	Nov-04		49.60	32.80
	Nov-05		44.83	37.57
	Nov-06		47.18	35.22
	Nov-07		51.22	31.18
	Nov-08		49.67	32.73
	Nov-09		48.40	34.00
	Nov-10		43.27	39.13
	Nov-11		47.48	34.92
	Nov-12		47.24	35.16
	Nov-13		46.90	35.50
	Nov-14		41.88	40.52
	Nov-15		45.43	36.97
	Nov-16		44.11	38.29
	Nov-17		41.32	41.08
	Nov-18		43.08	39.32
	Nov-19		45.22	37.18
	Nov-20		44.44	37.96
	Nov-21		37.90	44.50
Nov-22	40.54	41.86		
Nov-23	44.20	38.20		
Nov-24	48.05*	34.35		

**TABLE 4
GROUNDWATER ELEVATIONS**

**Agrico Site
Pensacola, Florida**

Well I.D.	Date	Elevation TOC (ft NGVD)	Water Level (ft btoc)	Water Level Elevation (ft NGVD)		
MAIN PRODUCING ZONE						
AC-6D	Sep-97	69.19	55.72	13.47		
	Nov-99		50.20	18.99		
	Nov-00		52.26	16.93		
	Nov-01		53.43	15.76		
	Nov-02		51.26	17.93		
	Jan-04		47.22	21.97		
	Nov-04		42.26	26.93		
	Nov-05		40.98	28.21		
	Nov-06		45.13	24.06		
	Nov-07		47.60	21.59		
	Nov-08		46.76	22.43		
	Nov-09		44.71	24.48		
	Nov-10		40.76	28.43		
	Nov-11		45.21	23.98		
	Nov-12		43.92	25.27		
	Nov-13		43.74	25.45		
	Nov-14		41.25	27.94		
	Nov-15		42.80	26.39		
	Nov-16		42.37	26.82		
	Nov-17		40.00	29.19		
	Nov-18		NM - Damaged			
	Nov-19		43.18	26.01		
	Nov-20		41.21	27.98		
	Nov-21		37.52	31.67		
Nov-22	39.59	29.60				
Nov-23	42.51	26.68				
Nov-24	44.65	24.54				
AC-8D	Sep-97	76.44	66.97	9.47		
	Nov-99		63.81	12.63		
	Nov-00		65.67	10.77		
	Nov-01		65.88	10.56		
	Nov-02		65.29	11.15		
	Jan-04		61.30	15.14		
	Nov-04		59.91	16.53		
	Nov-05		56.35	20.09		
	Nov-06		60.20	16.24		
	Nov-07		61.93	14.51		
	Nov-08		61.33	15.11		
	Nov-09		59.89	16.55		
	Nov-10		57.41	19.03		
	Nov-11		60.63	15.81		
	Nov-12		59.26	17.18		
	Nov-13		58.71	17.73		
	Nov-14		57.05	19.39		
	Nov-15		58.91	17.53		
	Nov-16		57.62	18.82		
	Nov-17		55.71	20.73		
	Nov-18		57.22	19.22		
	Nov-19		58.62	17.82		
	Nov-20		56.93	19.51		
	Nov-21		53.16	23.28		
Nov-22	54.91	21.53				
Nov-23	57.46	18.98				
Nov-24	58.75	17.69				
AC-9D2	Sep-97	64.13	55.27	8.86		
	Nov-99		55.39	8.74		
	Nov-00		56.68	7.45		
	Nov-01		57.01	7.12		
	Nov-02		56.87	7.26		
	Jan-04		54.56	9.57		
	Nov-04		54.02	10.11		
	Nov-05		51.37	12.76		
	Nov-06		53.83	10.30		
	Nov-07		54.73	9.40		
	Nov-08		54.36	9.77		
	Nov-09		52.58	11.55		
	Nov-10		51.46	12.67		
	Nov-11		53.87	10.26		
	Nov-12		52.88	11.25		
	Nov-13		52.68	11.45		
	Nov-14		51.47	12.66		
	Nov-15		52.37	11.76		
	Nov-16		51.75	12.38		
	Nov-17		50.45	13.68		
	Nov-18		51.31	12.82		
	Nov-19		52.31	11.82		
	Nov-20		51.00	13.13		
	Nov-21		48.85	15.28		
Nov-22	50.22	13.91				
Nov-23	51.84	12.29				
Nov-24	52.30	11.83				

**TABLE 4
GROUNDWATER ELEVATIONS**

**Agrico Site
Pensacola, Florida**

Well I.D.	Date	Elevation TOC (ft NGVD)	Water Level (ft btoc)	Water Level Elevation (ft NGVD)
MAIN PRODUCING ZONE				
AC-10D	Sep-97	79.48	70.39	9.09
	Nov-99		69.04	10.44
	Nov-00		70.67	8.81
	Nov-01		70.86	8.62
	Nov-02		70.53	8.95
	Jan-04		67.28	12.20
	Nov-04		66.79	12.69
	Nov-05		63.20	16.28
	Nov-06		66.47	13.01
	Nov-07		67.72	11.76
	Nov-08		67.24	12.24
	Nov-09		65.67	13.81
	Nov-10		63.93	15.55
	Nov-11		66.79	12.69
	Nov-12		65.55	13.93
	Nov-13		65.13	14.35
	Nov-14		63.66	15.82
	Nov-15		65.17	14.31
	Nov-16		64.12	15.36
	Nov-17		62.37	17.11
	Nov-18		63.68	15.80
	Nov-19		64.94	14.54
	Nov-20		63.24	16.24
	Nov-21		CNL	CNL
Nov-22	61.95	17.53		
Nov-23	64.14	15.34		
Nov-24	64.98	14.50		
AC-11D	Sep-97	73.17	67.10	6.07
	Nov-99		66.69	6.48
	Nov-00		67.69	5.48
	Nov-01		67.72	5.45
	Nov-02		67.45	5.72
	Jan-04		65.01	8.16
	Nov-04		64.58	8.59
	Nov-05		62.06	11.11
	Nov-06		64.73	8.44
	Nov-07		65.32	7.85
	Nov-08		65.03	8.14
	Nov-09		63.38	9.79
	Nov-10		62.65	10.52
	Nov-11		65.06	8.11
	Nov-12		64.01	9.16
	Nov-13		63.43	9.74
	Nov-14		62.44	10.73
	Nov-15		63.45	9.72
	Nov-16		62.48	10.69
	Nov-17		61.00	12.17
	Nov-18		62.24	10.93
	Nov-19		63.28	9.89
	Nov-20		61.50	11.67
	Nov-21		58.95	14.22
Nov-22	60.69	12.48		
Nov-23	62.60	10.57		
Nov-24	63.10	10.07		
AC-12D	Sep-97	79.23	67.46	11.77
	Nov-99		66.41	12.82
	Nov-00		68.29	10.94
	Nov-01		68.64	10.59
	Nov-02		68.38	10.85
	Jan-04		65.23	14.00
	Nov-04		64.78	14.45
	Nov-05		60.25	18.98
	Nov-06		63.79	15.44
	Nov-07		65.29	13.94
	Nov-08		64.78	14.45
	Nov-09		63.13	16.10
	Nov-10		60.87	18.36
	Nov-11		63.93	15.30
	Nov-12		62.62	16.61
	Nov-13		62.35	16.88
	Nov-14		60.48	18.75
	Nov-15		62.35	16.88
	Nov-16		61.25	17.98
	Nov-17		59.20	20.03
	Nov-18		60.75	18.48
	Nov-19		62.09	17.14
	Nov-20		60.39	18.84
	Nov-21		57.22	22.01
Nov-22	58.92	20.31		
Nov-23	61.25	17.98		
Nov-24	62.30	16.93		

**TABLE 4
GROUNDWATER ELEVATIONS**

**Agrico Site
Pensacola, Florida**

Well I.D.	Date	Elevation TOC (ft NGVD)	Water Level (ft btoc)	Water Level Elevation (ft NGVD)
MAIN PRODUCING ZONE				
AC-13D	Sep-97	74.65	67.25	7.40
	Nov-99		66.97	7.68
	Nov-00		68.21	6.44
	Nov-01		68.43	6.22
	Nov-02		68.23	6.42
	Jan-04		65.99	8.66
	Nov-04		65.44	9.21
	Nov-05		63.01	11.64
	Nov-06		65.37	9.28
	Nov-07		66.16	8.49
	Nov-08		65.78	8.87
	Nov-09		63.87	10.78
	Nov-10		63.11	11.54
	Nov-11		65.55	9.10
	Nov-12		64.57	10.08
	Nov-13		64.29	10.36
	Nov-14		63.24	11.41
	Nov-15		64.01	10.64
	Nov-16		63.35	11.30
	Nov-17		61.98	12.67
	Nov-18		62.91	11.74
	Nov-19		63.88	10.77
	Nov-20		62.44	12.21
	Nov-21		60.22	14.43
Nov-22	61.79	12.86		
Nov-23	63.49	11.16		
Nov-24	63.84	10.81		
AC-14D	Sep-97	49.79	45.49	4.30
	Nov-99		45.56	4.23
	Nov-00		46.05	3.74
	Nov-01		46.37	3.42
	Nov-02		46.13	3.66
	Jan-04		44.91	4.88
	Nov-04		44.30	5.49
	Nov-05		42.88	6.91
	Nov-06		44.52	5.27
	Nov-07		44.59	5.20
	Nov-08		44.45	5.34
	Nov-09		42.57	7.22
	Nov-10		42.73	7.06
	Nov-11		44.63	5.16
	Nov-12		43.93	5.86
	Nov-13		43.57	6.22
	Nov-14		43.16	6.63
	Nov-15		43.03	6.76
	Nov-16		42.76	7.03
	Nov-17		41.81	7.98
Nov-18		Well Destroyed**		
Nov-19		Well Destroyed**		
Nov-20		Removed from the well network		
AC-21D	Sep-97	75.47	48.23	27.24
	Nov-99		49.66	25.81
	Nov-00		51.21	24.26
	Nov-01		53.63	21.84
	Nov-02		51.62	23.85
	Jan-04		46.83	28.64
	Nov-04		45.82	29.65
	Nov-05		40.22	35.25
	Nov-06		43.75	31.72
	Nov-07		60.11	15.36
	Nov-08		NM	NM
	Nov-09		44.64	30.83
	Nov-10		39.86	35.61
	Nov-11		44.03	31.44
	Nov-12		43.52	31.95
	Nov-13		43.20	32.27
	Nov-14		38.50	36.97
	Nov-15		41.63	33.84
	Nov-16		40.49	34.98
	Nov-17		37.89	37.58
	Nov-18		39.49	35.98
	Nov-19		41.59	33.88
	Nov-20		40.45	35.02
	Nov-21		34.31	41.16
Nov-22	36.82	38.65		
Nov-23	41.20	34.27		
Nov-24	43.70	31.77		

**TABLE 4
GROUNDWATER ELEVATIONS**

**Agrico Site
Pensacola, Florida**

Well I.D.	Date	Elevation TOC (ft NGVD)	Water Level (ft btoc)	Water Level Elevation (ft NGVD)
MAIN PRODUCING ZONE				
AC-22D	Sep-97	76.58	63.27	13.31
	Nov-99		NM	NM
	Nov-00		NM	NM
	Nov-01		NM	NM
	Nov-02		61.81	14.77
	Jan-04		57.22	19.36
	Nov-04		56.59	19.99
	Nov-05		51.17	25.41
	Nov-06		55.56	21.02
	Nov-07		57.86	18.72
	Nov-08		57.04	19.54
	Nov-09		55.70	20.88
	Nov-10		52.15	24.43
	Nov-11		55.81	20.77
	Nov-12		54.33	22.25
	Nov-13		54.11	22.47
	Nov-14		51.68	24.90
	Nov-15		53.84	22.74
	Nov-16		52.79	23.79
	Nov-17		50.51	26.07
	Nov-18		52.09	24.49
	Nov-19		53.83	22.75
	Nov-20		51.98	24.60
	Nov-21		47.69	28.89
Nov-22	CNL***	CNL***		
Nov-23	CNL	CNL		
Nov-24	53.85*	22.73		
AC-23D	Sep-97	79.51	58.46	21.05
	Nov-99		60.16	19.35
	Nov-00		62.83	16.68
	Nov-01		63.42	16.09
	Nov-02		63.18	16.33
	Jan-04		59.35	20.16
	Nov-04		58.73	20.78
	Nov-05		53.34	26.17
	Nov-06		58.17	21.34
	Nov-07		60.00	19.51
	Nov-08		59.72	19.79
	Nov-09		58.05	21.46
	Nov-10		54.68	24.83
	Nov-11		58.01	21.50
	Nov-12		56.11	23.40
	Nov-13		56.23	23.28
	Nov-14		53.64	25.87
	Nov-15		56.02	23.49
	Nov-16		55.43	24.08
	Nov-17		52.86	26.65
	Nov-18		54.50	25.01
	Nov-19		56.51	23.00
	Nov-21		50.68	28.83
	Nov-22		53.04	26.47
Nov-23	55.76	23.75		
Nov-24	57.38	22.13		
AC-24D	Sep-97	79.60	65.14	14.46
	Nov-99		66.17	13.43
	Nov-00		68.29	11.31
	Nov-01		68.78	10.82
	Nov-02		68.55	11.05
	Jan-04		65.33	14.27
	Nov-04		64.78	14.82
	Nov-05		60.70	18.90
	Nov-06		64.35	15.25
	Nov-07		69.78	9.82
	Nov-08		65.50	14.10
	Nov-09		63.84	15.76
	Nov-10		61.46	18.14
	Nov-11		64.41	15.19
	Nov-12		62.86	16.74
	Nov-13		62.77	16.83
	Nov-14		60.85	18.75
	Nov-15		62.64	16.96
	Nov-16		61.93	17.67
	Nov-17		59.88	19.72
	Nov-18		61.27	18.33
	Nov-19		62.80	16.80
	Nov-20		61.05	18.55
	Nov-21		57.92	21.68
Nov-22	59.94	19.66		
Nov-23	62.14	17.46		
Nov-24	63.25	16.35		

**TABLE 4
GROUNDWATER ELEVATIONS**

**Agrico Site
Pensacola, Florida**

Well I.D.	Date	Elevation TOC (ft NGVD)	Water Level (ft btoc)	Water Level Elevation (ft NGVD)
MAIN PRODUCING ZONE				
AC-25D	Sep-97	39.75	33.71	6.04
	Nov-99		34.28	5.47
	Nov-00		35.44	4.31
	Nov-01		35.76	3.99
	Nov-02		35.48	4.27
	Jan-04		33.99	5.76
	Nov-04		33.22	6.53
	Nov-05		31.30	8.45
	Nov-06		33.42	6.33
	Nov-07		33.83	5.92
	Nov-08		33.69	6.06
	Nov-09		32.07	7.68
	Nov-10		31.33	8.42
	Nov-11		33.27	6.48
	Nov-12		32.42	7.33
	Nov-13		32.17	7.58
	Nov-14		31.51	8.24
	Nov-15		31.85	7.90
	Nov-16		31.64	8.11
	Nov-17		30.35	9.40
	Nov-18		31.11	8.64
	Nov-19		32.08	7.67
	Nov-20		30.88	8.87
	Nov-21		28.85	10.90
Nov-22	30.56	9.19		
Nov-23	31.60	8.15		
Nov-24	32.11	7.64		
AC-26D	Sep-97	26.70	20.11	6.59
	Nov-99		19.08	7.62
	Nov-00		20.47	6.23
	Nov-01		20.61	6.09
	Nov-02		20.40	6.30
	Jan-04		19.65	7.05
	Nov-04		19.02	7.68
	Nov-05		18.17	8.53
	Nov-06		18.98	7.72
	Nov-07		19.30	7.40
	Nov-08		19.08	7.62
	Nov-09		17.23	9.47
	Nov-10		17.27	9.43
	Nov-11		18.96	7.74
	Nov-12		18.53	8.17
	Nov-13		18.55	8.15
	Nov-14		17.94	8.76
	Nov-15		17.88	8.82
	Nov-16		17.70	9.00
	Nov-17		16.65	10.05
Nov-18	17.09	9.61		
Nov-19	Well Destroyed**			
Nov-20	Removed from the well network			
AC-27D	Sep-97	18.55	13.57	4.98
	Nov-99		13.46	5.09
	Nov-00		14.97	3.58
	Nov-01		15.05	3.50
	Nov-02		14.90	3.65
	Jan-04		14.13	4.42
	Nov-04		13.66	4.89
	Nov-05		12.42	6.13
	Nov-06		14.13	4.42
	Nov-07		13.91	4.64
	Nov-08		13.46	5.09
	Nov-09		11.22	7.33
	Nov-10		12.51	6.04
	Nov-11		13.91	4.64
	Nov-12		13.63	4.92
	Nov-13		13.43	5.12
	Nov-14		13.25	5.30
	Nov-15		12.21	6.34
	Nov-16		12.05	6.50
	Nov-17		10.78	7.77
	Nov-18		10.86	7.69
	Nov-19		11.34	7.21
	Nov-20		10.67	7.88
	Nov-21		9.75	8.80
Nov-22	11.28	7.27		
Nov-23	12.18	6.37		
Nov-24	12.00	6.55		

**TABLE 4
GROUNDWATER ELEVATIONS**

**Agrico Site
Pensacola, Florida**

Well I.D.	Date	Elevation TOC (ft NGVD)	Water Level (ft btoc)	Water Level Elevation (ft NGVD)
MAIN PRODUCING ZONE				
AC-28D	Sep-97	74.89	65.34	9.55
	Nov-99		65.70	9.19
	Nov-00		67.07	7.82
	Nov-01		67.43	7.46
	Nov-02		67.29	7.60
	Jan-04		64.96	9.93
	Nov-04		NM	NM
	Nov-05		61.72	13.17
	Nov-06		64.19	10.70
	Nov-07		65.12	9.77
	Nov-08		64.78	10.11
	Nov-09		63.02	11.87
	Nov-10		61.83	13.06
	Nov-11		64.21	10.68
	Nov-12		63.20	11.69
	Nov-13		63.02	11.87
	Nov-14		NM	NM
	Nov-15		NM	NM
	Nov-16		62.13	12.76
	Nov-17		60.76	14.13
	Nov-18		61.69	13.20
	Nov-19		62.69	12.20
	Nov-20		61.35	13.54
	Nov-21		59.16	15.73
Nov-22	60.60	14.29		
Nov-23	62.22	12.67		
Nov-24	62.73	12.16		
AC-29D	Sep-97	82.26	62.17	20.09
	Nov-99		62.86	19.40
	Nov-00		65.62	16.64
	Nov-01		66.29	15.97
	Nov-02		66.18	16.08
	Jan-04		61.62	20.64
	Nov-04		61.06	21.20
	Nov-05		55.47	26.79
	Nov-06		59.95	22.31
	Nov-07		62.30	19.96
	Nov-08		61.75	20.51
	Nov-09		60.21	22.05
	Nov-10		56.50	25.76
	Nov-11		60.12	22.14
	Nov-12		58.44	23.82
	Nov-13		58.37	23.89
	Nov-14		55.54	26.72
	Nov-15		58.32	23.94
	Nov-16		57.08	25.18
	Nov-17		54.66	27.60
	Nov-18		56.47	25.79
	Nov-19		58.22	24.04
	Nov-20		56.49	25.77
	Nov-21		52.36	29.90
Nov-22	54.41	27.85		
Nov-23	57.26	25.00		
Nov-24	59.02	23.24		
AC-30D	Sep-97	85.73	71.39	14.34
	Nov-99		72.13	13.60
	Nov-00		74.17	11.56
	Nov-01		74.64	11.09
	Nov-02		74.48	11.25
	Jan-04		71.28	14.45
	Nov-04		70.75	14.98
	Nov-05		66.83	18.90
	Nov-06		70.27	15.46
	Nov-07		71.66	14.07
	Nov-08		71.35	14.38
	Nov-09		69.72	16.01
	Nov-10		67.34	18.39
	Nov-11		70.33	15.40
	Nov-12		68.92	16.81
	Nov-13		68.81	16.92
	Nov-14		66.94	18.79
	Nov-15		68.68	17.05
	Nov-16		67.88	17.85
	Nov-17		65.98	19.75
	Nov-18		67.29	18.44
	Nov-19		68.71	17.02
	Nov-20		67.03	18.70
	Nov-21		64.05	21.68
Nov-22	65.91	19.82		
Nov-23	68.05	17.68		
Nov-24	69.07	16.66		

**TABLE 4
GROUNDWATER ELEVATIONS**

**Agrico Site
Pensacola, Florida**

Well I.D.	Date	Elevation TOC (ft NGVD)	Water Level (ft btoc)	Water Level Elevation (ft NGVD)
MAIN PRODUCING ZONE				
AC-35D	Sep-97	10.49	NM	NM
	Nov-99		5.22	5.27
	Nov-00		6.15	4.34
	Nov-01		6.36	4.13
	Nov-02		6.27	4.22
	Jan-04		5.11	5.38
	Nov-04		4.68	5.81
	Nov-05		3.50	6.99
	Nov-06		4.68	5.81
	Nov-07		5.07	5.42
	Nov-08		4.67	5.82
	Nov-09		3.06	7.43
	Nov-10		2.88	7.61
	Nov-11		4.30	6.19
	Nov-12		4.13	6.36
	Nov-13		4.06	6.43
	Nov-14		3.33	7.16
	Nov-15		3.29	7.20
	Nov-16		3.25	7.24
	Nov-17		2.50	7.99
	Nov-18		2.78	7.71
	Nov-19		3.47	7.02
	Nov-20		2.51	7.98
	Nov-21		1.30	9.19
Nov-22	2.32	8.17		
Nov-23	3.32	7.17		
Nov-24	3.15	7.34		
AC-36D	Sep-97	5.26	NM	NM
	Nov-99		2.32	2.94
	Nov-00		2.90	2.36
	Nov-01		3.13	2.13
	Nov-02		2.90	2.36
	Jan-04		2.24	3.02
	Nov-04		1.66	3.60
	Nov-05		1.01	4.25
	Nov-06		1.98	3.28
	Nov-07		1.84	3.42
	Nov-08		1.72	3.54
	Nov-09		0.00	5.26
	Nov-10		0.50	4.76
	Nov-11		1.93	3.33
	Nov-12		1.55	3.71
	Nov-13		1.23	4.03
	Nov-14		1.21	4.05
	Nov-15		0.45	4.81
	Nov-16		0.37	4.89
	Nov-17		0.00	5.26
Nov-18	0.08	5.18		
Nov-19	Well Destroyed**			
Nov-20	Removed from the well network			
NWD-2D	Sep-97	76.80	51.69	25.11
	Nov-99		51.58	25.22
	Nov-00		53.63	23.17
	Nov-01		55.32	21.48
	Nov-02		53.89	22.91
	Jan-04		51.37	25.43
	Nov-04		50.51	26.29
	Nov-05		44.75	32.05
	Nov-06		48.84	27.96
	Nov-07		52.14	24.66
	Nov-08		50.87	25.93
	Nov-09		49.51	27.29
	Nov-10		45.09	31.71
	Nov-11		49.11	27.69
	Nov-12		48.02	28.78
	Nov-13		47.73	29.07
	Nov-14		44.15	32.65
	Nov-15		46.92	29.88
	Nov-16		45.94	30.86
	Nov-17		43.30	33.50
	Nov-18		39.36	37.44
	Nov-19		47.03	29.77
	Nov-20		45.61	31.19
	Nov-21		40.27	36.53
Nov-22	42.61	34.19		
Nov-23	39.82	36.98		
Nov-24	48.62	28.18		

**TABLE 4
GROUNDWATER ELEVATIONS**

**Agrico Site
Pensacola, Florida**

Well I.D.	Date	Elevation TOC (ft NGVD)	Water Level (ft btoc)	Water Level Elevation (ft NGVD)
MAIN PRODUCING ZONE				
NWD-4D	Sep-97	34.70	19.52	15.18
	Nov-99		20.92	13.78
	Nov-00		22.36	12.34
	Nov-01		22.74	11.96
	Nov-02		22.12	12.58
	Jan-04		20.32	14.38
	Nov-04		NM	NM
	Nov-05		16.92	17.78
	Nov-06		20.11	14.59
	Nov-07		20.55	14.15
	Nov-08		16.92	17.78
	Nov-09		18.81	15.89
	Nov-10		17.32	17.38
	Nov-11		19.68	15.02
	Nov-12		18.21	16.49
	Nov-13		18.19	16.51
	Nov-14		16.91	17.79
	Nov-15		17.68	17.02
	Nov-16		18.02	16.68
	Nov-17		15.99	18.71
	Nov-18		17.08	17.62
	Nov-19		18.63	16.07
	Nov-20		17.85	16.85
	Nov-21		14.30	20.40
Nov-22	16.48	18.22		
Nov-23	18.29	16.41		
Nov-24	18.81	15.89		
PIP-D	Sep-97	86.05	NM	NM
	Nov-99		NM	NM
	Nov-00		NM	NM
	Nov-01		NM	NM
	Nov-02		NM	NM
	Jan-04		NM	NM
	Nov-04		NM	NM
	Nov-05		NM	NM
	Nov-06		NM	NM
	Nov-07		NM	NM
	Nov-08		47.63	38.42
	Nov-09		46.74	39.31
	Nov-10		41.05	45.00
	Nov-11		45.23	40.82
	Nov-12		43.24	42.81
	Nov-13		43.53	42.52
	Nov-14		39.15	46.90
	Nov-15		42.49	43.56
	Nov-16		42.25	43.80
	Nov-17		38.49	47.56
	Nov-18		40.74	45.31
	Nov-19		43.23	42.82
	Nov-20		41.59	44.46
	Nov-21		35.24	50.81
Nov-22	38.60	47.45		
Nov-23	42.43	43.62		
Nov-24	45.48	40.57		

NOTES:

ft NGVD = feet above National Geodetic Vertical Datum of 1988.

ft btoc = feet below top of casing.

NM = Not Measured

CNL = Could not locate

*Depth to water collected after the 24-hour period

** AC-14D, AC-26D, and AC-36D were not located during 2019. They were determined to have been destroyed by City of Pensacola stormwater project construction efforts and have been removed from the monitoring well network.

***AC-22D could not be located during the November 2022 sampling event due to new construction at the location.

**TABLE 5
SURFACE WATER FIELD PARAMETER RESULTS**

**Agrico Site
Pensacola, Florida**

Surface Water Location	Date	pH (su)	Conductivity (µS/cm)	Temperature (°C)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (mV)	Turbidity (NTU)	Salinity (ppth)
BT-02 Bayou Texar (Brackish Water)	11/17/2010	7.44	28,836	21.43	6.07	180.4	7.98	17.74
	11/17/2011	7.63	33,288	21.92	8.15	-9.5	11.30	20.84
	11/8/2012	7.58	36,769	22.35	7.39	70.8	12.10	23.24
	11/11/2013	7.08	27,605	22.12	7.39	84.0	30.50	NM
	11/21/2014	7.23	33,886	17.31	102.3	122.0	5.67	21.49
	11/16/2015	7.53	9,987	18.35	83.3	191.0	12.6	5.66
	11/7/2016	7.07	22,000	23.64	6.2	150.0	6.6	13.24
	11/6/2017	6.87	10,662	25.41	5.59	123.2	3.64	5.54
	11/8/2018	6.46	18,764	6.26	23.96	171.6	25.8	NM
	11/13/2019	9.64	6,210	11.73	90.4	213.9	6.73	3.46
	11/10/2020	7.24	21,779	23.06	5.79	304.1	10.9	NM
	11/4/2021	7.30	13,609	21.63	5.77	86.9	10.4	8.78
	11/9/2022	6.55	16,450	23.49	5.32	159.7	2.59	12.80
	11/7/2023	6.80	35,640	24.00	7.49	181.4	3.38	22.18
12/2/2024	7.36	28,632	20.24	6.29	-88.0	8.88	17.88	
BT-107 Bayou Texar (Brackish Water)	11/17/2010	7.39	29,165	21.45	6.14	193.5	5.30	18.05
	11/17/2011	7.51	32,523	21.61	7.96	9.9	9.80	20.48
	11/8/2012	7.23	36,230	22.27	7.01	73.6	10.80	22.94
	11/11/2013	6.89	28,619	22.69	6.37	81.2	7.85	NM
	11/21/2014	7.85	35,026	17.39	92.9	119.7	5.75	22.04
	11/16/2015	7.09	7,907	18.15	77.1	185.3	9.45	4.41
	11/7/2016	6.99	18,967	23.87	6.4	163.1	6.61	11.26
	11/6/2017	6.82	10,606	25.46	4.77	135.0	3.53	5.99
	11/8/2018	6.40	18,045	23.95	5.93	179.6	9.13	NM
	11/13/2019	7.80	11,199	13.13	8.22	192.1	6.54	6.26
	10/10/2020	7.21	21,559	22.87	5.92	230.3	7.57	NM
	11/4/2021	7.19	14,759	22.54	5.71	56.5	9.61	11.87
	11/9/2022	6.43	4,634	20.45	8.09	120.3	3.00	2.62
	11/7/2023	7.37	36,480	23.07	8.15	159.8	3.46	23.00
12/2/2024	7.31	30,689	20.57	6.34	-69.3	8.35	19.50	
BT-127 Bayou Texar (Brackish Water)	11/17/2010	7.33	28,735	21.31	5.87	240.7	6.21	17.64
	11/17/2011	7.69	35,000	21.73	7.94	-1.8	10.40	22.07
	11/8/2012	7.37	36,564	22.60	7.44	67.5	10.30	22.95
	11/11/2013	6.87	28,952	22.86	6.53	84.9	5.86	NM
	11/21/2014	6.96	34,062	17.53	7.73	117.6	9.27	21.43
	11/16/2015	5.38	18,851	20.21	63.1	203.8	4.03	9.39
	11/7/2016	6.92	18,618	24.48	8.7	185.0	8.81	11.03
	11/6/2017	6.70	11,683	25.79	5.25	147.1	4.46	6.54
	11/8/2018	6.23	16,252	23.79	6.56	187.7	12.3	NM
	11/13/2019	7.89	9,226	13.71	8.29	199.5	7.66	5.28
	11/10/2020	7.21	21,288	22.98	5.61	250.2	11.9	NM
	11/4/2021	7.19	14,759	22.54	5.71	56.5	9.61	11.87
	11/9/2022	6.70	6,619	20.03	7.47	141.6	3.35	3.03
	11/7/2023	7.13	35,972	23.28	7.59	166.8	3.77	22.74
12/2/2024	7.21	27,497	19.89	6.43	-89.8	10.4	18.11	

NOTES:

°C = Degrees Celsius
µS/cm= microSiemens per centimeter
mg/L = milligrams per Liter
mV = milliVolt
NM = not measured
NTU = Nephelometric Turbidity Units
ppth=parts per thousand
SU = Standard Units

**TABLE 5
5-YEAR MONITORING NETWORK
SURFACE WATER FIELD PARAMETER RESULTS**

**Agrico Site
Pensacola, Florida**

Surface Water Location	Date	pH (su)	Conductivity (µs/cm)	Temperature (°C)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (mV)	Turbidity (NTU)	Salinity (ppT)
ACSW-1 Bayou Texar (Brackish Water)	11/24/1999	6.30	35,000	22.00	NM	NM	0	22.00
	11/30/2000	7.20	30,000	19.00	NM	NM	0	19.00
	11/7/2001	7.10	34,300	24.50	NM	NM	21.1	20.60
	12/3/2002	6.95	22,388	16.90	NM	NM	5.3	13.51
	1/29/2004	6.88	21,805	14.60	7.71	225	3.97	NM
	11/18/2004	5.54	6,575	20.40	NM	NM	NM	3.55
	11/21/2005	6.92	18,575	17.55	7.9	93.8	12.9	NM
	11/27/2006	6.72	17,348	19.80	6.69	141.6	7.71	11.54
	11/20/2007	7.00	29,785	22.40	6.46	141.3	4.4	18.52
	11/20/2008	7.71	37,362	18.40	7.87	185	8.51	23.61
	11/13/2009	6.91	19,505	20.45	6.93	177.3	6.78	11.67
	11/17/2010	7.33	28,783	21.26	5.89	251.6	17.1	17.8
	11/17/2011	7.62	34,043	21.70	7.79	14.1	13.2	21.25
	11/8/2012	7.03	32,649	23.43	5.93	73.8	12.3	20.75
	11/11/2013	7.59	25,388	22.42	6.67	84.9	12.5	NM
	11/21/2014	7.39	34,830	17.64	8.13	135.7	6.14	21.50
	11/13/2019	Not Sampled						
12/2/2024	7.36	30,915	20.44	6.52	-100.4	5.46	19.23	
ACSW-2 Bayou Texar (Brackish Water)	11/24/1999	7.10	38,000	21.00	NM	NM	0	24.00
	11/30/2000	7.90	32,000	18.00	NM	NM	0	20.00
	11/7/2001	8.43	43,000	22.50	NM	NM	3.3	27.80
	12/3/2002	7.06	27,167	15.80	NM	NM	4.7	16.73
	1/29/2004	7.68	23,182	13.60	7.83	161.1	6.4	NM
	11/18/2004	4.90	9,788	21.17	NM	NM	NM	5.73
	11/21/2005	7.67	30,500	17.07	7.96	115.6	10.4	NM
	11/27/2006	7.40	28,104	19.03	7.9	157.6	8.17	17.3
	11/20/2007	7.66	35,752	21.57	7.12	73.6	5.4	22.57
	11/20/2008	7.64	35,968	19.05	7.6	173.9	10	22.73
	11/13/2009	7.30	30,925	20.97	3.87	-121.8	8.64	19.2
	11/17/2010	7.71	30,305	20.85	5.87	292.4	8.36	19.0
	11/17/2011	7.90	36,363	21.28	8.52	41.5	5.36	23.02
	11/8/2012	7.83	37,364	20.58	7.59	66.7	10.5	23.74
	11/11/2013	7.59	34,042	22.13	7.96	87.6	8.33	NM
	11/21/2014	7.17	30,444	16.14	100.8	124.7	4.94	18.64
	11/13/2019	Not Sampled						
12/2/2024	7.45	29,965	18.54	6.54	-22.6	5.39	18.72	

**TABLE 5
5-YEAR MONITORING NETWORK
SURFACE WATER FIELD PARAMETER RESULTS**

**Agrico Site
Pensacola, Florida**

Surface Water Location	Date	pH (su)	Conductivity (µs/cm)	Temperature (°C)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (mV)	Turbidity (NTU)	Salinity (ppT)
ACSW-BL Carpenter's Creek (Freshwater)	11/24/1999	7.20	360	22.00	NM	NM	0.00	0.00
	11/29/2000	7.10	380	19.00	NM	NM	0.00	0.00
	11/7/2001	6.11	69	18.70	NM	NM	0.00	0.00
	11/26/2002	5.67	80	20.40	NM	NM	1.70	NM
	1/29/2004	6.56	68	15.88	7.34	126.1	5.49	NM
	11/12/2004	5.86	92	20.12	NM	NM	NM	0.04
	11/22/2005	6.47	87	16.03	9.38	61.4	7.78	0.04
	11/21/2006	5.95	88	17.13	7.9	130.5	1.35	NM
	11/20/2007	6.51	90	20.31	7.59	73.6	1.80	0.04
	11/20/2008	6.14	104	17.13	8.32	125	3.97	0.05
	11/12/2009	6.08	45	18.87	8.71	187.8	3.00	NM
	11/17/2010	Discontinued						

NOTES:

SU = Standard Units
µs/cm= microsiemens per centimeter
°C = Degrees Celsius
mg/L = milligram per Liter
mV = milliVolt
NTU = Nephelometric Turbidity Units
ppT=parts per thousand
NM = not measured

TABLE 6

**ADVISORY NOTICE DISTRIBUTION LIST
WATER WELL, IRRIGATION/PLUMBING, AND POOL CONTRACTORS**

**AGRICO SITE
PENSACOLA, FLORIDA**

NAME	COMPANY NAME	ADDRESS	CITY	STATE	POSTAL CODE
AL MCGHIN	IMPERIAL TESTING	3905 KIDRON ROAD	LAKELAND	FL	33811
ALAN ARD	ARD'S CLOSED LOOP	1931 TILLIMAN LN	PENSACOLA	FL	32506
ALPHA GIPSON	ALPHA GIPSON	6131 AGELINA RD	PENSACOLA	FL	32504
ANTHONY R SMITH		2259 GOLF COURSE RD,	PERRY	FL	32348
BOBBY BARLOW	BARLOW WATER SERVICES	P O BOX 539	WEWAHITCHKA	FL	32465
BRAD PURVIS	CAPPS WELL DRILLING	15637 SW COUNTY RD 275S	BLOUNTSTOWN	FL	32424
BRANDON BERRY		67 4TH AVE	SHALIMAR	FL	32579
BRANT TOLBERT	TOLBERT WELL DRILLING AND IRRIGATION	3675 GINGER LANE,	NAVARRE	FL	32566
BRUCE N PARK	A&B WELL DRILLING, INC.	5673 NW LAKE JEFFERY RD	LAKE CITY	FL	32055
CALVIN HAYES	HAYES WELL DRILLING & PUMP REPAIR LLC	20282 SE CL CAPPS RD	BLOUNTSTOWN	FL	32424
CARLOS HERD	NORTHWEST FLORIDA WATER MANAGEMENT	10 STILLWATER LN	HAVANA	FL	32333
CHAD E HALL	AMBIENT TECHNOLOGIES, INC.	5709 1ST AVENUE SOUTH	ST. PETERSBURG	FL	33707
CHALES M WARD	CLYDE'S WELL SERVICE INC	5624 PASTURE LANE	JAY	FL	32565
CHARLES BUCHER	EARTH TECH DRILLING, INC.	1908 SW 14TH AVE	BOYNTON BEACH	FL	33426
CHARLES H. GRINER, JR.	GRINER DRILLING SERVICES INC	PO DRAWER 825	COLUMBIA	MS	39429
CHARLES WYCKOFF	G & E SERVICES INC	12751 SMITH YOUNG RD	MOBILE	AL	36695
CHRIS M LACKO	REDOX TECH LLC	2151 HILTON DR	GAINESVILLE	GA	30501
CHRIS RATLEY	GSE, INC.	3795 GORDON TERRY PARKWAY	TRINITY	AL	35673
CHRISTOPHER ERRIC HAY	MORROW WATER TECHNOLOGIES	7440 CAHABA VALLEY ROAD	BIRMINGHAM	AL	35242
CHRISTOPHER J BELL	MARTIN WELL DRILLING, INC.	5254 COY BURGESS LOOP	DEFUNIAK SPRINGS	FL	32435
CLIFF CLARK		1207 NW 156 AVENUE	GAINESVILL	FL	32609
CLIFFORD TAYLOR	POLLOCK WELL DRILLING INC	7307 EVEREST ST	PANAMA CITY	FL	32404
CLINTON SMITH	SWFWMD	20600 SW 93RD LN. RD	DUNNELLO	fl	34431
COLBY J HOLT	HOLT WELL SERVICE	8331 HWY 189 W	BAKER	FL	32531
COLIN LEITCH	PIEDMONT GEO SCIENCE	3201 KENSINGTON RD	AVONDALE ESTATE	GA	30002
COREY MILTON	SINGLEY CONSTRUCTION COMPANY INC	PO BOX 389	COLUMBIA	MS	39429
CORY HEBERT	TRI-STATE ENVIRONMENTAL SERVICES	P.O. BOX 219	SUMMERVILLE	GA	30747
CRAIG BERNINGER		5735 KEVIN WAY	LAS VEGAS	NV	89149
CROSKA WILLIAMSON	WILLIAMSON WELL DRILLING INC	245 ANNIE AVE	WEWAHITCHKA	FL	32465
CURT A BENSON		21024 NILES AVE	MOUNT DORA	FL	32757
DAN KUHN	MONTROSE ENVIRONMENTAL SOLUTIONS	120 E DR MARTIN LUTHER KING JR	TAMPA	FL	33603
DANIEL SPIVA	SPIVA'S WELL DRILLING LLC	25 CARROLL CIRCLE	BRUCE	FL	32455
DANIEL WALTERS	WALTERS WELL SERVICE, LLC	8525 KELLER ROAD	PANAMA CITY	FL	32404
DANNY HOWELL		8528 FREMONT ROAD	YOUNGSTOWN	FL	32466
DANNY HOWELL	NORTHWEST FLORIDA WATER MANGEMENT DISTRICT	8528 FREMONT	YOUNGSTOWN	FL	32466
DAREN J BRACEY	WALKER-HILL ENVIRONMENTAL, INC.	PO BOX 1147	FOXWORTH	MS	39483
DARRELL CLARK	CLARK WELL DRILLING	1650 HIGHWAY 69	GRAND RIDGE	FL	32442
DARRYL R METZGER	STEADFAST SERVICES NORTHWEST LLC	242 LINDBERG STREET	CRESTVIEW	FL	32536
DAVID A BOGGS	BOGGS ENVIRONMENTAL SERVICES & TECHNOLOGIES, LLC	8530 CONTOURA DRIVE	ORLANDO	FL	32810
DAVID D MUFFETT	EARL'S WELL DRILLING & PUMP SER.	4680 SE 166TH STREET	SUMMERFIELD	FL	34491
DAVID E WEBB	DAVID WEBB ASSOCIATES	515 PATIO DRIVE	COLUMBIA	SC	29212
DAVID L JOHNSON	JOHNSON WELL DRILLING	5056 OAK DR	BASCOM	FL	32423
DAVID PAUL	FL DEPARTMENT OF ENVIRONMENTAL PROTECTION	3900 COMMONWEALTH BLVD, MS 725	TALLAHASSEE	FL	32399
DAVID R CHIVINGTON		123 MISTY LANE	EATONTON	GA	31024
DAVID TYLER HINESLEY	PREMIER WELLS	3438 AIRPORT ROAD	CRESTVIEW	FL	32539
DEN A TRUMBULL JR	CULLIGAN WATER SERVICES INC	315 E 15TH ST	PANAMA CITY	FL	32405
DONAL M PARTRIDGE	PARTRIDGE WELL DRILLING CO INC	4744 COLLINS RD	JACKSONVILLE	FL	32244
DONALD DAWKINS	DAWKINS WELL DRILLING	409 W PERSIMMON ST	FREEPORT	FL	32439
DONALD E SMITH JR	DONALD SMITH COMPANY INC	746 EAST MAIN STREET	HEADLAND	FL	36345
DONALD FOSTER	ANDREWS & FOSTER DRILLING COMPANY	PO BOX 348	ATHENS	TX	75751
DONALD L TINDALL	DONALD L. TINDALL	8008 S. ORANGE AVE	ORLANDO	FL	32809
DONALD SMITH, SR	DONALD SMITH COMPANY INC	746 E MAIN	HEADLAND	FL	36345
DONALD W BURTON III	WSP	9428 BAYMEADOWS RD., SUITE 400	JACKSONVILLE	FL	32256
DONALD W GAYLORD		PO BOX 548	BRANFORD	FL	32008
DOUGLAS A LEONHARDT	ENVIRONMENTAL DRILLING SERVICE INC	4712 OLD WINTER GARDEN RD	ORLANDO	FL	32811
DOUGLAS RAY	FREETIME IRRIGATION	107 22ND STREET	NICEVILLE	FL	32578
DUSTIN GAINOUS	GAINOUS WELL DRILLING LLC	1714 HIGHWAY 112 N	CAIRO	GA	39827

TABLE 6

**ADVISORY NOTICE DISTRIBUTION LIST
WATER WELL, IRRIGATION/PLUMBING, AND POOL CONTRACTORS**

**AGRICO SITE
PENSACOLA, FLORIDA**

NAME	COMPANY NAME	ADDRESS	CITY	STATE	POSTAL CODE
EDWARD MCCULLERS	MCCULLERS CONSTRUCTION SRVS AND CONSULTING, LLC	17470 B JEAN ST	FORT MYERS	FL	33967
ERIC THOMAS	FL DEPARTMENT OF ENVIRONMENTAL PROTECTION	3201 N MISSION RD	TALLAHASSEE	FL	32343
ERIK V DANKERL	ERIK DANKERL (CES)	822 SCENIC HEIGHTS DR.	BRANDON	FL	33511
ERIN FROMM	JAEE ENVIRONMENTAL SERVICES	3101 PEACHTREE CIRCLE,	DAVIE	FL	33328
ERNEST BRYANT	ERNEST BRYANT WELL DRILLING INC	1120-A HOSPITAL RD	FT WALTON BEACH	FL	32547
FORREST BRUTON	NORTHWEST FLORIDA WATER MANGEMENT DISTRICT	800 HOSPITAL DR	CRESTVIEW	FL	32539
FRANCIS X HARRINGTON	WALKER HILL ENVIRONMENTAL	PO BOX 1147	FOXWORTH	MS	39483
FRED MCKAY	FRED MCKAY	738 51ST. AVE. N	SAINT PETERSBURG	FL	33703
FREDERIC DANFORTH	TOTAL SERVICE CO INC	PO BOX 818	PONTOTOC	MS	38863
GARY J GRIFFEY	LEE COUNTY NATURAL RESOURCES	1500 MONROE STREET	FORT MYERS	FL	33901
GARY P HILL	WALKER-HILL ENVIRONMENTAL, INC.	PO BOX 1147	FOXWORTH	MS	39483
GEORGE FREEMAN	FREEMAN WELL DRILLERS INC	606 S 6TH ST	FERN BCH	FL	32034
GEORGE M CLAYTOR	T&C WELL & PUMP LLC	961 COUNTY ROAD 542 E	BUSHNELL	FL	33513
GREG BAILEY	GREG'S IRRIGATION	4264 BARLOW RD	CRESTVIEW	FL	32536
GREG GROSCH	GROSCH DRILLING & IRRIGATION CO	737 FIRETOWER ROAD,	DUBLIN	GA	31021
GREGG H ROBERTS	APTIM ENVIRONMENTAL	725 U.S. HIGHWAY 301 SOUTH	TAMPA	FL	33619
GREGORY N FAGAN	GREG FAGAN WELL & PUMP SERVICE	18795 SE HIGHWAY 42	WEIRSDALE	FL	32195
GREGORY W CAMPBELL	PREFERRED DRILLING SOLUTION INC	8820 66TH ST. N.	PINELLAS PARK	FL	33782
HARVEY YOUNGQUIST	YOUNGQUIST BROTHERS, INC.	15465 PINE RIDGE RD	FORT MYERS	FL	33908
HARVEY YOUNGQUIST (JR)	YOUNGQUIST BROTHERS	15465 PINE RIDGE RD	FORT MYERS	FL	33908
HEATH HOLMES	CDG, INC.	PO BOX 278	, ANDALUSIA	AL	36420
HERBERT CHRISTIAN	BUILDING AND EARTH SCIENCES	1211 NEWELL PARKWAY	MONTGOMERY	AL	36110
JAMES C NUGENT	D W MCINTOSH ASSOCIATES INC	1950 SUMMIT PARK DRIVE	ORLANDO	FL	32810
JAMES E SPOON	DEEP SOUTH DRILLING CONTRACTORS	6369 FORESTWOOD DRIVE EAST	LAKELAND	FL	33811
JAMES FINEIS	TOTAL VAPOR SOLUTIONS	120 NOTTAWAY LANE	ALPHARETTA	GA	30009
JAMES M DAVIS	DAVIS DRILLING LLC	2804 WENDOVER TER,	PALM HARBOR	FL	34685
JAMES MITCHELL	AAA SPRINKLERS & LANDSCAPING	6201 N. BLUE ANGEL PKWY	PENSACOLA	FL	32526
JAMES P HINST	GROUND WATER PROTECTION	2300 SILVER STAR RD	ORLANDO	FL	32804
JAMES P SMITH	TERRACON	3641 FRAZIER CT	TITUSVILLE	FL	32780
JAMES R CONNER	JAMIE CONNER WELL & PUMP REPAIR	1278 LEAVINS RD	WESTVILLE	FL	32464
JAMES R LAYMON	PROBE DOMAIN INC	3020 THUNDER RD,	MIDDLEBURG	FL	32068
JAMES W WESTBROOK	J & W WELL DRILLING	PO BOX 135	BASCOM	FL	32423
JAMISON L SHORT	DOWN RIGHT DRILLING LLC	2801 AIRPORT RD	PANAMA CITY	FL	32405
JEFF EUBANKS	TRI-STATE ENVIRONMENTAL SERVICES	P.O. BOX 219	SUMMERVILLE	GA	30747
JEFFREY K STILLSON	UNIVERSAL ENGINEERING SCIENCES	1716 SW 42ND AVE	GAINESVILLE	FL	32608
JERRY E THOMPSON	THOMPSON WELL & PUMP INC	PO BOX 371	DELAND	FL	32721
JESSE HIGH	HIGH'S QUALITY SERVICES, INC	8550 SMITH RD	PERRY	FL	32348
JESSE C DELAMATER	SOUTHERN DRILLING SOLUTIONS, LLC	408 LAW ST.	BROOKSVILLE	FL	34601
JIM RANDOLPH	FIRST CHOICE MARINE SUPPLY	120 N 20TH ST	TAMPA	FL	33605
JIMMY BUFFET	MARGARITAVILLE WELL DRILLING	877 HIBERNIA ST	FLEMING ISLAND	FL	32003
JIMMY H COFIELD	JIM'S WELL DRILLING	PO BOX 93	FLOMATON	AL	36441
JIMMY SMITH	JIMMY SMITH WELL DRILLING	239 HIDDEN LAKES TRAIL	DEFUNIAK SPRINGS	FL	32433
JOE WILKINSON	M & W DRILLING	8321 OAK RIDGE HWY	KNOXVILLE	TN	37931
JOEY COLLINGSWORTH	ACTION WELL DRILLING	1012 WEST 12TH COURT	PANAMA CITY	FL	32401
JOEY VINCENT	ERNEST BRYANT WELL DRILLING	44 SHALIMAR DRIVE	SHALIMAR	FL	32579
JOHN ARLINGTON MORROW	MORROW WATER TECHNOLOGIES	7440 CAHABA VALLEY RD	BIRMINGHAM	AL	35242
JOHN BENNETT	DOMER'S INC.	204 SE 10TH AVENUE	OKEECHOBEE	FL	34974
JOHN BROWN	BROWN WELL COMPANY INC	1553 CLARK LANE	CHIPLEY	FL	32428
JOHN C BAERINGER	PREMIUM ENVIRONMENTAL CONSULTING, LLC	1350 NE 23 PLACE,	POMPANO BEACH	FL	33064
JOHN DERUBEIS	STRATA EARTH SERVICES	530 W. COLFAX ST	PALATINE	IL	60067
JOHN L STONE		157 W MAIN ST	DUDLEY	MA	1571
JOHN MARTINUZZI	GEOPROBE SYSTEMS	3679 N. SUWANEE PT.	CRYSTAL RIVER	FL	34428
JOHN MICHAEL TRAVIS	FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION	2600 BLAIR STONE RD	TALLAHASSEE	FL	32399
JOHN POORBAUGH	JENSEN ENVIRONMENTAL BORING LLC (JEBCO)	2547 NE PALMER STREET	JENSEN BEACH	FL	34957
JOHN SCHMIDT	REYNOLDS INC	1301 E MAIN ST	LOUISVILLE	KY	40206
JOHN SCHOOLFIELD	DEPARTMENT OF NAVY	2273 WIDE RANCH DRIVE	FLEMING ISLAND	FL	32003
JOHN THOMPSON	THOMPSON BROTHERS DRILLING	544 MOSELLE-SEMINARY RD	MOSELLE	MS	39459

TABLE 6

**ADVISORY NOTICE DISTRIBUTION LIST
WATER WELL, IRRIGATION/PLUMBING, AND POOL CONTRACTORS**

**AGRICO SITE
PENSACOLA, FLORIDA**

NAME	COMPANY NAME	ADDRESS	CITY	STATE	POSTAL CODE
JOHNNY WILLIAM STOKES	CLYDES WELL SERVICE	5341 OLD OAK ROAD,	MILTON	FL	32583
JONATHAN ARNOLD	ARDAMAN & ASSOCIATES, INC.	3175 WEST THARPE STREET,	TALLAHASSEE	FL	32303
JOSEPH G ANDERSON		109 HIDDEN RIDGE TRAIL	LOWGAP	NC	27024
KEITH D. ARD	ARD'S CLOSED LOOP, INC	1931 TILLMAN RD,	ESCAMBIA	FL	32526
KEVIN CONOLY	MILLS WELLS DRILLING, INC.	5355 TOWER RD	TALLAHASSEE	FL	32303
KIMBALL D EGGLE	CKR SOLAR, LLC	PO BOX 213	DADE CITY	FL	33526
LAMEN MANUEL	C&L WELL AND PUMP SERVICES	12903 JEFFERSON COURT	TALLAHASSEE	FL	32317
LARRY DOWNS	DOWNS PLUMBING & GAS	5840 MULDOON RD	PENSACOLA	FL	32526
LARRY SHELEY		8488 EXILE RD	BROOKSVILLE	FL	34613
LEE GLASS	SIMS WELL DRILLING INC	3606 S LAKEWOOD DR	TALLAHASSEE	FL	32305
LEWIS JOHNSON	LEWIS JOHNSON	1249 PARADISE POND RD,	SAINT AUGUSTINE	FL	32092
MALCOM JOHNSON	JOHNSON WELL DRILLING	19130 KELLER ROAD	FOLEY	AL	36535
MARK C SANTARELLI	TRANSAMERICAN DRILLING & TESTING INC	PO BOX 56271	JACKSONVILLE	FL	32241
MARK COBB	C & S WELL SERVICE	2712 TWILIGHT AVE	PANAMA CITY	FL	32405
MARK JAMES	ACTION ENVIRONMENTAL	560 NW 12TH AVE	POMPANO BEACH	FL	33069
MARK M KEARNS	TERRACON CONSULTANTS, INC.	16200 NW 59TH AVENUE, SUITE 106	MIAMI LAKES	FL	33014
MARK WILLIAMS	SOUTHEAST DRILLING LLC	821B EDGEWOOD ST.	TALLAHASSEE	FL	32303
MATT GARCIA		260 RALPH RICHARDS ROAD	QUINCY	FL	32351
MATT MCCONNELL	EGS	4045 MCLEOD DR	TALLAHASSEE	FL	32303
MICHAEL CLARK	JIM STIDHAM & ASSOCIATES INC	PO BOX 3547	TALLAHASSEE	FL	32315
MICHAEL COOPER	CULLIGAN WATER SERVICES INC	315 EAST 15TH STREET	PANAMA CITY	FL	32405
MICHAEL D JOHNSON	CUSTOM DRILLING SERVICES INC	100 KID ELLIS ROAD	MULBERRY	FL	33860
MICHAEL DYKES	JACOBS ENGINEERING	6959 GATOR COVE	MELROSE	FL	32666
MICHAEL EARLY	CASCADE TECHNICAL SERVICES	1020 SOUTH 82ND STREET	TAMPA	FL	33619
MICHAEL ECHOLS		3220 ALBERT HENDRY RD	GREENVILLE	FL	32331
MICHAEL GUY		37 THUNDER HAWK LANE NE	RYDAL	GA	30171
MICHAEL HANSEN	BOART LONGYEAR COMPANY	7103 W. AUGUSTA AVE	GLENDALE	AZ	85303
MICHAEL M ALEXANDER	MDM SERVICES INC	1055 KATHLEEN ROAD	LAKELAND	FL	33805
MICHAEL ORLANDO	EARTH TECH DRILLING	2703 NW 19TH ST	POMPANO BEACH	FL	33069
MICHAEL T CLARK	JIM STIDHAM & ASSOCIATES	PO BOX 3547	TALLAHASSEE	FL	32315
MICHAEL WARNER		14381 48TH S	LIVE OAK	FL	32060
MIKE PURVIS	CAPPS WELL DRILLING	15637 SW COUNTY RD 275S	BLOUNTSTOWN	FL	32424
NAJIB B HALWANI	AC SCHULTES OF FL	1451 SE 9 CT	HIALEAH	FL	33010
OLIVER PEDERSON		8550 SW 56TH AVENUE RD,	OCALA	FL	34476
PAUL A PETREY III	APPLIED DRILLING ENGINEERING INC	10012 N. DALE MABRY HWY SUITE 217	TAMPA	FL	33618
PAUL BUCHLER	UNIVERSAL ENGINEERING SCIENCE INC	5561 FLORIDA MINING BLVD S	JACKSONVILLE	FL	32257
PAUL E LEMENZE		11620 WHITEMARSH DR	WELLINGTON	FL	33414
PAUL POORBAUGH	WOMBAT ENVIRONMENTAL LLC	7208 ALAN BLVD	PUNTA GORDA	FL	33982
R. MATTHEW HAMMETT	HAMMETT DRILLING CO INC	PO BOX 6	DOZIER	AL	36028
RANDOLPH BRAND		1511 HIDDEN BRIDGE DRIVE	MT. PLEASANT	SC	29464
RANDY H CONRAD		1499 SW 10TH STREET	BOCA RATON	FL	33486
RANDY J SMITH	DEPENDABLE WELL DRILLING	2700 NW 25TH AVE	BELL	FL	32619
RANDY JACK HINESLEY	PREMIER WELL DRILLING	716 MARSH HARBOR	MARY ESTHER	FL	32569
RAYMOND C ROBINSON		1020 RAILROAD AVE	WINTER PARK	FL	32789
RAYMOND J TOWNSEND	CITRUS WELL DRILLING	POST OFFICE BOX 369	HERNANDO	FL	34410
RICHARD PRYOR	ENVIRONMENTAL ENGINEERING CONSUL	5119 NORTH FLORIDA AVE	TAMPA	FL	33603
RICKY DAVIS	CASCADE DRILLING	114 COTTONWOOD LANE	LAWRENCEBURG	TN	38464
ROBERT ALEXANDER	ROBERT ALEXANDER	505 W. PEACHTREE ST	LAKELAND	FL	33815
ROBERT B HUSS, JR.	HUSS DRILLING, INC	35920 SR 52	DADE CITY	FL	33525
ROBERT BAKER, JR.		401 BAY OAKS DRIVE	PENSACOLA	FL	32506
ROBERT DE VALCOURT	PERDIDO HEATING & AIR	5555 BAUER RD	PENSACOLA	FL	32507
ROBERT G. BUSH	BUSH SERVICES, INC.	3634 BUSH ROAD	GRACEVILLE	FL	32440
ROBERT L MILLER	SAEDACCO	9088 NORTHFIELD DR	FORT MILL	SC	29707
ROBERT L MORGAN	GSE INC	3795 GORDON TERRY PKWY	TRINITY	AL	35673
ROBERT R CLEVELAND		326 QUEEN ROAD	EPWORTH	GA	30541
ROBERT SHUEY	TIERRA INC	7351 TEMPLE TERRACE HIGHWAY	TAMPA	FL	33637
ROBIN DEAN	ROBIN DEAN WELL DRILLING	1904 WAX MYRTLE RD	TALLAHASSEE	FL	32310

TABLE 6

**ADVISORY NOTICE DISTRIBUTION LIST
WATER WELL, IRRIGATION/PLUMBING, AND POOL CONTRACTORS**

**AGRICO SITE
PENSACOLA, FLORIDA**

NAME	COMPANY NAME	ADDRESS	CITY	STATE	POSTAL CODE
RONALD E BYRD	BYRDS WELL AND PUMP SERVICE	10654 HWY 31	ATMORE	AL	36502
ROSS A CHINANDER	NATIONAL ENV TECHNOLOGY INC	12435 JESS WALDEN ROAD	DOVER	FL	33527
ROY D RUSHING	ATLANTIC DIRECTIONAL DRILLING	2800 PENNINGTON ROAD	ORLANDO	FL	32804
SAM GONZALEZ	ARTISAN IRRIGATION AND LANDSCAPE	6229 EAST BAY BLVD	GULF BREEZE	FL	32563
SANDRA MAGISTRO	CM2 DRILLING.	4182 SOUTH UNIVERSITY DRIVE	DAVIE	FL	3328
SCOTT A DAVIDSON	DAVIDSON AND ASSOCIATES	1269 CUNNINGHAM CREEK DR,	SAINT JOHNS	FL	32259
SCOTT PHILLIPS	PHILLIPS WELL DRILLING	34860 NE CR 67	HOSFORD	FL	32334
SEAN RYAN	AMERICAN DRILLING, INC.	3720 MCCLELLAN RD	PENSACOLA	FL	32503
SHAWN OUELLETTE	TERRACON	65 NW ENTERPRISE DRIVE SUITE 107	PORT ST. LUCIE	FL	34986
STACY OLIVER	BURKETT & SON'S WELL SERVICE	6133 MUSCOGEE DRIVE	YOUNGSTOWN	FL	32466
STEPHANIE STALLSMITH	HUSS DRILLING INC	35920 STATE ROAD 52	DADE CITY	FL	33525
STEVE BURKETT	BURKETT PROFESSIONAL WELL SERVICE	9601 JOAN RD	YOUNGSTOWN	FL	32404
STEVE BUTREJ	FUGRO	6015 ROOKIN RD	HOUSTON	TX	77074
STEVE HOLT	HOLT WELL SERVICE	8331 HWY 189 N	BAKER	FL	32531
STUART C ANDERSON	APPLIED DRILLING ENGINEERING INC	P.O. BOX 271801	TAMPA	FL	33688
SUSAN MCCONNELL	ENVIRONMENTAL AND GEOTECHNICAL SPECIALISTS, INC.	2507 CALLAWAY RD	TALLAHASSEE	FL	32303
TERRY BERRY	BERRY'S WELL SERVICE	225 SPENCER DR	FT WALTON BEACH	FL	32547
THOMAS L BASFORD	BASFORD WELL DRILLING	6542 GREEN ROAD	GREENWOOD	FL	32443
THOMAS W BURKE	TOM BURKE SERVICES	6244 TROI LANE	LAKELAND	FL	33813
TIMOTHY GONZALEZ	WALKER HILL ENVIRONMENTAL	6492 CEDARVIEW RD	MILTON	FL	32570
TIMOTHY P CLARKSON	AMDRILL INC	P.O. BOX 10278	BROOKSVILLE	FL	34603
TINA PETERS	MALLARD INC	2228-B HWY 177A	BONIFAY	FL	32425
TODD LEAVINS	TODD LEAVINS WELL DRILLING	1252 LEAVINS RD	WESTVILLE	FL	32464
TODD MIXON	MIXON TECHNICAL SOLUTIONS	700 EAST VALLEY ROAD	RYDAL	GA	30171
TONY DALE TYLER	EVERETTS WELL DRILLING	750 OLD MADISON RD.	QUITMAN	GA	31643
TRAVIS LEE BAILEY	BAILEY'S PUMP LLC	109 GILLIS DR	CRESTVIEW	FL	32536
TRENT JAMES THOMPSON	THOMPSON PUMP REPAIR LLC	801 WEST ROBERTS ROAD,	CANTONMENT	FL	32533
TRINT CLARK	CLARK'S WELL DRILLING	1700 BLOUNT RD,	GRAND RIDGE	FL	32442
VERNON CREAMER	COASTAL WELL DRILLING	11939 RACoon RD	SOUTHPORT	FL	32409
VICTOR C WALLACE	WALLACE SPRINKLER & SUPPLY INC	PO BOX 1313	GULF BREEZE	FL	32562
WAYNE D SMITH	CUSTOM DRILLING SERVICES, INC.	100 KID ELLIS ROAD,	MULBERRY	FL	33860
WENDELL HALL	HALL'S WELL SERVICE	6620 CHIPEWA ST	PANAMA CITY	FL	32404
WILLARD MALLOY III	MALLOY'S WELL SERVICE AND IRRIGATION LLC	1720 DANFORD AVE APT A	PANAMA CITY	FL	32401
WILLIAM (BILL) STUCKEY	LAYNE CHRISTENSEN COMPANY	5741 ZIP DRIVE	FORT MYERS	FL	33905
WILLIAM B ZIEGLER	SOUTHEAST DRILLING SERVICES, INC	10614 E. US HWY 92,	TAMPA	FL	33610
WILLIAM BRIGGS	BRIGGS WELL DRILLING	9415 OLD ST AUGUSTINE RD	TALLAHASSEE	FL	32311
WILLIAM C ZIEGLER	SOUTHEAST DRILLING	10614 E US HIGHWAY 92	TAMPA	FL	33610
WILLIAM G ROLLINS	JIM STIDHAM & ASSOCIATES INC	POST OFFICE BOX 132	WARM SPRINGS	GA	31830
WILLIAM JOHNSON	JOHNSON WELL DRILLING	6651 PORTER LANE	BASCOM	FL	32423
WILLIAM P SEGLUND	ENVIROTRAC	5309 56TH COMMERCE PARK BLVD	TAMPA	FL	33610
WILLIAM T BETTS	BETTS ENVIRONMENTAL RECOVERY, INC	361 AIRPORT SQ	ADEL	GA	31620
WILLIAM W JOHNSON JR	B & L WELL AND PUMP LLC	6651 PORTER LANE	BASCOM	FL	32423
WILLIE SMITHERMAN	JAEI ENVIRONMENTAL SERVICES	3101 PEACHTREE CIRCLE	DAVIE	FL	33328
	1ST CHOICE IRRIGATION LLC	7128 GLENDORA ST	PENSACOLA	FL	32526
	A CUT ABOVE LANDSCAPING	3881 NORWOOD ST	PACE	FL	32571
	AFFORDABLE TREE LAWN & POOL	2011 W GRADEN STEET	PENSACOLA	FL	32502
	AIR DESIGN SYSTEMS INC	400 LURTON ST	PENSACOLA	FL	32505
	AITKENS ON DEMAND	5202 GULF BREEZE PKWY	GULF BREEZE	FL	32563
	ALL PRO PLUMBING & DRAIN	1765 E NINE MILE RD STE 1	PENSACOLA	FL	32514
	ALL SEASONS POOL SERVICE	29 ADKINSON DR	PENSACOLA	FL	32506
	ALL SERVICES POOL SPA`	5585 WINDHAM RD	MILTON	FL	32507
	ALL-PRO IRRIGATION	108 FETTING AVE	NICEVILLE	FL	32547
	ALTERNATE RAIN SYSTEMS	5353 N BLUE ANGEL PARKWAY	PENSACOLA	FL	32526
	ARNO'S PLUMBING AND HEATING	6917 SEA CRAB CIRCLE	NAVARRE	FL	32566
	ARTO'S SEWER & DRAIN SERVICE INC	2923 RHYTHM ST	PENSACOLA	FL	32505
	ARTO'S SEWER AND DRAIN PLUMBING CO INC	PO BOX 18116	PENSACOLA	FL	32523
	ATLANTIS POOL & SPA	2075 ELAINE CIR	PENSACOLA	FL	32504

TABLE 6

**ADVISORY NOTICE DISTRIBUTION LIST
WATER WELL, IRRIGATION/PLUMBING, AND POOL CONTRACTORS**

**AGRICO SITE
PENSACOLA, FLORIDA**

NAME	COMPANY NAME	ADDRESS	CITY	STATE	POSTAL CODE
	AVALON POOLS	4230 TANFIELD RD	MILTON	FL	32583
	B & C NURSERY	4523 CHUMUCKLA HWY	PACE	FL	32571
	BALDWIN PLUMBING WORKS INC	3521 BAUER RD	PENSACOLA	FL	32506
	BARBERI PLUMBING	1022 UNDERWOOD AVE	PENSACOLA	FL	32504
	BELLVIEW PLUMBING CO INC	3101 MULDOON RD	PENSACOLA	FL	32526
	BLUE HAVEN POOLS AND SPAS	2301 DAWES RD	MOBILE	AL	36695
	BOYD PLUMBING	95 STONE BLVD	CANTONMENT	FL	32533
	BRAUN'S SPRINKLER SERVICE	10852 BERRYHILL RD	PENSACOLA	FL	32506
	BRIGHT LIGHT IRRIGATION REPAIR	8173 E BAY BLVD UNIT B	NAVARRE	FL	32566
	BROKEN PIPE IRRIGATION	6401 ARBOR LN	GULF BREEZE	FL	32563
	C & H PLUMBING	5239 OLD BERRYHILL RD	MILTON	FL	32570
	CARTER'S IRRIGATION	1008 N 6TH AVE	PENSACOLA	FL	32501
	CERTIFIED PLUMBING SEWER & GAS	7075 N BLUE ANGEL PKWY	PENSACOLA	FL	32526
	CLYDE'S SERVICES	815 N 77TH AVE	PENSACOLA	FL	32506
	COASTAL LAWN SPRINKLER	4091 FARRINGTON RD	MILTON	FL	32583
	COKER PLUMBING CO	521 MILLS AVE	PENSACOLA	FL	32507
	COOPER GARY PLUMBING	5676 COUNTRY SQUIRE DR	MILTON	FL	32570
	COX POOLS	22656 F CANAL ROAD	ORANGE BEACH	AL	36561
	D K POOLS INC	4111 LILLIAN HWY	PENSACOLA	FL	32505
	DOLPHIN POOLS	3210 GULF BREEZE PKWY	GULF BREEZE	FL	32563
	DRILLING SOLUTIONS INC	5624 PASTURE LANE	JAY	FL	32565
	EAST BAY LANDSCAPING AND IRRIGATION INC	8365 HIGHWAY 90	MILTON	FL	32583
	EMERALD COAST FIBERGLASS POOLS	9465 PENSACOLA BLVD	PENSACOLA	FL	32504
	EMERALD COAST IRRIGATION LLC	3041 KINGSFIELD RD	PENSACOLA	FL	32514
	ENSLEY SEPTIC TANK SERVICE	10491 BETMARK RD	PENSACOLA	FL	32534
	EWING IRRIGATION	3611 N PALAFOX ST	PENSACOLA	FL	32505
	EXECUTIVE LANDSCAPING	1436 E OLIVE RD	PENSACOLA	FL	32505
	FAGANS CUSTOM POOLS INC	13440 SERENITY CIR	PENSACOLA	FL	32506
	FAITHFUL POOL SERVICE INC	3407 OLD FAIRFIELD DR	PENSACOLA	FL	32505
	FAMILY POOL AND SPA & BILLIARD CENTERS	3920 N DAVIS HIGHWAY	PENSACOLA	FL	32503
	FAVORITE PLUMBING CO	2828 N T STREET	PENSACOLA	FL	32505
	FIS OUTDOOR	2810 COPTER ROAD	PENSACOLA	FL	32514
	FLORIDA AIR CONDITIONING & PLUMBING	9310 BRIDLEWOOD RD	PENSACOLA	FL	32526
	FLORIDA IRRIGATION SUPPLY INC	2810 COPTER ROAD	PENSACOLA	FL	32514
	FOXWORTH AND MOORE IRRIGATION	1011 N DAVIS HWY	PENSACOLA	FL	32501
	GARVEY IRRIGATION	PO BOX 250	MOLINO	FL	32577
	GASKIN IRRIGATION AND LANDSCAPE COMPANY	2311 KILLEARN CENTER BLVD	TALLAHASSEE	FL	32309
	GMC PLUMBING CONTRACTOR	664 WHITNEY DR	PENSACOLA	FL	32503
	GONZALEZ PLUMBING & SPRINKLER	1801 GOVERNMENT STREET	PENSACOLA	FL	32502
	GORMAN CO INC	4149 WAREHOUSE LANE	PENSACOLA	FL	32505
	GRASS ROOTS LAWN AND LANDSCAPE	700 HELMS ST	NICEVILLE	FL	32578
	GULF COAST LANDSCAPING SERVICES	3648 LIMOUSIN DR	PACE	FL	32571
	GULF COAST POOL & SPA INC	2461 LANGLEY AVE	PENSACOLA	FL	32504
	GULF STREAM LANDSCAPING & IRRIGATION	8449 OLD PALAFOX STREET	PENSACOLA	FL	32504
	GULFSIDE LANDSCAPING INC	8221 KIPLING STREET	PENSACOLA	FL	32514
	HIGH TECH PLUMBING & HEATING	8375 RALEIGH CIRCLE	PENSACOLA	FL	32534
	HYDRAFLOW IRRIGATION	7251 GRIMMS LANDING	NAVARRE	FL	32566
	HY-TECH LANDSCAPE AND IRRIGATION	390 S GERONIMO ST STE 101	MIRAMAR BEACH	FL	32550
	IRRIGATION ENGINEERING	920 E LLOYD ST	PENSACOLA	FL	32503
	JERRY PATE TURF & IRRIGATION INC	301 SCHUBERT DRIVE	PENSACOLA	FL	32504
	JIM'S PLUMBING OF NAVARRE INC	1888 COMMODORE ST	NAVARRE	FL	32566
	JOHNSON POOLS INC	401 MASSACHUSETTS AVE	PENSACOLA	FL	32505
	KEN GRIFFIN LANDSCAPE CONTRACTORS	3004 WESTFIELD RD	GULF BREEZE	FL	32563
	KENNY SMITHS POOL CARE	7134 INNISWOLD DRIVE	PENSACOLA	FL	32526
	KILON HAMILTON'S LANDSCAPING	1451 CAT MAR RD	NICEVILLE	FL	32578
	KIMMON PLUMBING INC	2560 GULF BREEZE AVE	PENSACOLA	FL	32507
	L W POOLS	11600 MOBILE HIGHWAY	PENSACOLA	FL	32526

TABLE 6

**ADVISORY NOTICE DISTRIBUTION LIST
WATER WELL, IRRIGATION/PLUMBING, AND POOL CONTRACTORS**

**AGRICO SITE
PENSACOLA, FLORIDA**

NAME	COMPANY NAME	ADDRESS	CITY	STATE	POSTAL CODE
	LAWNGEVITY LAWN SERVICE	404 CEDAR ST	DESTIN	FL	32541
	LGM LANDSCAPE AND IRRIGATION, LLC	4251 COMMONS DR W UNIT 5105	DESTIN	FL	32541
	LINN'S IRRIGATION LLC	1884 RAYMOND TUCKER RD	TALLAHASSEE	FL	32311
	LORING IRRIGATION	2406 ESCAMBIA AVENUE	PENSACOLA	FL	32503
	M&M LANDSCAPING AND IRRIGATION LLC	44 E OLEANDER AVE	DEFUNIAK SPRINGS	FL	32433
	M7N VENDING SERVICE	440 W. HANNAH STREET	PENSACOLA	FL	32534
	MANNING BROS POOL INC	9465 PENSACOLA BLVD	PENSACOLA	FL	32534
	MCCLUSKEY PLUMBING CO	808 W ZARRAGOSSA STREET	PENSACOLA	FL	32501
	MCGOWAN IRRIGATION	3041 E KINGSFIELD RD	PENSACOLA	FL	32526
	MI MECHANICAL CONTRACTOR	4904 W SPENCER FIELD	PACE	FL	32571
	MY FRIENDLY WELL AND IRRIGATION REPAIRS LLC	126 3RD ST	NICEVILLE	FL	32578
	P&D ENTERPRISES	64 4TH AVE	SHALIMAR	FL	32579
	PACE PLUMBING	4274 BELL LANE	PACE	FL	32571
	PACE POOL & SPA SERVICES INC	4873 WEST SPENCER FIELD RD	PACE	FL	32571
	PARADISE OUTDOORS	107 BASS AVE SW	FORT WALTON	FL	32548
	PARKER POOLS	PO BOX 11769	PENSACOLA	FL	32524
	PAYNE & SON PLUMBING, HEATING, AIR CONDITIONING	PO BOX 2575	PENSACOLA	FL	32513
	PAYNE POOL PROFESSIONALS	2166 RESERVATION RD	GULF BREEZE	FL	32563
	PENSACOLA PLUMBING CONTRACTORS	2313 BROOKWOOD PLACE	PENSACOLA	FL	32533
	PENSACOLA POOLS INC	8514 PENSACOLA BLVD	PENSACOLA	FL	32534
	PERDIDO IRRIGATION SYSTEMS	5555 BAUER ROAD	PENSACOLA	FL	32507
	PERDUE LANDSCAPING AND LAWN	3211 BARRANCAS AVE	PENSACOLA	FL	32507
	PERFECT CUT LAWN CARE AND LANDSCAPING	15494 PADDINGTON DR	FOLEY	AL	36535
	PHOENIX LANDSCAPE & IRRIGATION INC	PO BOX 924	GULF BREEZE	FL	32562
	PINCH A PENNY POOL PATIO SPA	3307 GULF BREEZE PKWY	GULF BREEZE	FL	32563
	PINCH A PENNY POOL PATIO SPA	8090 N 9TH AVE	PENSACOLA	FL	32514
	PLUMBERSMITH	9312 BRIDLEWOOD RD	PENSACOLA	FL	32526
	POOL CARE	600 CAREONDELAY DRIVE	PENSACOLA	FL	32506
	POOL GUARD OF THE GULF COAST	1440 E OLIVE RD	PENSACOLA	FL	32514
	PRECISION LANDSCAPING AND IRRIGATION	3779 CYPRESS SHORES DR N	MOBILE	AL	36619
	PRESTIGE LANDSCAPES LLC	1801 PRESIDIO ST	NAVARRE	FL	32566
	PRICHARDS PLUMBING	40 OLIVE RD	PENSACOLA	FL	32514
	PROFESSIONAL PATIO & POOL ENCLOSURE	8605 WESTVIEW LN	PENSACOLA	FL	32514
	QUALITY ONE PLUMBING CO	5724 PALMETTO PL	MILTON	FL	32570
	RAINFALL LANDSCAPE & SPRINKLER	9850 NORTH LOOP RD	PENSACOLA	FL	32507
	ROOT-A-SEWER INC	2701 LONG LEAF DR	PENSACOLA	FL	32526
	ROWE PLUMBING AND IRRIGATION LLC	2601 HALLS MILL RD	MOBILE	AL	36606
	S & S PLUMBING AND MECHANICAL INC	7845 PINE FOREST RD	PENSACOLA	FL	32526
	SANTA ROSA PLUMBING	5510 TOM SAWYER RD	MILTON	FL	32583
	SHOWCASE POOL & SPA	401 MASSACHUSETTS AVE	PENSACOLA	FL	32503
	SOUTH CENTRAL POOL SUPPLY	8808 GROW DR	PENSACOLA	FL	32514
	SPIVEY & SON PLUMBING INC	9820 VONNA JO DR	PENSACOLA	FL	32506
	SPRINKLERS AND MORE	2850 ABBY CT	MOBILE	AL	36695
	STEVE BRINSON IRRIGATION SERVICES	60 SANDPRINTS DR UNIT E1	MIRAMAR BEACH	FL	32550
	SUPERIOR POOLS PRODUCTS	3338 MCLEMORE DR	PENSACOLA	FL	32514
	SURFSIDE POOLS	6677 OLD BAGDAD HWY	MILTON	FL	32583
	TERRY LAMBERT PLUMBING & GAS SERVICES INC	8145 WHITMIRE DR	PENSACOLA	FL	32514
	TERRY SMITH PLUMBING INC	22 W NINE & ONE HALF MILE RD	PENSACOLA	FL	32534
	THE FINISH LINE COMPANIES	3370 PURSELL LANE	PENSACOLA	FL	32526
	TIECO GULF COAST INC	540 W MICHIGAN AVE	PENSACOLA	FL	32505
	TOWN AND COUNTRY IRRIGATION SERVICE	7345 CHIMNEY PINES DR	PENSACOLA	FL	32526
	VAN PLUMBING	3248 CLEMSON RD	GULF BREEZE	FL	32561
	VAUGHN'S INC OF PENSACOLA	1290 NINE MILE ROAD	PENSACOLA	FL	32534
	WALLACE SPRINKLER INC	3607 ANDREW AVE	PENSACOLA	FL	32505
	WARRINGTON PLUMBING INC	910 W MAIN	PENSACOLA	FL	32501
	WATER WORKS SPRINKLER SYSTEMS & PONDS	4669 ANNA SIMPSON RD	MILTON	FL	32583

**TABLE 7
IRRIGATION WELL INFORMATION**

**Agrico Site
Pensacola, Florida**

ID	PERMIT NUMBER	NAME	STREET	DIAMETER (INCHES)	DEPTH FT. BLS	CASING FT. BLS	AQUIFER	ABANDONMENT OFFER LETTER SENT	IRRIGATION WELL SAMPLED	DATE SAMPLED	WELL ABANDONED	REMARKS
1		C.E. Anderson	905 TEXAR DRIVE	2	85	75	SZ	NO	NO			Outside of area of expected impacts for SZ
2	41(HC-1)	Holy Cross Cemetary Diocese of Pensacola	1300 E. HAYES	4	160	140	MPZ	YES	YES	11/28/2000		Two wells exist for cemetary, for sampling purposes labeled HC-1 and HC-2
	41(HC-2)	Holy Cross Cemetary Diocese of Pensacola	1300 E. HAYES	4	160	140	MPZ	YES	YES	11/28/2000		Two wells exist for cemetary, for sampling purposes labeled HC-1 and HC-2
3	81	C. Hass	349 SILVER ROAD	4	82	82	SZ	NO	NO			Outside of area of expected impacts for SZ
4	82	W.S. VanMetre	1221 TEXAR	4	95	95	SZ	NO	NO			Outside of area of expected impacts for SZ
5	97	O. English	3803 N. 10TH AVE.	4	71	130	120	yes	YES	3/13/2001		
6	103	Dr. D. McGraw	1680 TEXAR	4	71	61	SZ	NO	NO			Outside of area of expected impacts for SZ
7	109	K. Wolfersterger	2700 MAGNOLIA AVE.	4	115	100	MPZ	YES	NO			
8	110	F & Kathleen Edsel, Jr	2721 BLACKSHEAR	4	UNK	UNK	UNK	RETURNED	NO			
9	111	J. Colley	1750 E. TEXAR DR.	2	85	80	SZ	NO	NO			Outside of area of expected impacts for SZ
10		Curry	2701 N. 16TH AVE.	4	158	143	MPZ	YES	YES	3/15/2001		
11	123	D. Lavin	3632 MENENDEZ DR.	4	73	63	SZ	NO	NO			Outside of area of expected impacts for SZ
12	124	Dr. B. Beidleman	2909 BLACKSHEAR	4	87	77	SZ	NO	NO			Outside of area of expected impacts for SZ
13	127	F. McCallister	2706 BLACKSHEAR	4	85	75	SZ	NO	NO			Outside of area of expected impacts for SZ
14	135	J. Klocke	2914 BLACKSHEAR	2	50	45	SZ	NO	NO			Outside of area of expected impacts for SZ
15	139	R. Moulton	3970 MENENDEZ DR.	4	110	100	MPZ	YES	NO			Well capped under land surface. Not Used
16	140	M. Johnson	1650 E. HAYES ST.	4	120	110	MPZ	YES	YES	11/28/2000		
17	142	L. Fishman	3003 MAGNOLIA AVE	NA	NA	NA	NA	YES	NA	NA		No well found at location
18	143	F. Clayborn	1640 E. HAYES ST.	4	125	110	MPZ	YES	NO		2/27/2001	Well exists. Irrigation System Not Used.
19	144	Dr. Willis (Family Practice)	915 E. FAIRFIELD DR	4	120	110	MPZ	YES	YES	5/10/2001		
20	160	B. Hodnelle, Jr.	3966 MENENDEZ	4	117	107	MPZ	YES	NO			
21		E. Davis	4130 MENENDEZ	2	45	40	SZ	NO	NO			Outside of area of expected impacts for SZ
22	194	D. Conkle	3080 BLACKSHEAR AVE	2	68	63	SZ	NO	NO			Outside of area of expected impacts for SZ
23	P9407748	Henry Langhorn	1725 EAST MAURA ST	4	140	120	MPZ	YES	NO			
24	P9503948	Floral Tree Gardens	3601 NORTH DAVIS HWY.	4	115	100	MPZ	YES	NO			
25	T8301727	Fred Levin	3600 MENENDEZ	2	35	30	SZ	NO	NO			Outside of area of expected impacts for SZ
26	T8402575	W.L. Glaze	2675 N. 17TH AVENUE	4	140	120	MPZ	RETURNED	NO			
27	T8403811	Mrs. Dorothy Bearman	1501 GAMARA ROAD	4	110	100	MPZ	YES	NO			
28	T8707396	Richard and Sarah Sanchez	1221 DURNFORD PLACE	4	140	130	MPZ	YES	YES	3/1/2001		
29	T8800778	William C. Baker	1250 DRIFTWOOD DRIVE	4	110	90	MPZ	YES	NO			

**TABLE 7
IRRIGATION WELL INFORMATION**

**Agrico Site
Pensacola, Florida**

ID	PERMIT NUMBER	NAME	STREET	DIAMETER (INCHES)	DEPTH FT. BLS	CASING FT. BLS	AQUIFER	ABANDONMENT OFFER LETTER SENT	IRRIGATION WELL SAMPLED	DATE SAMPLED	WELL ABANDONED	REMARKS
30	T8905178	Leroy Gamlin	1005 TUNIS STREET	4	116	106	MPZ	YES	NO			
31	T9005951	Joseph Bores	4100 MENENDEZ DRIVE	4	130	120	MPZ	YES	YES	11/28/2000		
32	T9103343	Charles R. Earnest	1900 EAST LEONARD ST.	4	151	121	MPZ	YES	YES	11/28/2000		Well Resampled 5-10-01 to confirm PCE detection
33	T9104961	Dr. Peter C. Delevett	1660 TEXAR DRIVE	2	84	74	SZ	NO	NO			
34	T9104962	Paul Williams	800 E. BAARS ST	4	120	60	MPZ	YES	NO			808 E. Baars sharing well at 800 E. Baars
35	T9206908	John C. Sowers	3090 BLACKSHEAR AVE	2	90	80	SZ	NO	NO			Outside of area of expected impacts for SZ
36	T9304906	J.E. Boatwright Jr.	2575 PARADISE POINT DR	4	120	100	MPZ	YES	YES	3/1/2001		
37	T9701332	Elisabeth Holmes	1781 E. LEONARD ST.	2	UNK	UNK	UNK	YES	NO			
38	T9800088	James T. Baer	1775 EAST TEXAR DR	4	UNK	UNK	UNK	YES	YES	11/29/2000		
39	P9405922	Randy Head	2015 E. Maura St	NA			NA	YES	NA			No well found at location
40	158	N. Kinder	1227 BARCIA DR.	UNK	UNK	UNK	UNK	YES	NO			
41	162	W. Veasie	1271 DRIFTWOOD DR.	4	96	73	SZ	NO	NO			Outside of area of expected impacts for SZ
42	171	D. Tringas	2621 PARADISE POINT	UNK	UNK	UNK	UNK	YES	YES	3/1/2001		
43	172	B. Samples	1009 EAST TUNIS	UNK	UNK	UNK	UNK	YES	YES	11/28/2000		
44	178	C. Davis	1555 EAST CROSS ST.	2	UNK	UNK	UNK	YES	NO			
45		Moss & Bessie Wilson	3510 N. 9TH AVE	NA	NA	NA	NA	NO	NA			No well found at location
46		John & Priscilla Snyder	2912 BLACKSHEAR AVE	UNK	UNK	UNK	UNK	YES	NO			
47		David & Jean Mayo	3030 BLACKSHEAR AVE	UNK	UNK	UNK	UNK	YES	YES	3/1/2001		
48		Neroy & Lois Anderson	1301 E FISHER ST	UNK	UNK	UNK	UNK	YES	NO			
49		Jude & Nancy White	1710 E CROSS ST	4	140		UNK	YES	YES	8/25/1999		Results in the First annual report OU-2 (2/2000)
50		Mr. Glen McDonald	2860 BLACKSHEAR AVE	UNK	UNK	UNK	UNK	RETURNED	NO			
51		John & Sue Woodward	2710 BLACKSHEAR AVE	4	100	90	MPZ	YES	YES	3/1/2001		
52	159	Amos & Clementine Prevatt	2712 BLACKSHEAR AVE	2	55	45	SZ	NO	NO			Outside of area of expected impacts for SZ
53	80	Howard & Joyce Rein	2101 E CROSS ST	4	130	120	MPZ	YES	YES	11/28/2001		
54		Diocese of Pensacola	1231 DURNFORD PL	UNK	UNK	UNK	UNK	YES	YES	11/28/2001		Bishop's Residence
55		Larry & Catherine Parks	1210 DURNFORD PL	4	145	130	MPZ	YES	NO		2/27/2001	

**TABLE 7
IRRIGATION WELL INFORMATION**

**Agrico Site
Pensacola, Florida**

ID	PERMIT NUMBER	NAME	STREET	DIAMETER (INCHES)	DEPTH FT. BLS	CASING FT. BLS	AQUIFER	ABANDONMENT OFFER LETTER SENT	IRRIGATION WELL SAMPLED	DATE SAMPLED	WELL ABANDONED	REMARKS
56		Dennis & Betty Peters	3990 MENENDEZ DR	4	78	65	SZ	NO	NO			Outside of area of expected impacts for SZ
57		Jack & Carolyn Fleming	4010 MENENDEZ DR	UNK	UNK	UNK	UNK	YES	YES	11/28/2000		
58		Richard & Page Ciordia	4020 MENENDEZ DR	4	92	82	SZ	NO	NO			Outside of area of expected impacts for SZ
59		Garrett & Joyce Boyd	1261 STOW AVE	UNK	UNK	UNK	UNK	YES	NO			
60		Gene Schmidt	4141 MENENDEZ DR	4	115	100	MPZ	YES	YES	11/29/2000		
62		C.E. Davis	808 BAARS ST.	UNK	UNK	UNK	UNK	YES	YES	3/13/2001		
63	P200104-707	Escambia County Park Service	CARRIE MILLER PARK	4	90	70	SZ	NO	NO			Downgradient of FDEP Kaiser Site; drilled after moratory initiated.

Notes:

Permit = Northwest Florida Water Management District Permit Number
 Aquifer = SZ = Surficial zone of Sand-and-Gravel Aquifer; MPZ = Main producing zone of Sand-and-Gravel Aquifer;
 Unknown = No well construction information ; UNK= Data Unknown
 NA = Not Applicable
 ft. bls = feet below land surface
 Data from the NFWFMD onlin mapping application : <http://webapub.sjrwmd.com/agws10/nwwmdpermit/>
 No new wells found during the 2018-2024 data query

SUMMARY	TOTAL
NUMBER OF NOTIFICATIONS OF VOLUNTARY ABANDONMENT OFFER	41
NUMBER OF LOCATIONS WHERE SURFICIAL ZONE IRRIGATION WELLS EXIST BUT NO POTENTIAL FOR IMPACTS BY AGRICO-RELATED CONSTITUENTS	17
WRONG INFORMATION - NO WELL PRESENT AT LOCATION	1
NUMBER OF ADDITIONAL IRRIGATION WELLS IDENTIFIED (1 additional well identified at Holy Cross Cemetery)	1
TOTAL NUMBER OF IRRIGATION WELLS IDENTIFIED	60
TOTAL NUMBER OF WELLS ABANDONED.	2
NUMBER OF WELLS SAMPLED.	21

**TABLE 8
COMPARISON OF COC RESULTS AT GROUNDWATER MONITORING
LOCATIONS FOR SURFICIAL ZONE AND MAIN PRODUCING ZONE**

**Agrico Site
Pensacola, Florida**

Well ID	Date	Fluoride (mg/L)	Arsenic (mg/L)	Lead (mg/L)	Chloride (mg/L)	Sulfate (mg/L)	Nitrate-N (mg/L)	Radium 226 (pCi/L)	Radium 228 (pCi/L)	Combined Radium 226 + 228 (pCi/L)
PERFORMANCE STANDARD		4	0.01 ¹	0.015	250	250	10	--	--	5
Surficial Zone										
ACB-31S ²	5/9/1997	< 0.2	< 0.01	< 0.005	NA	NA	NA	NA	NA	NA
	11/10/1997	< 0.2	< 0.010	< 0.0050	NA	NA	NA	NA	NA	NA
	5/4/1998	< 0.2	< 0.01	< 0.005	NA	NA	NA	NA	NA	NA
	11/23/1998	< 0.2	< 0.01	< 0.005	NA	NA	NA	NA	NA	NA
	5/25/1999	< 0.2	< 0.01	< 0.005	NA	NA	NA	NA	NA	NA
	11/17/1999	< 0.2	< 0.010	< 0.0050	NA	NA	NA	NA	NA	NA
	5/15/2000	< 0.2	< 0.010	< 0.0050	NA	NA	NA	NA	NA	NA
	11/14/2000	< 0.2	< 0.01	< 0.005	NA	NA	NA	NA	NA	NA
	5/9/2001	< 0.2	< 0.01	< 0.005	NA	NA	NA	NA	NA	NA
	11/15/2001	< 0.2	< 0.01	< 0.005	NA	NA	NA	NA	NA	NA
	5/15/2002	< 0.2	< 0.01	< 0.005	NA	NA	NA	NA	NA	NA
	11/19/2002	< 0.2	< 0.01	< 0.005	NA	NA	NA	NA	NA	NA
	5/7/2003	< 0.2	< 0.01	< 0.005	NA	NA	NA	NA	NA	NA
	1/13/2004	< 0.2	< 0.01	< 0.005	4.9	50	3.4 J	0.67 J+/- 0.21	5.08 +/- 0.92	5.75
	5/11/2004	< 0.2	< 0.01	< 0.005	NA	NA	NA	NA	NA	NA
	11/9/2004	< 0.2	< 0.01	< 0.005	NA	NA	NA	NA	NA	NA
	5/10/2005	0.2	0.01	0.005	NA	NA	NA	NA	NA	NA
	11/8/2005	< 0.2	< 0.01	< 0.005	NA	NA	NA	NA	NA	NA
	5/15/2006	< 0.2	< 0.01	< 0.005	NA	NA	NA	NA	NA	NA
	11/14/2006	< 0.2	< 0.01	< 0.005	NA	NA	NA	NA	NA	NA
	5/16/2007	< 0.1	< 0.01	< 0.005	NA	NA	NA	NA	NA	NA
	11/15/2007	< 0.2	< 0.01	< 0.005	7.9	50	4.8	0.829 +/- 0.16	5.25 +/- 0.61	6.08
	5/15/2008	< 0.2	< 0.01	< 0.005	NA	NA	NA	NA	NA	NA
	11/13/2008	< 0.2	< 0.01	< 0.005	5.1	51	6.5	0.68 +/- 0.16	6.59 +/- 0.63	7.27
	11/19/2009	< 0.1	< 0.01	NA	5.3	44	4.9	0.708 +/- 0.18	5.58 +/- 0.55	6.29
	11/16/2010	< 0.10	NA	NA	3.2	43	6.8	0.611 +/- 0.21	4.35 +/- 0.71	4.96
	11/8/2011	< 0.10	NA	NA	5.5	52	3.4	0.498 +/- 0.18	4.49 +/- 0.93	4.99
	11/6/2012	< 0.10	NA	NA	3.5	39	1.9	0.474 +/- 0.19	4.99 +/- 0.81	5.46
	11/5/2013	< 0.10	NA	NA	3.1	36	2.4	0.184 +/- 0.17	4.15 +/- 0.74	4.33
	11/12/2014	< 0.10	NA	NA	2.1	37	2.4	0.43 +/- 0.17	4.59 +/- 0.79	5.02
11/18/2015	< 0.032	NA	NA	2.6	38	1.4	< 0.292 +/- 0.20	3.28 +/- 0.68	3.57	
11/8/2016	< 0.10	NA	NA	1.9	35	1.9	0.464 +/- 0.25	3.04 +/- 0.57	3.5	
11/7/2017	< 0.10	NA	NA	2.1	29	1.7	0.228 +/- 0.17	2.83 +/- 0.58	3.06	
11/6/2018	< 0.10	NA	NA	2.6	21	1.2	0.252 +/- 0.109	2.58 +/- 0.468	2.83	
11/12/2019	0.11	NA	NA	4.8	120	3.9	0.521 +/- 0.147	2.72 +/- 0.564	3.24	
11/10/2020	< 0.10	NA	NA	4.4 J	17 J	1.1	< 0.197 +/- 0.179	1.55 +/- 0.372	1.75	
11/4/2021	0.19	NA	NA	1.4	2.4	0.20	< - 0.00405 +/- 0.0531	0.459 +/- 0.241	0.45	
11/8/2022	0.13	NA	NA	4.8	37 F1	< 0.050 F1	0.317 +/- 0.143	3.57 +/- 0.736	3.89	
11/7/2023	< 0.10	NA	NA	3.3	35	3.4	0.536 +/- 0.209	3.71 +/- 0.822	4.25	
11/18/2024	< 0.10	NA	NA	5.1	170	5.2	0.802 +/- 0.209	5.19 +/- 0.924	5.99	

**TABLE 8
COMPARISON OF COC RESULTS AT GROUNDWATER MONITORING
LOCATIONS FOR SURFICIAL ZONE AND MAIN PRODUCING ZONE**

**Agrico Site
Pensacola, Florida**

Well ID	Date	Fluoride (mg/L)	Arsenic (mg/L)	Lead (mg/L)	Chloride (mg/L)	Sulfate (mg/L)	Nitrate-N (mg/L)	Radium 226 (pCi/L)	Radium 228 (pCi/L)	Combined Radium 226 + 228 (pCi/L)
PERFORMANCE STANDARD		4	0.01 ¹	0.015	250	250	10	--	--	5
Surficial Zone										
AC-2S	4/15/1987	16	0.010	NA	7.4	143	NA	NA	NA	NA
	10/1/1990	63	0.74	< 0.005	18	260	12	NA	NA	NA
	2/4/1992	94	0.164	< 0.005	20	290	15	0.4 +/- 0.10	1.2 +/- 1	1.6
	9/28/1997	130	0.058	NA	10	150	9	< 0.6 +/- 0.03	1.7 +/- 0.48	2.3
	11/17/1999	98	0.029	NA	7	57	5	< 1. +/- 0.94	< 1.5 +/- 0.90	2.5
	11/21/2000	150	0.048	NA	6.8	48	5.6	0.5 +/- 0.20	1.9 +/- 1.50	2.4
	11/15/2001	190	0.036	NA	6	23	3.8	0.1 +/- 0.07	2.8 +/- 1	2.9
	11/26/2002	210	0.042	NA	5.7	22	3.6	0.1 +/- 0.07	0. +/- 0.60	0.1
	1/23/2004	170	0.046	< 0.005	5.7	15	3.5	< 0.25 U+/- 0.17	< 1.1 U+/- 0.66	0.79
	11/17/2004	100	0.027	NA	7.1	< 5	3	0.134 +/- 0.08	0.286 +/- 0.31	0.420
	11/15/2005	73	0.021	NA	8.8	59	3.9	0.103 J+/- 0.0690	0.649 J+/- 0.34	0.752
	11/28/2006	85	0.029	NA	9.1	69	4	0.032 +/- 0.0750	-0.382 +/- 0.19	-0.35
	11/21/2007	50	0.016	NA	5.3	< 5	1.9	0.041 +/- 0.0790	0.0402 +/- 0.13	0.081
	11/19/2008	54	0.02	< 0.005	7.6	< 5	3.2	0.0442 +/- 0.0860	-0.0882 +/- 0.21	-0.0440
	11/18/2009	44	0.017	NA	4.9	31	2.7	0.191 +/- 0.11	0.0314 +/- 0.19	0.222
	11/29/2010	48	0.024	NA	6.1	44	3.4	0.0772 +/- 0.082	0.449 +/- 0.26	0.526
	11/16/2011	68	0.024	NA	7.5	54	6.2	0.168 +/- 0.13	0.0656 +/- 0.27	0.234
	11/14/2012	43	0.016	NA	4.3	62	4.6	0.0957 +/- 0.16	0.118 +/- 0.24	0.214
	11/12/2013	36	0.016	NA	3.8	59	3.3	0.0439 +/- 0.13	0.273 +/- 0.27	0.317
	11/12/2014	34	0.02	NA	4.2	73	3.1	0.0951 +/- 0.10	0.309 +/- 0.40	0.404
	11/18/2015	33	0.027	NA	5.1	100	3.2	0.311 J+/- 0.17	< 0.472 U+/- 0.30	0.731
	11/9/2016	19	0.016	NA	3.6	61	3.2	0.0622 +/- 0.19	0.813 +/- 0.30	0.875
	11/7/2017	20	0.013	NA	4.2	75	3.4	0.205 +/- 0.19	0.757 +/- 0.32	0.962
11/6/2018	23	0.014	NA	4.1	73	2.8	0.193 +/- 0.102	0.424 +/- 0.238	0.617	
11/12/2019	29	0.020	NA	3.8	80	2.6	< 0.104 +/- 0.0786	< 0.301 +/- 0.334	0.405	
11/10/2020	29 J	0.012	NA	3.5 J	68 J	1.7	< 0.123 +/- 0.178	0.406 +/- 0.213	0.529	
11/2/2021	22	< 0.010	NA	2.6	47	1.4	< 0.124 +/- 0.107	0.611 +/- 0.272	0.735	
11/9/2022	37	0.021	NA	3.9	87	2.3	0.134 +/- 0.114	0.953 +/- 0.434	1.087	
11/7/2023	12 H	< 0.020	NA	3.9	76	2.5	0.230 +/- 0.143	< 0.416 +/- 0.294	0.646	
11/21/2024	22	< 0.020	NA	4.7	54	3.2 H	< 0.0778 +/- 0.0723	< 0.205 +/- 0.387	0.283	

**TABLE 8
COMPARISON OF COC RESULTS AT GROUNDWATER MONITORING
LOCATIONS FOR SURFICIAL ZONE AND MAIN PRODUCING ZONE**

**Agrico Site
Pensacola, Florida**

Well ID	Date	Fluoride (mg/L)	Arsenic (mg/L)	Lead (mg/L)	Chloride (mg/L)	Sulfate (mg/L)	Nitrate-N (mg/L)	Radium 226 (pCi/L)	Radium 228 (pCi/L)	Combined Radium 226 + 228 (pCi/L)
PERFORMANCE STANDARD		4	0.01 ¹	0.015	250	250	10	--	--	5
Main Producing Zone										
AC-2D	4/15/1987	5.1	< 0.004	NA	14.7	22	3.37	NA	NA	NA
	10/1/1990	5.1	< 0.01	< 0.005	15	10	3.5	NA	NA	NA
	2/4/1992	5.2	< 0.01	0.0057	16	7.4	3.5	2.8 +/- 0.30	7. +/- 1.30	9.8
	9/30/1997	2.9	< 0.01	NA	12	26	5.6	0.6	< 1. +/- 0.45	1.6
	11/17/1999	3.5	< 0.01	NA	11	15	3.6	< 1. +/- 0.49	< 1.5 +/- 0.83	2.5
	11/21/2000	3	< 0.01	NA	9.8	19	4.4	1. +/- 0.20	2.7 +/- 0.90	3.7
	11/15/2001	3	< 0.01	NA	9.4	17	3.5	1. +/- 0.20	2.5 +/- 1	3.5
	11/26/2002	3.2	< 0.01	NA	9.1	18	2.5	1.1 +/- 0.20	2. +/- 0.80	3.1
	1/23/2004	2.9	< 0.01	< 0.005	9	13	2.5	1.05 +/- 0.25	1.54 +/- 0.71	2.59
	11/17/2004	2.7	< 0.01	NA	9.1	14	2.6	1.09 +/- 0.17	1.42 +/- 0.37	2.51
	11/14/2005	2.3	< 0.01	NA	9.2	16	2.8	0.983 J +/- 0.27	1.85 +/- 0.51	2.83
	11/28/2006	2.2	< 0.01	NA	8.2	15	2.5	0.896 +/- 0.14	1.16 +/- 0.28	2.06
	11/21/2007	2.5	< 0.01	NA	7.8	16	3.3	0.843 +/- 0.17	1.22 +/- 0.28	2.06
	11/19/2008	2	< 0.01	< 0.005	8.8	13	2.5	0.994 +/- 0.16	1.17 +/- 0.31	2.16
	11/18/2009	2	< 0.01	NA	8.4	15	2.3	1.2 +/- 0.18	1.7 +/- 0.34	2.9
	11/29/2010	2.3	NA	NA	8.3	16	2.6	1.31 +/- 0.39	1.59 +/- 0.39	2.90
	11/16/2011	2.3	NA	NA	7.6	17	2	1.06 +/- 0.22	1.71 +/- 0.42	2.77
	11/14/2012	2.2	NA	NA	6.9	17	2.1	0.744 +/- 0.27	1.94 +/- 0.54	2.68
	11/12/2013	2.3	NA	NA	7.0	17	5.3	0.887 +/- 0.27	1.43 +/- 0.41	2.32
	11/12/2014	2.2	NA	NA	6.8	16	2	0.911 +/- 0.25	1.31 +/- 0.45	2.22
	11/18/2015	2.1	NA	NA	6.4	18	1.8	1.24 +/- 0.42	1.84 +/- 0.48	3.08
	11/9/2016	1.5	NA	NA	6.5	17	1.7	0.661 +/- 0.31	1.92 +/- 0.44	2.58
11/7/2017	1.8	NA	NA	5.3	18	1.7	1.05 +/- 0.32	2.00 +/- 0.45	3.05	
11/6/2018	2.3	NA	NA	4.6	20	1.6	0.813 +/- 0.210	1.21 +/- 0.307	2.02	
11/13/2019	2.0	NA	NA	5.0	19	1.4	1.30 +/- 0.230	1.59 +/- 0.421	2.89	
11/11/2020	2.5 J	NA	NA	1.5	21 J	1.1	1.22 +/- 0.357	0.793 +/- 0.267	2.01	
11/2/2021	2.1	NA	NA	4.9	21	1.1	1.05 +/- 0.259	1.62 +/- 0.432	2.67	
11/8/2022	2.9	NA	NA	4.5	24	< 0.050	1.02 +/- 0.237	2.35 +/- 0.578	3.37	
11/8/2023	2.5 H	NA	NA	3.4	20	1.5	0.781 +/- 0.238	2.05 +/- 0.523	2.83	
11/21/2024	1.9	NA	NA	4.8	19	1.2 H	1.20 +/- 0.220	2.16 +/- 0.606	3.36	

**TABLE 8
COMPARISON OF COC RESULTS AT GROUNDWATER MONITORING
LOCATIONS FOR SURFICIAL ZONE AND MAIN PRODUCING ZONE**

**Agrico Site
Pensacola, Florida**

Well ID	Date	Fluoride (mg/L)	Arsenic (mg/L)	Lead (mg/L)	Chloride (mg/L)	Sulfate (mg/L)	Nitrate-N (mg/L)	Radium 226 (pCi/L)	Radium 228 (pCi/L)	Combined Radium 226 + 228 (pCi/L)
PERFORMANCE STANDARD		4	0.01 ¹	0.015	250	250	10	--	--	5
Main Producing Zone										
AC-3D	4/15/1987	105	0.041	NA	376	686	52.2	NA	NA	NA
	10/1/1990	75	< 0.01	< 0.005	150	680	47	NA	NA	NA
	2/5/1992	80	< 0.01	0.0059	270	500	42	8.4 +/- 0.40	12	20.4
	9/28/1997	46	< 0.01	NA	110	460	27	0.81 +/- 0.07	NA	0.81
	11/19/1999	14	< 0.01	NA	19	< 5	12	< 1. +/- 0.54	2.1	3.1
	11/21/2000	18	< 0.01	NA	32	240	15	1. +/- 0.20	6.5 +/- 1.20	7.5
	11/14/2001	13	< 0.01	NA	22	250	12	0.4 +/- 0.10	5.4 +/- 1.10	5.8
	11/26/2002	46	< 0.01	NA	64	380	16	1.3 +/- 0.20	17.8 +/- 2	19.1
	1/22/2004	34	< 0.01	< 0.005	48	300	13. J	5.04 +/- 0.77	20.6 +/- 2.50	25.6
	11/17/2004	36	< 0.01	NA	48	310	14	0.934 +/- 0.16	12.3 +/- 1.10	13.2
	11/15/2005	23	< 0.01	NA	36	300	12	0.994 J +/- 0.28	18. +/- 2.30	19.0
	11/22/2006	27	< 0.01	NA	39	330	12	0.939 +/- 0.27	13.2 +/- 0.89	14.1
	11/21/2007	22	< 0.01	NA	24	220	7.8	1.06 +/- 0.22	8.12 +/- 0.56	9.18
	11/13/2008	18	< 0.01	< 0.005	25	180	8.5	1.22 +/- 0.19	10.9 +/- 0.79	12.1
	11/18/2009	15	< 0.01	NA	20	160	6.9	0.951 +/- 0.18	9.9 +/- 0.69	10.1
	11/29/2010	16	NA	NA	22	160	7.8	1.74 +/- 0.44	12.9 +/- 1.8	14.6
	11/15/2011	17	NA	NA	20	130	7.8	1.59 +/- 0.26	12.5 +/- 0.90	14.1
	11/13/2012	16	NA	NA	20	140	7.2	1.38 +/- 0.39	12.7 +/- 1.7	14.1
	11/12/2013	15	NA	NA	16	130	6.1	1.14 +/- 0.36	9.67 +/- 1.3	10.8
	11/11/2014	14	NA	NA	16	230	5.9	0.902 +/- 0.26	11.0 +/- 1.5	11.9
	11/19/2015	13	NA	NA	14	120	4.7	1.42 +/- 0.40	12.1 +/- 1.60	13.52
	11/11/2016	11	NA	NA	15	120	5.4	0.772 +/- 0.29	7.80 +/- 1.2	8.57
11/8/2017	9.3	NA	NA	9.2	100	4.9	1.07 +/- 0.34	7.72 +/- 1.1	8.79	
11/6/2018	7.6	NA	NA	5.0	81	3.1	1.26 +/- 0.259	4.34 +/- 0.628	5.60	
11/13/2019	9.8	NA	NA	9.8	110	4.5	1.34 +/- 0.242	9.53 +/- 1.16	10.87	
11/10/2020	8.2 J	NA	NA	4.6 J	100 J	3.0	1.36 +/- 0.346	6.01 +/- 0.747	7.37	
11/4/2021	9.5	NA	NA	8.3	150	3.8	0.980 +/- 0.194	8.24 +/- 0.990	9.22	
11/9/2022	5.6	NA	NA	4.6	84	3.6	0.891 +/- 0.223	6.32 +/- 1.07	7.21	
11/7/2023	5.3	NA	NA	3.7	87	2.8	1.08 +/- 0.236	7.51 +/- 1.08	8.59	
11/21/2024	7.9	NA	NA	6.5	120	3.7	1.06 +/- 0.271	1.05 +/- 1.43	2.11	

**TABLE 8
COMPARISON OF COC RESULTS AT GROUNDWATER MONITORING
LOCATIONS FOR SURFICIAL ZONE AND MAIN PRODUCING ZONE**

**Agrico Site
Pensacola, Florida**

Well ID	Date	Fluoride (mg/L)	Arsenic (mg/L)	Lead (mg/L)	Chloride (mg/L)	Sulfate (mg/L)	Nitrate-N (mg/L)	Radium 226 (pCi/L)	Radium 228 (pCi/L)	Combined Radium 226 + 228 (pCi/L)
PERFORMANCE STANDARD		4	0.01 ¹	0.015	250	250	10	--	--	5
Main Producing Zone										
AC-12D	10/1/1990	24	< 0.01	< 0.005	28	290	13	NA	NA	NA
	4/9/1992	2.6	< 0.01	< 0.005	8.2	39	2.8	NA	NA	NA
	9/27/1997	8.8	0.012	NA	20	320	11	1.5 +/- 0.09	6.9 +/- 0.58	8.4
	11/19/1999	0.52	< 0.01	NA	6.4	7.8	2.4	< 1. +/- 0.09	< 1.5 +/- 0.68	2.5
	11/17/2000	6.7	< 0.01	NA	15	130	6.8	0.5 +/- 0.10	3.7 +/- 1	4.2
	11/8/2001	1.7	< 0.01	NA	7.3	30	3.7	0.4 +/- 0.20	4.5 +/- 1.10	4.9
	11/22/2002	11	0.011	NA	22	310	10	1.9 +/- 0.30	8.6 +/- 1	10.5
	1/28/2004	10	0.015	0.0052	20	280	11	4.13 +/- 0.61	14.2 +/- 1.80	18.3
	11/11/2004	11	< 0.01	NA	20	310	12	1.84 +/- 0.22	7.57 +/- 0.59	9.41
	11/10/2005	15	< 0.01	NA	23	290	12	1.65 +/- 0.40	7.59 +/- 1.10	9.24
	11/16/2006	13	< 0.01	NA	21	310	12	1.26 +/- 0.18	7.08 +/- 0.65	8.34
	11/16/2007	20	< 0.01	NA	22	300	12	1.62 +/- 0.21	7.76 +/- 0.60	9.38
	11/13/2008	17	< 0.01	< 0.005	23	310	12	1.73 +/- 0.21	6.75 +/- 0.59	8.48
	11/12/2009	15	< 0.01	NA	22	280	12	1.57 +/- 0.25	7.7 +/- 0.68	9.3
	11/18/2010	14	NA	NA	22	280	11	1.34 +/- 0.38	6.68 +/- 1.3	8.0
	11/9/2011	14	NA	NA	18	240	10	4.80 +/- 0.69	8.43 +/- 0.75	13.2
	11/8/2012	15	NA	NA	18	250	9.6	1.43 +/- 0.39	7.88 +/- 1.1	9.31
	11/6/2013	14	NA	NA	19	260	9.0	1.27 +/- 0.40	8.50 +/- 1.2	9.77
	11/20/2014	10	NA	NA	16	230	8.6	2.23 +/- 0.55	8.63 +/- 1.2	10.86
	11/19/2015	12	NA	NA	18	230	8.4	1.3 +/- 0.41	7.2 +/- 1.10	8.5
11/10/2016	8.1	NA	NA	19	230	8.5	1.28 +/- 0.43	9.07 +/- 1.3	10.35	
11/8/2017	7.8	NA	NA	15	180	9.6	1.25 +/- 0.35	5.98 +/- 0.93	7.23	
11/7/2018	0.80	NA	NA	11	15	6.9	0.942 +/- 0.219	0.892 +/- 0.280	1.83	
11/18/2019	< 0.10	NA	NA	11	1.5	7.1	0.594 +/- 0.147	1.24 +/- 0.341	1.83	
11/11/2020	9.1 J	NA	NA	14 J	150 J	7.9	1.49 +/- 0.361	3.58 +/- 0.522	5.07	
11/3/2021	7.4	NA	NA	13	150 F1	7.6	1.53 +/- 0.257	4.67 +/- 0.682	6.20	
11/9/2022	< 0.10	NA	NA	11	< 1.0	6.7	0.957 +/- 0.237	1.81 +/- 0.556	2.77	
11/8/2023	0.12 H	NA	NA	12	2.3	8.7	0.761 +/- 0.227	1.59 +/- 0.442	2.35	
11/15/2024	6.1	NA	NA	13	170	8.2	1.73 +/- 0.276	7.41 +/- 1.16	9.14	

**TABLE 8
COMPARISON OF COC RESULTS AT GROUNDWATER MONITORING
LOCATIONS FOR SURFICIAL ZONE AND MAIN PRODUCING ZONE**

**Agrico Site
Pensacola, Florida**

Well ID	Date	Fluoride (mg/L)	Arsenic (mg/L)	Lead (mg/L)	Chloride (mg/L)	Sulfate (mg/L)	Nitrate-N (mg/L)	Radium 226 (pCi/L)	Radium 228 (pCi/L)	Combined Radium 226 + 228 (pCi/L)
PERFORMANCE STANDARD		4	0.01 ¹	0.015	250	250	10	--	--	5
Main Producing Zone										
AC-13D	10/1/1990	8.6	< 0.01	< 0.005	16	220	8.3	NA	NA	NA
	2/3/1992	5.3	< 0.01	< 0.005	16	150	8.9	4.7 +/- 0.30	3.6 +/- 1.10	8.3
	9/27/1997	4.9	< 0.01	NA	20	260	12	1.3 +/- 0.09	4.1 +/- 0.59	5.4
	11/16/2000	4.6	< 0.01	NA	19	220	11	2.8 +/- 0.30	5	7.8
	11/8/2001	4.7	< 0.01	NA	17	210	10	1.9 +/- 0.20	3.7 +/- 1.10	5.6
	11/21/2002	6.7	< 0.01	NA	20	250	11	1.3 +/- 0.20	5.7 +/- 0.80	7
	1/16/2004	6.3	< 0.01	< 0.005	22	230	12	1.67 +/- 0.36	11.1 +/- 1.70	12.77
	11/11/2004	7.8	< 0.01	NA	23	260	12	1.55 +/- 0.19	8.2 +/- 0.64	9.75
	11/10/2005	11	< 0.01	NA	25	260	12	2.18 +/- 0.53	8.68 +/- 1.20	10.86
	11/16/2006	14	< 0.01	NA	28	290	14	1.55 +/- 0.22	7.83 +/- 0.78	9.38
	11/19/2007	17	< 0.01	NA	27	300	18	1.64 +/- 0.23	7.41 +/- 0.67	9.05
	11/11/2008	15	< 0.01	< 0.005	28	360	13	1.32 +/- 0.21	5.95 +/- 0.59	7.27
	11/12/2009	15	0.011	NA	28	300	14	2.28 +/- 0.31	10.5 +/- 0.95	12.78
	11/18/2010	14	NA	NA	23	290	12	1.45 +/- 0.39	6.84 +/- 1.0	8.29
	11/9/2011	14	NA	NA	26	300	13	1.64 +/- 0.25	8.18 +/- 0.69	9.82
	11/7/2012	15	NA	NA	24	290	12	2.05 +/- 0.54	8.99 +/- 1.3	11.0
	11/6/2013	14	NA	NA	24	310	11	1.98 +/- 0.50	9.60 +/- 1.4	11.6
	11/19/2014	12	NA	NA	21	250	11	1.23 +/- 0.39	8.24 +/- 1.3	9.47
	11/20/2015	9.3	NA	NA	11	160	10	1.51 +/- 0.39	7.5 +/- 1.10	9.01
	11/10/2016	6.8	NA	NA	22	270	11	0.53 +/- 0.24	3.99 +/- 0.68	4.52
11/8/2017	7.5	NA	NA	19	230	11	1.49 +/- 0.50	5.57 +/- 0.92	7.06	
11/7/2018	6.0	NA	NA	19	250	10	1.50 +/- 0.283	5.58 +/- 0.730	7.08	
11/25/2019	6.8	NA	NA	19	220	8.4	1.27 +/- 0.217	6.94* +/- 0.836	8.21	
11/12/2020	8 J	NA	NA	17 J	280 J	9.6	1.57 +/- 0.381	4.90 +/- 0.665	6.47	
11/3/2021	< 0.10 / 10 ³	NA	NA	19	220	8.6	1.38 +/- 0.234	5.44 +/- 0.731	6.82	
11/10/2022	4.5	NA	NA	18	200	9.1	1.74 +/- 0.459	5.57 +/- 0.917	7.31	
11/8/2023	5.0 H	NA	NA	18	240	11	1.50 +/- 0.318	6.14 +/- 0.921	7.64	
11/22/2024	5.3	NA	NA	17	200	10 H	1.31 +/- 0.220	8.24 +/- 1.23	9.55	

**TABLE 8
COMPARISON OF COC RESULTS AT GROUNDWATER MONITORING
LOCATIONS FOR SURFICIAL ZONE AND MAIN PRODUCING ZONE**

**Agrico Site
Pensacola, Florida**

Well ID	Date	Fluoride (mg/L)	Arsenic (mg/L)	Lead (mg/L)	Chloride (mg/L)	Sulfate (mg/L)	Nitrate-N (mg/L)	Radium 226 (pCi/L)	Radium 228 (pCi/L)	Combined Radium 226 + 228 (pCi/L)
PERFORMANCE STANDARD		4	0.01 ¹	0.015	250	250	10	--	--	5
AC-24D	2/19/1992	36	< 0.01	0.005	200	50	1.9	NA	NA	NA
	9/27/1997	8.5	< 0.01	NA	31	8.8	1.3	0.63 +/- 0.06	< 1 +/- 0.42	1.63
	1/21/2004	57	< 0.01	< 0.005	180	37	3.7	2.32 +/- 0.47	15.3 +/- 2.20	17.6
	11/18/2008	56	< 0.01	< 0.005	200	65	6.8	2.98 +/- 0.28	7.41 +/- 0.62	10.4
	11/16/2009	59	< 0.01	NA	190	79	5.8	2.44 +/- 0.25	6.4 +/- 0.60	8.8
	11/23/2010	77	NA	NA	190	84	6.4	2.09 +/- 0.50	7.60 +/- 1.1	9.7
	11/14/2011	65	NA	NA	160	76	6.8	2.96 +/- 0.35	10.0 +/- 0.86	13.0
	11/9/2012	67	NA	NA	190	78	5.5	1.48 +/- 0.42	10.9 +/- 1.5	12.4
	11/7/2013	68	NA	NA	170	86	4.5	2.02 +/- 0.53	10.2 +/- 1.4	12.2
	11/24/2014	51	NA	NA	130	75	4.2	2.12 +/- 0.64	7.14 +/- 1.0	9.26
	11/19/2015	47	NA	NA	140	77	4.4	1.17 +/- 0.37	7.22 +/- 1	8.39
	11/10/2016	33	NA	NA	120	70	4.7	0.881 +/- 0.31	4.14 +/- 0.70	5.02
	11/8/2017	45	NA	NA	96	74	5.0	1.61 +/- 0.47	6.05 +/- 0.90	7.66
	11/7/2018	24	NA	NA	48	73	4.6	1.56 +/- 0.295	6.71 +/- 0.858	8.27
	11/21/2019	30	NA	NA	86	59	4.6	1.71 +/- 0.278	6.81 +/- 0.893	8.52
	11/12/2020	45 J	NA	NA	89 J	71 J	4.6	1.88 +/- 0.381	5.02 +/- 0.673	6.90
	11/3/2021	0.47 / 50 ³	NA	NA	79	77	3.5	1.29 +/- 0.229	4.86 +/- 0.685	6.15
11/10/2022	27	NA	NA	36	68	3.9	1.44 +/- 0.402	6.82 +/- 1.03	8.26	
11/9/2023	27	NA	NA	81	73	4.5	2.10 +/- 0.454	6.12 +/- 9.28	8.22	
11/12/2024	27	NA	NA	59	63	4.0	1.26 +/- 0.221	6.44 +/- 1.38	7.70	

**TABLE 8
COMPARISON OF COC RESULTS AT GROUNDWATER MONITORING
LOCATIONS FOR SURFICIAL ZONE AND MAIN PRODUCING ZONE**

**Agrico Site
Pensacola, Florida**

Well ID	Date	Fluoride (mg/L)	Arsenic (mg/L)	Lead (mg/L)	Chloride (mg/L)	Sulfate (mg/L)	Nitrate-N (mg/L)	Radium 226 (pCi/L)	Radium 228 (pCi/L)	Combined Radium 226 + 228 (pCi/L)
PERFORMANCE STANDARD		4	0.01 ¹	0.015	250	250	10	--	--	5
Main Producing Zone										
AC-25D	2/15/1992	19	NA	< 0.0050	120	7.1	11	NA	NA	7.9
	9/24/1997	20	< 0.01	NA	270	44	2.1	2. +/- 0.10	3.5 +/- 0.52	5.5
	11/19/1999	2.6	< 0.01	NA	45	< 5	1.9	< 1 +/- 0.62	< 1.5 +/- 0.75	2.5
	11/17/2000	3.3	< 0.01	NA	46	13	5.5	0.6 +/- 0.10	0.6 +/- 0.80	1.2
	11/13/2001	2.9	< 0.01	NA	32	9.4	2.3	0.4 +/- 0.10	1.1 +/- 0.80	1.5
	11/21/2002	48	< 0.01	NA	410	80	2	2.9 +/- 0.30	5.1 +/- 0.80	8.0
	1/22/2004	52	< 0.01	< 0.0050	410	65	2.3 J	4.48 +/- 0.72	7.6 +/- 1.20	12
	11/15/2004	57	< 0.01	NA	440	83	2.2	2.46 +/- 0.23	5.6 +/- 0.54	8.1
	11/10/2005	59	< 0.01	NA	390	81	3.1	2.31 +/- 0.52	7.73 +/- 1.20	10.0
	11/20/2006	77	< 0.01	NA	430	80	3.1	2.5 +/- 0.35	4.53 +/- 0.55	7.03
	11/20/2007	90	< 0.01	NA	390	80	3.7	1.85 +/- 0.29	4.08 +/- 0.49	5.93
	11/18/2008	71	< 0.01	< 0.0050	480	77	3.7	2.2 +/- 0.25	3.98 +/- 0.51	6.18
	11/17/2009	77	< 0.01	NA	420	88	3.5	1.84 +/- 0.24	5.33 +/- 0.55	7.17
	11/23/2010	110	NA	NA	440	89	4.3	2.29 +/- 0.62	4.47 +/- 0.73	6.76
	11/15/2011	100	NA	NA	390	78	4.7	2.31 +/- 0.29	5.0 +/- 0.56	7.3
	11/14/2012	100	NA	NA	370	94	4.2	2.38 +/- 0.55	5.50 +/- 0.85	7.88
	11/12/2013	96	NA	NA	370	80	4.4	2.64 +/- 0.75	5.06 +/- 0.83	7.70
	11/20/2014	76	NA	NA	320	91	3.7	1.7 +/- 0.52	5.27 +/- 0.88	6.97
	11/20/2015	91	NA	NA	360	120	4.5	2.09 +/- 0.54	6.05 +/- 0.97	8.14
	11/9/2016	68	NA	NA	380	87	4.4	1.55 +/- 0.46	4.36 +/- 0.77	5.91
	11/9/2017	93	NA	NA	300	95	5.1	1.93 +/- 0.50	4.92 +/- 0.77	6.85
	11/7/2018	68	NA	NA	230	100	5.0	1.64 +/- 0.301	4.65 +/- 0.663	6.29
	11/20/2019	40	NA	NA	220	81	5.3	1.64 +/- 0.259	5.36 +/- 0.737	7.00
11/12/2020	99 J	NA	NA	280 J	110 J	4.7	1.70 +/- 0.403	3.72 +/- 0.559	5.42	
11/2/2021	0.45 / 130 ³	NA	NA	260	120	3.7	1.71 +/- 0.293	4.59 +/- 0.655	6.30	
11/10/2022	59	NA	NA	76	120	5.4 H	1.33 +/- 0.390	4.91 +/- 0.867	6.24	
11/9/2023	60	NA	NA	270	76	4.7	1.87 +/- 0.442	5.70 +/- 0.870	7.57	
11/20/2024	63	NA	NA	260	68	4.0	1.49 +/- 0.307	5.60 +/- 0.955	7.09	

**TABLE 8
COMPARISON OF COC RESULTS AT GROUNDWATER MONITORING
LOCATIONS FOR SURFICIAL ZONE AND MAIN PRODUCING ZONE**

**Agrico Site
Pensacola, Florida**

Well ID	Date	Fluoride (mg/L)	Arsenic (mg/L)	Lead (mg/L)	Chloride (mg/L)	Sulfate (mg/L)	Nitrate-N (mg/L)	Radium 226 (pCi/L)	Radium 228 (pCi/L)	Combined Radium 226 + 228 (pCi/L)
PERFORMANCE STANDARD		4	0.01 ¹	0.015	250	250	10	--	--	5
Main Producing Zone										
AC-29D	9/27/1997	65	< 0.01	NA	180	340	20	0.66 +/- 0.05	9.9 +/- 0.65	10.56
	11/19/1999	65	< 0.01	NA	110	< 5	14	2.3	8.1	10.4
	11/21/2000	45	< 0.01	NA	300	260	14	1.3 +/- 0.10	11.4 +/- 1.10	12.7
	11/13/2001	48	< 0.01	NA	100	280	13	1.4 +/- 0.20	14. +/- 1.60	15
	11/25/2002	59	< 0.01	NA	100	340	16	1.7 +/- 0.20	16.5 +/- 1.70	18
	1/23/2004	52	< 0.01	< 0.005	93	310	16	3.42 +/- 0.55	21.9 +/- 2.50	25.3
	11/12/2004	45	< 0.01	NA	84	290	14	1.52 +/- 0.19	17.7 +/- 0.96	19.2
	11/16/2005	30	< 0.01	NA	58	220	9.8	1.53 +/- 0.37	21. +/- 2.70	22.5
	11/17/2006	34	< 0.01	NA	67	200	12	1.48 +/- 0.18	11.9 +/- 0.90	13.4
	11/20/2007	42	< 0.01	NA	63	220	12	1.45 +/- 0.26	11.7 +/- 0.77	13.2
	11/18/2008	31	< 0.01	< 0.005	65	200	11	1.54 +/- 0.20	10.8 +/- 0.76	12.3
	11/17/2009	30	< 0.01	NA	61	220	9.5	1.54 +/- 0.21	13.8 +/- 0.83	15.3
	11/19/2010	39	NA	NA	62	240	11	1.64 +/- 0.37	14.9 +/- 1.9	16.5
	11/11/2011	41	NA	NA	54	220	12	1.76 +/- 0.27	13.6 +/- 0.81	15.4
	11/13/2012	35	NA	NA	52	230	10	1.08 +/- 0.30	15.9 +/- 2/1	17.0
	11/7/2013	36	NA	NA	45	220	8.1	0.836 +/- 0.27	14.8 +/- 2.0	15.6
	11/17/2014	30	NA	NA	39	74	8.3	1.53 +/- 0.47	15.2 +/- 2.0	16.7
	11/19/2015	30	NA	NA	42	200	7.5	1.49 +/- 0.44	14.5 +/- 1.90	15.99
	11/11/2016	22	NA	NA	39	170	8.2	1.31 +/- 0.48	13.5 +/- 1.7	14.81
	11/8/2017	25	NA	NA	32	170	8.2	1.39 +/- 0.35	13.6 +/- 1.8	14.99
11/7/2018	20	NA	NA	30	170	6.3	1.60 +/- 0.304	10.9 +/- 1.22	12.50	
11/19/2019	18	NA	NA	27	150	6.6	1.65 +/- 0.263	13.2 +/- 1.47	14.85	
11/11/2020	29 J	NA	NA	25 J	170 J	6.8	1.84 +/- 0.410	11.3 +/- 1.25	13.14	
11/3/2021	18	NA	NA	27	190	5.9	1.17 +/- 0.213	11.9 +/- 1.34	13.07	
11/10/2022	29	NA	NA	28	180	5.4	1.69 +/- 0.454	12.2 +/- 1.57	13.89	
11/8/2023	20 H	NA	NA	25	180	7.1	1.58 +/- 0.326	13.4 +/- 1.62	14.98	
11/20/2024	22	NA	NA	24	230	5.8	1.64 +/- 0.263	15.7 +/- 1.96	17.34	

**TABLE 8
COMPARISON OF COC RESULTS AT GROUNDWATER MONITORING
LOCATIONS FOR SURFICIAL ZONE AND MAIN PRODUCING ZONE**

**Agrico Site
Pensacola, Florida**

Well ID	Date	Fluoride (mg/L)	Arsenic (mg/L)	Lead (mg/L)	Chloride (mg/L)	Sulfate (mg/L)	Nitrate-N (mg/L)	Radium 226 (pCi/L)	Radium 228 (pCi/L)	Combined Radium 226 + 228 (pCi/L)
PERFORMANCE STANDARD		4	0.01 ¹	0.015	250	250	10	--	--	5
Main Producing Zone										
AC-35D	11/19/1999	23	< 0.01	NA	160	130	3.1	< 1. +/- 0.53	< 1.5 +/- 0.95	2.5
	11/16/2000	150	< 0.01	NA	120	220	12	1.5 +/- 0.20	5. +/- 1.20	6.5
	11/8/2001	160	0.012	NA	520	220	13	1.9 +/- 0.20	7.2 +/- 1.40	9.1
	11/21/2002	170	< 0.01	NA	550	230	11	2. +/- 0.30	8.5 +/- 1	10.5
	1/15/2004	160	0.015	< 0.005	530	210	13	4.58 +/- 0.69	12.9 +/- 1.60	17.5
	11/15/2004	170	< 0.01	NA	520	260	14	2.22 +/- 0.21	9.37 +/- 0.69	11.6
	11/16/2005	150	< 0.01	NA	430	260	12	2.01 +/- 0.50	14.4 +/- 1.90	16.4
	11/20/2006	160	< 0.01	NA	460	270	12	1.83 +/- 0.31	9.26 +/- 0.77	11.1
	11/20/2007	150	< 0.01	NA	420	190	12	2.01 +/- 0.29	5.8 +/- 0.53	7.81
	11/19/2008	120	0.01	< 0.005	460	190	11	1.78 +/- 0.20	5.29 +/- 0.57	7.07
	11/19/2009	120	< 0.01	NA	430	200	9.3	2.33 +/- 0.28	8.44 +/- 0.68	10.8
	11/23/2010	180	NA	NA	580	240	13	2.52 +/- 0.64	8.83 +/- 1.2	11.4
	11/16/2011	130	NA	NA	370	170	11	1.71 +/- 0.28	5.94 +/- 0.61	7.65
	11/15/2012	130	NA	NA	350	200	9.6	1.91 +/- 0.51	6.45 +/- 0.98	8.36
	11/13/2013	120	NA	NA	360	190	9.5	2.01 +/- 0.54	7.69 +/- 1.1	9.70
	11/24/2014	110	NA	NA	300	190	9.6	2.59 +/- 0.64	7.28 +/- 1.1	9.87
	11/20/2015	110	NA	NA	340	140	9.1	1.8 +/- 0.49	8.7 +/- 1.30	10.5
	11/9/2016	76	NA	NA	310	160	8.8	1.6 +/- 0.53	4.76 +/- 0.85	6.4
	11/9/2017	120	NA	NA	280	170	8.8	1.92 +/- 0.54	5.42 +/- 0.84	7.34
	11/7/2018	75	NA	NA	270	170	7.6	1.97 +/- 0.337	5.56 +/- 0.734	7.53
11/18/2019	40	NA	NA	240	150	8.2	1.58 +/- 0.261	6.67 +/- 0.860	8.25	
11/12/2020	60 J	NA	NA	230 J	190 J	8.2	2.04 +/- 0.426	4.74 +/- 0.631	6.78	
11/2/2021	0.59 / 120 ³	NA	NA	220	210	7.0	1.61 +/- 0.283	4.33 +/- 0.703	5.94	
11/10/2022	72	NA	NA	200	200	8.1 H	1.39 +/- 0.433	6.86 +/- 1.04	8.25	
11/7/2023	63	NA	NA	220	120	8.7	1.61 +/- 0.292	7.63 +/- 1.11	9.24	
11/20/2024	63	NA	NA	230	130	7.3	1.68 +/- 0.269	7.63 +/- 1.22	9.31	

TABLE 8
5-YEAR MONITORING NETWORK
COMPARISON OF COC RESULTS AT GROUNDWATER MONITORING
LOCATIONS FOR SURFICIAL ZONE AND MAIN PRODUCING ZONE
Agrico Site
Pensacola, Florida

Well ID	Date	Fluoride (mg/L)	Arsenic (mg/L)	Lead (mg/L)	Chloride (mg/L)	Sulfate (mg/L)	Nitrate-N (mg/L)	Radium 226 (pCi/L)	Radium 228 (pCi/L)	Combined Radium 226 + 228 (pCi/L)
PERFORMANCE STANDARD		4	0.01	0.015	250	250	10	--	--	5
Surficial Zone										
ACB-32S	5/9/1997	< 0.2	< 0.01	< 0.005	NA	NA	NA	NA	NA	NA
	11/10/1997	< 0.2	< 0.01	< 0.005	NA	NA	NA	NA	NA	NA
	5/4/1998	< 0.2	< 0.01	< 0.005	NA	NA	NA	NA	NA	NA
	11/23/1998	< 0.2	< 0.01	< 0.005	NA	NA	NA	NA	NA	NA
	5/15/1999	< 0.2	< 0.01	< 0.005	NA	NA	NA	NA	NA	NA
	11/17/1999	< 0.2	< 0.01	< 0.005	NA	NA	NA	NA	NA	NA
	5/15/2000	< 0.2	< 0.01	< 0.005	NA	NA	NA	NA	NA	NA
	11/14/2000	< 0.2	< 0.01	< 0.005	NA	NA	NA	NA	NA	NA
	5/9/2001	< 0.2	< 0.01	< 0.005	NA	NA	NA	NA	NA	NA
	11/1/2001	< 0.2	< 0.01	< 0.005	NA	NA	NA	NA	NA	NA
	5/15/2002	< 0.2	< 0.01	< 0.005	NA	NA	NA	NA	NA	NA
	11/19/2002	< 0.2	< 0.01	< 0.005	NA	NA	NA	NA	NA	NA
	5/7/2003	< 0.2	< 0.01	< 0.005	NA	NA	NA	NA	NA	NA
	1/13/2004	< 0.2	0.011	< 0.005	7.2	55	8.3 J	0.62 J+/- 0.21	3.89 +/- 0.88	4.51
	5/11/2004	< 0.2	< 0.01	< 0.005	NA	NA	NA	NA	NA	NA
	11/9/2004	< 0.2	< 0.01	< 0.005	NA	NA	NA	NA	NA	NA
	5/10/2005	< 0.2	< 0.01	< 0.005	NA	NA	NA	NA	NA	NA
	11/8/2005	< 0.2	< 0.01	< 0.005	NA	NA	NA	NA	NA	NA
	5/15/2006	< 0.2	< 0.01	< 0.005	NA	NA	NA	NA	NA	NA
	11/14/2006	< 0.2	< 0.01	< 0.005	NA	NA	NA	NA	NA	NA
	5/16/2007	< 0.1	< 0.01	< 0.005	NA	NA	NA	NA	NA	NA
	11/15/2007	< 0.2	< 0.01	< 0.005	3.7	16	1.7	0.195 +/- 0.0690	1.11 +/- 0.34	1.31
	5/15/2008	< 0.2	< 0.01	< 0.005	NA	NA	NA	NA	NA	NA
	11/13/2008	< 0.2	< 0.01	< 0.005	3.1	18	2.2	0.104 +/- 0.0870	1.1 +/- 0.30	1.20
	11/19/2009	< 0.1	< 0.01	NA	2	10	1.3	0.164 +/- 0.12	0.796 +/- 0.37	0.960
11/16/2010	0.11	NA	NA	1.6	14	0.78	0.199 +/- 0.12	0.619 +/- 0.48	0.818	
11/8/2011	0.1	NA	NA	1.5	8.3	0.85	-0.0461 +/- 0.11	1.28 +/- 0.39	1.234	
11/6/2012	0.11	NA	NA	1	4.5	0.93	0.206 +/- 0.13	0.580 +/- 0.40	0.786	
11/5/2013	< 0.10	NA	NA	1.2	2.8	0.34	0.290 +/- 0.16	0.517 +/- 0.43	0.807	
11/13/2014	0.12	NA	NA	1.4	13	0.55	0.194 +/- 0.11	0.663 +/- 0.32	0.857	
11/12/2019	0.12	NA	NA	1.4	2.2	0.23	< 0.0216 +/- 0.0540	< 0.129 +/- 0.295	0.151	
11/22/2024	0.13	NA	NA	4.4	3.9	0.64 H	< 0.0376 +/- 0.0635	< 0.273 +/- 0.340	0.311	

TABLE 8
5-YEAR MONITORING NETWORK
COMPARISON OF COC RESULTS AT GROUNDWATER MONITORING
LOCATIONS FOR SURFICIAL ZONE AND MAIN PRODUCING ZONE
Agrico Site
Pensacola, Florida

Well ID	Date	Fluoride (mg/L)	Arsenic (mg/L)	Lead (mg/L)	Chloride (mg/L)	Sulfate (mg/L)	Nitrate-N (mg/L)	Radium 226 (pCi/L)	Radium 228 (pCi/L)	Combined Radium 226 + 228 (pCi/L)
PERFORMANCE STANDARD		4	0.01	0.015	250	250	10	--	--	5
Surficial Zone										
AC-3S	4/15/1987	0.65	< 0.004	NA	4.1	59	1.9	NA	NA	NA
	10/1/1990	0.21	< 0.01	< 0.005	15	22	4	NA	NA	NA
	2/5/1992	< 0.2	< 0.01	0.0081	5.5	27	2.9	1.4 +/- 0.10	0.8 +/- 0.90	2.20
	9/28/1997	1.4	< 0.01	NA	3.8	24	0.92	< 0.6 +/- 0.05	< 1. +/- 0.46	1.60
	11/17/1999	< 0.2	< 0.01	NA	5.7	14	1.1	< 1. +/- 0.79	< 1.5 +/- 0.60	2.50
	11/21/2000	< 0.2	< 0.01	NA	11	16	2.7	0.3 +/- 0.10	1.1 +/- 1.20	1.40
	11/14/2001	< 0.2	< 0.01	NA	7.7	17	2.3	0.1 +/- 0.09	0. +/- 0.70	0.10
	11/26/2002	< 0.2	< 0.01	NA	3.4	13	1.1	0.4 +/- 0.07	0.6 +/- 0.70	1.00
	1/22/2004	< 0.2	< 0.01	< 0.005	2.9	7.9	1. J	< 0.34 +/- 0.18	< 1.4 +/- 0.86	1.22
	11/17/2004	< 0.2	< 0.01	NA	4.2	13	2.1	0.25 +/- 0.0820	0.285 +/- 0.30	0.535
	11/15/2005	< 0.2	< 0.01	NA	12	15	2.8	<0.0862 +/- 0.10	1.44 +/- 0.40	1.526
	11/22/2006	< 0.2	< 0.01	NA	8.9	16	2.8	0.243 +/- 0.15	0.81 +/- 0.29	1.053
	11/21/2007	< 0.2	< 0.01	NA	5.5	20	2	0.191 +/- 0.11	0.687 +/- 0.25	0.878
	11/13/2008	< 0.2	< 0.01	< 0.005	3.6	11	1.1	0.204 +/- 0.10	0.226 +/- 0.27	0.430
	11/18/2009	< 0.1	< 0.01	NA	3.7	11	1.8	0.14 +/- 0.0790	0.634 +/- 0.38	0.774
	11/29/2010	< 0.1	< 0.01	NA	6.7	17	7.3	0.248 +/- 0.10	0.453 +/- 0.26	0.701
	11/15/2011	< 0.1	< 0.01	NA	3.8	30	3.9	0.147 +/- 0.11	0.888 +/- 0.35	1.035
	11/13/2012	< 0.1	< 0.01	NA	2.9	21	1.7	0.266 +/- 0.18	0.798 +/- 0.37	1.064
11/12/2013	< 0.1	< 0.01	NA	2.4	17	1.5	0.229 +/- 0.16	0.955 +/- 0.41	1.184	
11/11/2014	< 0.10	< 0.005	NA	2.5	15	2	0.030 +/- 0.082	0.159 +/- 0.38	0.189	
11/13/2019	< 0.10	< 0.01	NA	1.6	8.1	1.3	< 0.0615 +/- 0.0767	0.524 +/- 0.295	0.586	
11/18/2024	< 0.10	< 0.020	NA	2.8	15	1.4	0.188 +/- 0.0916	0.699 +/- 0.435	0.887	

TABLE 8
5-YEAR MONITORING NETWORK
COMPARISON OF COC RESULTS AT GROUNDWATER MONITORING
LOCATIONS FOR SURFICIAL ZONE AND MAIN PRODUCING ZONE
Agrico Site
Pensacola, Florida

Well ID	Date	Fluoride (mg/L)	Arsenic (mg/L)	Lead (mg/L)	Chloride (mg/L)	Sulfate (mg/L)	Nitrate-N (mg/L)	Radium 226 (pCi/L)	Radium 228 (pCi/L)	Combined Radium 226 + 228 (pCi/L)
PERFORMANCE STANDARD		4	0.01	0.015	250	250	10	--	--	5
Surficial Zone										
AC-5S	4/15/1987	0.26	NA	NA	7	90	NA	NA	NA	NA
	10/1/1990	< 0.2	< 0.01	< 0.005	12	25	12	NA	NA	NA
	1/31/1992	< 0.2	< 0.01	< 0.005	9.3	27	6.4	NA	NA	NA
	9/26/1997	< 0.2	< 0.01	NA	8.6	27	4.3	< 0.6 +/- 0.05	1.3 +/- 0.44	1.9
	11/17/1999	< 0.2	< 0.01	NA	19	29	5.9	< 1.0 +/- 0.66	1.9	2.9
	11/21/2000	< 0.2	< 0.01	NA	24	30	4.9	0.5 +/- 0.20	0.8 +/- 1	1.3
	11/13/2001	< 0.2	< 0.01	NA	35	31	1.5	0.7 +/- 0.10	1.8 +/- 0.90	2.5
	11/20/2002	< 0.2	< 0.01	NA	17	21	2.1	0.5 +/- 0.10	1. +/- 0.80	1.5
	1/20/2004	< 0.2	< 0.01	< 0.005	14	10	0.9	< 0.26 +/- 0.18	< 0.66 +/- 0.40	0.59
	11/10/2004	< 0.2	< 0.01	NA	46	13	1.2	0.481 +/- 0.11	1.58 +/- 0.30	2.06
	11/16/2005	< 0.2	< 0.01	NA	27	12	1.5	0.352 J +/- 0.13	1.42 +/- 0.43	1.77
	11/21/2006	< 0.2	< 0.01	NA	18	24	4.5	0.461 +/- 0.17	0.928 +/- 0.30	1.39
	11/13/2008	< 0.2	< 0.01	< 0.005	12	19	6.8	0.539 +/- 0.13	1.17 +/- 0.33	1.71
	11/12/2014	< 0.10	NA	NA	9	24	4.5	0.596 +/- 0.21	1.32 +/- 0.48	1.92
11/14/2019	< 0.10	NA	NA	7.0	24	3.0	0.452 +/- 0.133	1.26 +/- 0.402	1.71	
11/21/2024	< 0.10	NA	NA	6.8	20	0.47 H	0.490 +/- 0.171	< 0.760 +/- 0.564	1.25	
Surficial Zone										
AC-6S	4/15/1987	1.04	NA	NA	24.3	74	21.9	NA	NA	NA
	10/1/1990	1.9	<0.01	0.0072	24	32	24	NA	NA	NA
	2/2/1992	0.6	< 0.01	< 0.005	15	28	6.7	NA	NA	NA
	9/25/1997	0.75	< 0.01	NA	12	47	5.3	0.88 +/- 0.07	1.6 +/- 0.48	2.48
	1/27/2004	0.85	< 0.01	< 0.005	30	130	14	2.22 +/- 0.45	5.71 +/- 0.91	7.93
	11/12/2008	0.71	< 0.01	< 0.005	31	110	11	1.3 +/- 0.20	5.01 +/- 0.54	6.31
	11/17/2014	0.48	NA	NA	11	38	5.7	0.937 +/- 0.32	2.04 +/- 0.58	2.98
	11/14/2019	0.35 B	NA	NA	7.6	45	3.5	1.15 +/- 0.206	2.56 +/- 0.493	3.71
11/11/2024	Could Not Locate									

TABLE 8
5-YEAR MONITORING NETWORK
COMPARISON OF COC RESULTS AT GROUNDWATER MONITORING
LOCATIONS FOR SURFICIAL ZONE AND MAIN PRODUCING ZONE
Agrico Site
Pensacola, Florida

Well ID	Date	Fluoride (mg/L)	Arsenic (mg/L)	Lead (mg/L)	Chloride (mg/L)	Sulfate (mg/L)	Nitrate-N (mg/L)	Radium 226 (pCi/L)	Radium 228 (pCi/L)	Combined Radium 226 + 228 (pCi/L)
PERFORMANCE STANDARD		4	0.01	0.015	250	250	10	--	--	5
Surficial Zone										
AC-7SR	5/9/1997	19	0.014	0.012	NA	NA	NA	NA	NA	NA
	11/10/1997	9.1	0.012	0.011	NA	NA	NA	NA	NA	NA
	5/4/1998	10	0.017	0.028	NA	NA	NA	NA	NA	NA
	11/23/1998	6.7	< 0.01	0.011	NA	NA	NA	NA	NA	NA
	5/15/1999	7.4	0.02	0.022	NA	NA	NA	NA	NA	NA
	11/17/1999	6.4	< 0.01	<0.0050	NA	NA	NA	NA	NA	NA
	5/16/2000	5.6	< 0.01	< 0.005	NA	NA	NA	NA	NA	NA
	11/14/2000	5.1	< 0.01	< 0.005	NA	NA	NA	NA	NA	NA
	5/9/2001	5.8	< 0.01	< 0.005	NA	NA	NA	NA	NA	NA
	11/15/2001	5.6	< 0.01	< 0.005	NA	NA	NA	NA	NA	NA
	5/15/2002	6.5	< 0.01	< 0.005	NA	NA	NA	NA	NA	NA
	11/19/2002	4.8	< 0.01	< 0.005	NA	NA	NA	NA	NA	NA
	5/7/2003	6.1	< 0.01	< 0.005	NA	NA	NA	NA	NA	NA
	1/14/2004	6.4	< 0.01	< 0.005	6.4	38	2.8	0.58 J+/- 0.21	1.62 +/- 0.52	2.2
	5/11/2004	9.4	< 0.01	< 0.005	NA	NA	NA	NA	NA	NA
	11/9/2004	9.2	< 0.01	< 0.005	NA	NA	NA	NA	NA	NA
	5/10/2005	5.4	0.01	0.005	NA	NA	NA	NA	NA	NA
	11/8/2005	5.3	< 0.01	< 0.005	NA	NA	NA	NA	NA	NA
	5/15/2006	4.4	< 0.01	< 0.005	NA	NA	NA	NA	NA	NA
	11/14/2006	5.7	< 0.01	< 0.005	NA	NA	NA	NA	NA	NA
	5/16/2007	4.1	< 0.01	< 0.005	NA	NA	NA	NA	NA	NA
	11/15/2007	3.6	< 0.01	< 0.005	6.9	35	2.3	0.339 +/- 0.12	0.974 +/- 0.34	1.31
	5/15/2008	6	< 0.01	0.0056	NA	NA	NA	NA	NA	NA
	11/14/2008	3.3	< 0.01	< 0.005	6.8	46	2.1	0.188 +/- 0.10	1.24 +/- 0.39	1.43
	11/19/2009	3.1	< 0.01	NA	7	32	2.1	0.239 +/- 0.10	1.11 +/- 0.31	1.35
	11/17/2010	3.7	NA	NA	5.1	27	1.7	0.240 +/- 0.11	0.820 +/- 0.30	1.06
11/8/2011	2.9	NA	NA	3.8	30	1.8	0.322 +/- 0.14	1.05 +/- 0.30	1.37	
11/6/2012	0.94	NA	NA	5.8	34	1.9	0.272 +/- 0.16	1.45 +/- 0.44	1.72	
11/5/2013	2.4	NA	NA	5.0	28	1.4	0.172 +/- 0.16	1.09 +/- 0.36	1.26	
11/13/2014	1.8	NA	NA	3.3	28	1.2	0.324 +/- 0.12	0.877 +/- 0.30	1.20	
11/12/2019	1.4	NA	NA	3.1	27	1.5	0.147 +/- 0.0938	< 0.119 +/- 0.305	0.266	
11/18/2024	1.1	NA	NA	4.3	49	1.8	0.349 +/- 0.122	< 0.570 +/- 0.392	0.919	

TABLE 8
5-YEAR MONITORING NETWORK
COMPARISON OF COC RESULTS AT GROUNDWATER MONITORING
LOCATIONS FOR SURFICIAL ZONE AND MAIN PRODUCING ZONE
Agrico Site
Pensacola, Florida

Well ID	Date	Fluoride (mg/L)	Arsenic (mg/L)	Lead (mg/L)	Chloride (mg/L)	Sulfate (mg/L)	Nitrate-N (mg/L)	Radium 226 (pCi/L)	Radium 228 (pCi/L)	Combined Radium 226 + 228 (pCi/L)
PERFORMANCE STANDARD		4	0.01	0.015	250	250	10	--	--	5
Surficial Zone										
AC-24S	2/19/1992	< 0.2	< 0.01	< 0.005	8	7.4	1.6	NA	NA	NA
	9/27/1997	< 0.2	< 0.01	NA	8.4	9.7	1.4	< 0.6 +/- 0.03	< 1. +/- 0.45	1.6
	11/17/1999	< 0.2	< 0.01	NA	8	8.8	1.1	< 1.0 +/- 0.82	< 1.5 +/- 0.68	2.5
	11/21/2000	< 0.2	< 0.01	NA	8	6.7	1.7	0.4 +/- 0.10	5.1 +/- 1.10	5.5
	11/14/2001	< 0.2	< 0.01	NA	8.1	5.9	1.9	0.2 +/- 0.09	0 +/- 0.70	0.2
	11/20/2002	< 0.2	< 0.01	NA	9.2	4.3 J	1.8	0.3 +/- 0.10	0.3	0.6
	1/21/2004	< 0.2	< 0.01	< 0.005	9.9	< 5	1.8	< 0.29 +/- 0.19	< 1.6 +/- 0.9980	1.9
	11/16/2004	< 0.2	< 0.01	NA	8.9	< 5	2.5	0.207 +/- 0.0850	1.44 +/- 0.32	1.65
	11/17/2005	< 0.2	< 0.01	NA	11	7.2	3.6	0.596 J +/- 0.18	2.36 +/- 0.53	2.96
	11/21/2006	< 0.2	< 0.01	NA	17	5.2	6.8	0.595 +/- 0.18	2 +/- 0.40	2.60
	11/18/2008	< 0.2	< 0.01	< 0.005	20	11	1.9	0.33 +/- 0.0990	1.42 +/- 0.33	1.8
	11/24/2014	< 0.10	NA	NA	7.6	12	3.6	0.263 +/- 0.20	1.96 +/- 0.48	2.22
11/14/2019	< 0.10	NA	NA	7.1	12	2.7	0.298 +/- 0.113	1.25 +/- 0.378	1.55	
11/12/2024	< 0.10	NA	NA	8.9	10	1.7	0.413 +/- 0.125	< 0.456 +/- 0.587	0.869	
Surficial Zone										
AC-26S	2/11/1992	< 0.2	< 0.01	< 0.005	10	13	0.95	NA	NA	NA
	9/24/1997	< 0.2	< 0.01	NA	12	21	2.9	< 0.6 +/- 0.06	< 1.0 +/- 0.47	1.6
	11/17/1999	< 0.2	< 0.01	NA	20	17	2.1	1.8	3.1 +/- 0.76	4.9
	11/21/2000	< 0.2	< 0.01	NA	25	15	1.6	0.6 +/- 0.10	4.9 +/- 1.20	5.5
	11/14/2001	< 0.2	< 0.01	NA	23	23	2.3	0.6 +/- 0.10	2.5 +/- 0.90	3.1
	11/21/2002	< 0.2	< 0.01	NA	19	22	1.7	0.7 +/- 0.20	1.5 +/- 1	2.2
	1/20/2004	< 0.2	< 0.01	< 0.005	20	21	1.2	0.82 J +/- 0.25	1.83 +/- 0.42	2.7
	11/10/2004	< 0.2	< 0.01	NA	22	20	2.6	0.722 +/- 0.14	2.43 +/- 0.36	3.15
	11/9/2005	< 0.2	< 0.01	NA	18	20	1.7	0.444 J +/- 0.14	1.56 +/- 0.35	2.00
	11/20/2006	< 0.2	< 0.01	NA	26	19	2.9	0.512 +/- 0.19	1.85 +/- 0.39	2.36
	11/12/2008	< 0.2	< 0.01	< 0.005	11	19	0.74	0.424 +/- 0.12	1.62 +/- 0.43	2.04
	11/19/2014	< 0.10	NA	NA	7.3	13	1	0.0821 +/- 0.11	0.634 +/- 0.33	0.72
	11/11/2019	Could Not Locate								
11/20/2020	Removed from well network									

TABLE 8
5-YEAR MONITORING NETWORK
COMPARISON OF COC RESULTS AT GROUNDWATER MONITORING
LOCATIONS FOR SURFICIAL ZONE AND MAIN PRODUCING ZONE
Agrico Site
Pensacola, Florida

Well ID	Date	Fluoride (mg/L)	Arsenic (mg/L)	Lead (mg/L)	Chloride (mg/L)	Sulfate (mg/L)	Nitrate-N (mg/L)	Radium 226 (pCi/L)	Radium 228 (pCi/L)	Combined Radium 226 + 228 (pCi/L)
PERFORMANCE STANDARD		4	0.01	0.015	250	250	10	--	--	5
Surficial Zone										
AC-27S	4/8/1992	< 0.2	< 0.01	< 0.005	18	< 5	1.9	NA	NA	NA
	9/24/1997	< 0.2	< 0.01	NA	14	4.3	1.5	< 0.6 +/- 0.05	1.1 +/- 0.45	1.7
	1/13/2004	< 0.2	< 0.01	< 0.005	4.5	< 5	0.19	0.18 J+/- 0.12	< 0.88 +/- 0.55	0.88
	11/11/2005	< 0.2	< 0.01	NA	47	< 5	6.4	1.71 +/- 0.38	< 0.418 +/- 0.29	2.13
	11/17/2008	< 0.2	< 0.01	< 0.005	4.7	8.6	0.089	0.167 +/- 0.09	0.157 +/- 0.23	0.324
	11/13/2014	< 0.10	NA	NA	19	4.5	1.5	0.785 +/- 0.25	2.11 +/- 0.48	2.9
	11/15/2019	< 0.10	NA	NA	20	3.4	1.4	0.603 +/- 0.151	1.90 +/- 0.414	2.50
	11/20/2024	< 0.10	NA	NA	16	6.5	1.6	0.697 +/- 0.171	2.87 +/- 0.645	3.57
Surficial Zone										
AC-33S	5/9/1997	0.81	< 0.01	< 0.005	NA	NA	NA	NA	NA	NA
	11/10/1997	0.82	< 0.01	< 0.005	NA	NA	NA	NA	NA	NA
	5/4/1998	1.7	< 0.01	< 0.005	NA	NA	NA	NA	NA	NA
	11/23/1998	0.47	< 0.01	< 0.005	NA	NA	NA	NA	NA	NA
	5/15/1999	0.29	0.017	0.0063	NA	NA	NA	NA	NA	NA
	11/17/1999	0.26	< 0.01	< 0.005	NA	NA	NA	NA	NA	NA
	5/16/2000	0.25	< 0.01	< 0.005	NA	NA	NA	NA	NA	NA
	11/14/2000	0.22	< 0.01	< 0.005	NA	NA	NA	NA	NA	NA
	5/9/2001	0.32	< 0.01	< 0.005	NA	NA	NA	NA	NA	NA
	11/15/2001	0.4	< 0.01	< 0.005	NA	NA	NA	NA	NA	NA
	5/15/2002	0.33	< 0.01	< 0.005	NA	NA	NA	NA	NA	NA
	11/19/2002	0.5	< 0.01	< 0.005	NA	NA	NA	NA	NA	NA
	5/7/2003	0.63	< 0.01	< 0.005	NA	NA	NA	NA	NA	NA
	1/14/2004	0.71	< 0.01	< 0.005	26	94	1.7	3.27 +/- 0.54	11.9 +/- 1.50	15.2
	5/11/2004	1.2	< 0.01	< 0.005	NA	NA	NA	NA	NA	NA
	11/9/2004	2.7	< 0.01	< 0.005	NA	NA	NA	NA	NA	NA
	5/10/2005	0.6	0.01	0.005	NA	NA	NA	NA	NA	NA
	11/8/2005	0.75	< 0.01	< 0.005	NA	NA	NA	NA	NA	NA
	5/15/2006	0.27	< 0.01	< 0.005	NA	NA	NA	NA	NA	NA
	11/14/2006	1.4	< 0.01	< 0.005	NA	NA	NA	NA	NA	NA
	5/16/2007	1.4	< 0.01	< 0.005	NA	NA	NA	NA	NA	NA
	11/15/2007	0.64	< 0.01	< 0.005	7.5	26	1.5	0.437 +/- 0.14	1.38 +/- 0.34	1.82
	5/15/2008	0.94	< 0.01	< 0.005	NA	NA	NA	NA	NA	NA
	11/14/2008	0.94	< 0.01	< 0.005	7.7	27	1.6	0.673 +/- 0.15	1.92 +/- 0.39	2.59
	11/19/2009	1.6	< 0.01	NA	6.5	23	1	0.475 +/- 0.13	2.73 +/- 0.41	3.21
	11/16/2010	0.77	NA	NA	8.5	25	0.59	0.522 +/- 0.19	1.99 +/- 0.50	2.51
11/8/2011	0.61	NA	NA	1.9	20	0.45	0.391 +/- 0.15	2.00 +/- 0.44	2.39	
11/6/2012	0.67	NA	NA	6.6	90	0.36	0.930 +/- 0.28	4.68 +/- 0.78	5.61	
11/5/2013	0.78	NA	NA	5.7	20	0.24	0.410 +/- 0.20	2.07 +/- 0.47	2.48	
11/13/2014	0.63	NA	NA	3.4	28	0.18	0.435 +/- 0.15	2.47 +/- 0.50	2.91	
11/12/2019	0.46	NA	NA	2.9	20	0.27	0.221 +/- 0.0977	1.13 +/- 0.385	1.35	
11/18/2024	0.47	NA	NA	3.8	24	1.5	0.206 +/- 0.0906	0.635 +/- 0.350	0.84	

TABLE 8
5-YEAR MONITORING NETWORK
COMPARISON OF COC RESULTS AT GROUNDWATER MONITORING
LOCATIONS FOR SURFICIAL ZONE AND MAIN PRODUCING ZONE
Agrico Site
Pensacola, Florida

Well ID	Date	Fluoride (mg/L)	Arsenic (mg/L)	Lead (mg/L)	Chloride (mg/L)	Sulfate (mg/L)	Nitrate-N (mg/L)	Radium 226 (pCi/L)	Radium 228 (pCi/L)	Combined Radium 226 + 228 (pCi/L)
PERFORMANCE STANDARD		4	0.01	0.015	250	250	10	--	--	5
Surficial Zone										
AC-34S	5/9/1997	16	< 0.01	< 0.005	NA	NA	NA	NA	NA	NA
	11/10/1997	9.5	< 0.01	< 0.005	NA	NA	NA	NA	NA	NA
	5/4/1998	6.3	< 0.01	< 0.005	NA	NA	NA	NA	NA	NA
	11/23/1998	3.8	< 0.01	< 0.005	NA	NA	NA	NA	NA	NA
	5/15/1999	3.5	< 0.01	< 0.005	NA	NA	NA	NA	NA	NA
	11/17/1999	2.5	< 0.01	< 0.005	NA	NA	NA	NA	NA	NA
	5/16/2000	2.6	< 0.01	< 0.005	NA	NA	NA	NA	NA	NA
	11/14/2000	1.6	< 0.01	< 0.005	NA	NA	NA	NA	NA	NA
	5/9/2001	1.2	< 0.01	< 0.005	NA	NA	NA	NA	NA	NA
	11/15/2001	1.6	< 0.01	< 0.005	NA	NA	NA	NA	NA	NA
	5/15/2002	1.4	< 0.01	< 0.005	NA	NA	NA	NA	NA	NA
	11/19/2002	1.2	< 0.01	< 0.005	NA	NA	NA	NA	NA	NA
	5/7/2003	1.9	< 0.01	< 0.005	NA	NA	NA	NA	NA	NA
	1/14/2004	2	< 0.01	< 0.005	9.3	80	6.5	0.38 J+/- 0.18	2.04 +/- 0.58	2.42
	5/11/2004	9.7	0.011	< 0.005	NA	NA	NA	NA	NA	NA
	11/9/2004	9.2	< 0.01	< 0.005	NA	NA	NA	NA	NA	NA
	5/10/2005	8	< 0.01	< 0.005	NA	NA	NA	NA	NA	NA
	11/8/2005	7.3	< 0.01	< 0.005	NA	NA	NA	NA	NA	NA
	5/15/2006	6.4	< 0.01	< 0.005	NA	NA	NA	NA	NA	NA
	11/14/2006	5.6	< 0.01	< 0.005	NA	NA	NA	NA	NA	NA
	5/16/2007	4.6	< 0.01	< 0.005	NA	NA	NA	NA	NA	NA
	11/15/2007	4.2	< 0.01	< 0.005	8.6	74	2.4	0.261 +/- 0.12	2.06 +/- 0.43	2.32
	5/15/2008	3.1	< 0.01	< 0.005	NA	NA	NA	NA	NA	NA
	11/14/2008	2.4	< 0.01	< 0.005	7.2	68	2.8	0.159 +/- 0.0990	2.04 +/- 0.38	2.20
	11/19/2009	1.6	< 0.01	NA	5.9	60	2.3	0.152 +/- 0.12	2.54 +/- 0.42	2.69
	11/17/2010	1.9	NA	NA	5.1	68	6.6	0.149 +/- 0.085	1.14 +/- 0.34	1.29
11/9/2011	1	NA	NA	3.3	67	2.9	0.296 +/- 0.15	0.984 +/- 0.31	1.28	
11/7/2012	0.97	NA	NA	2.1	37	2.8	0.152 +/- 0.12	0.785 +/- 0.29	0.937	
11/5/2013	0.77	NA	NA	4.1	52	2.1	0.218 +/- 0.14	0.927 +/- 0.36	1.15	
11/13/2014	1.2	NA	NA	3.2	39	2.6	0.0455 +/- 0.084	0.593 +/- 0.28	0.64	
11/12/2019	2.0	NA	NA	2.6	52	1.8	< -0.0857 +/- 0.0531	0.138 +/- 0.263	0.052	
11/18/2024	1.9	NA	NA	3.6	36	2.8	< 0.0231 +/- 0.0527	< -0.138 +/- 0.314	-0.115	

TABLE 8
5-YEAR MONITORING NETWORK
COMPARISON OF COC RESULTS AT GROUNDWATER MONITORING
LOCATIONS FOR SURFICIAL ZONE AND MAIN PRODUCING ZONE
Agrico Site
Pensacola, Florida

Well ID	Date	Fluoride (mg/L)	Arsenic (mg/L)	Lead (mg/L)	Chloride (mg/L)	Sulfate (mg/L)	Nitrate-N (mg/L)	Radium 226 (pCi/L)	Radium 228 (pCi/L)	Combined Radium 226 + 228 (pCi/L)
PERFORMANCE STANDARD		4	0.01	0.015	250	250	10	--	--	5
Surficial Zone										
NWD-2S	10/1/1990	0.78	< 0.01	< 0.005	8.6	25	5.7	NA	NA	NA
	2/3/1992	4.2	< 0.01	< 0.005	8.2	19	4.6	NA	NA	NA
	9/25/1997	5.2	< 0.01	NA	4	25	3	< 0.6 +/- 0.07	1.2 +/- 0.42	1.8
	11/17/1999	4.5	< 0.01	NA	7.1	30	3.5	1.1 +/- 0.59	< 1.5 +/- 0.06	2.6
	11/21/2000	4.2	< 0.01	NA	4.3	32	3.4	1.56 +/- 0.30	2.6 +/- 0.90	4.2
	11/14/2001	3.7	< 0.01	NA	5.1	28	3.6	0.8 +/- 0.20	1.2 +/- 0.80	2
	11/20/2002	3.1	< 0.01	NA	4.4	28	2.8	0.7 +/- 0.10	1.1	1.8
	1/19/2004	3.2	< 0.01	< 0.005	12	26	5	0.66 J+/- 0.19	1.61 +/- 0.60	2.3
	11/10/2004	2.7	< 0.01	NA	14	28	5.1	0.628 +/- 0.15	1.67 +/- 0.32	2.30
	11/17/2005	2.2	< 0.01	NA	11	35	4	0.237 J+/- 0.11	1.86 +/- 0.46	2.10
	11/21/2006	2.1	< 0.01	NA	15	27	5.3	0.48 +/- 0.22	1.3 +/- 0.34	1.8
	11/12/2008	2	< 0.01	< 0.005	12	19	3.4	0.616 +/- 0.14	1.27 +/- 0.35	1.89
	11/11/2014	1.6	NA	NA	8.3	13	2.1	0.339 +/- 0.16	0.875 +/- 0.33	1.21
11/15/2019	1.6 B	NA	NA	5.8	13	1.9	0.338 +/- 0.113	0.743 +/- 0.313	1.08	
11/12/2024	1.1	NA	NA	5.2	14	2.3	0.435 +/- 0.125	1.15 +/- 0.691	1.59	

TABLE 8
5-YEAR MONITORING NETWORK
COMPARISON OF COC RESULTS AT GROUNDWATER MONITORING
LOCATIONS FOR SURFICIAL ZONE AND MAIN PRODUCING ZONE
Agrico Site
Pensacola, Florida

Well ID	Date	Fluoride (mg/L)	Arsenic (mg/L)	Lead (mg/L)	Chloride (mg/L)	Sulfate (mg/L)	Nitrate-N (mg/L)	Radium 226 (pCi/L)	Radium 228 (pCi/L)	Combined Radium 226 + 228 (pCi/L)
PERFORMANCE STANDARD		4	0.01	0.015	250	250	10	--	--	5
Surficial Zone										
NWD-4S	2/7/1992	< 0.2	< 0.01	0.0054	6.1	< 5	1.3	0.7 +/- 0.20	1.5 +/- 0.80	2.2
	9/26/1997	< 0.2	< 0.01	NA	4.7	< 5	0.41	< 0.6 +/- 0.04	< 1 +/- 0.40	1.6
	11/17/1999	< 0.2	< 0.01	NA	7.2	< 5	0.31	1.4	< 1.5 +/- 0.81	2.9
	11/21/2000	< 0.2	< 0.01	NA	5.5	< 5	0.4	0.5 +/- 0.10	6.4 +/- 1.20	6.9
	11/13/2001	< 0.2	< 0.01	NA	5	< 5	0.44	0.5 +/- 0.10	1.8 +/- 0.80	2.3
	11/22/2002	< 0.2	< 0.01	NA	5.5	< 5	0.35	0.6 +/- 0.20	1.1 +/- 0.80	1.7
	1/21/2004	< 0.2	< 0.01	< 0.005	9.6	< 5	1.2	0.5 J+/- 0.22	2.17 +/- 0.95	2.7
	11/16/2004	< 0.2	< 0.01	NA	9.8	< 5	0.61	0.583 +/- 0.15	1.49 +/- 0.33	2.07
	11/15/2005	< 0.2	< 0.01	NA	15	< 5	0.28	0.741 J+/- 0.23	1.62 +/- 0.46	2.36
	11/21/2006	< 0.2	< 0.01	NA	17	< 5	1.2	0.79 +/- 0.19	0.973 +/- 0.34	1.8
	11/19/2008	< 0.2	< 0.01	< 0.005	9.4	< 5	2.6	0.951 +/- 0.15	1.08 +/- 0.31	2.03
	11/14/2014	< 0.10	NA	NA	4.3	4.8	0.41	0.515 +/- 0.22	1.17 +/- 0.37	1.69
	11/19/2019	< 0.10	NA	NA	6.7	3.1	2.8	0.757 +/- 0.164	1.32 +/- 0.362	2.08
11/15/2024	< 0.10	NA	NA	16	2.9	16	2.43 +/- 0.359	4.73 +/- 0.878	7.16	
Main Producing Zone										
AC-5D	10/1/1990	< 0.2	< 0.01	< 0.005	10	< 5	5.4	NA	NA	NA
	1/31/1992	< 0.2	< 0.01	< 0.005	13	6.4	5.1	NA	NA	NA
	9/26/1997	3.6	< 0.01	NA	9.7	< 5	3.8	< 0.6 +/- 0.04	1.4 +/- 0.44	2.0
	1/20/2004	< 0.2	< 0.01	< 0.005	10	< 5	4.5	1.15 +/- 0.28	1.7 +/- 0.46	2.9
	11/13/2008	< 0.2	< 0.01	< 0.005	7.9	< 5	3.6	0.922 +/- 0.17	1.3 +/- 0.38	2.2
	11/12/2014	< 0.10	NA	NA	7	1.4	2.8	0.660 +/- 0.19	1.44 +/- 0.5	2.1
	11/14/2019	< 0.10 F2	NA	NA	6.5	1.1	2.6	0.841 +/- 0.173	0.809 +/- 0.350	1.7
	11/22/2024	< 0.10	NA	NA	9.8	3.5	2.5 H	0.978 +/- 0.187	1.89 +/- 0.557	2.87

TABLE 8
5-YEAR MONITORING NETWORK
COMPARISON OF COC RESULTS AT GROUNDWATER MONITORING
LOCATIONS FOR SURFICIAL ZONE AND MAIN PRODUCING ZONE
Agrico Site
Pensacola, Florida

Well ID	Date	Fluoride (mg/L)	Arsenic (mg/L)	Lead (mg/L)	Chloride (mg/L)	Sulfate (mg/L)	Nitrate-N (mg/L)	Radium 226 (pCi/L)	Radium 228 (pCi/L)	Combined Radium 226 + 228 (pCi/L)
PERFORMANCE STANDARD		4	0.01	0.015	250	250	10	--	--	5
Main Producing Zone										
AC-6D	10/1/1990	< 0.2	< 0.01	< 0.005	13	75	8.6	NA	NA	NA
	2/2/1992	< 0.2	< 0.01	< 0.005	12	51	6.4	NA	NA	NA
	9/25/1997	< 0.2	< 0.01	NA	9.1	18	4.6	2.7 +/- 0.12	2.8 +/- 0.54	5.5
	1/27/2004	< 0.2	< 0.01	< 0.005	11	16	7.7	4.58 +/- 0.69	6.6 +/- 1.30	11.18
	11/19/2007	< 0.2	< 0.01	NA	12	36	6.6	3.07 +/- 0.34	1.67 +/- 0.39	4.74
	11/12/2008	< 0.2	< 0.01	< 0.005	13	42	5.9	3.79 +/- 0.32	3.45 +/- 0.48	7.24
	11/17/2009	< 0.1	< 0.01	NA	12	31	4	3.64 +/- 0.35	2.82 +/- 0.53	6.46
	11/22/2010	< 0.1	NA	NA	12	32	5	4.59 +/- 0.92	2.94 +/- 0.60	7.53
	11/10/2011	< 0.1	NA	NA	10	29	5	5.14 +/- 0.45	3.28 +/- 0.54	8.42
	11/7/2012	< 0.1	NA	NA	11	37	5.1	4.10 +/- 0.93	3.04 +/- 0.58	7.14
	11/7/2013	< 0.10	NA	NA	12	37	5.0	3.65 +/- 0.83	2.86 +/- 0.60	6.51
	11/14/2014	< 0.10	NA	NA	7	43	4.7	3.41 +/- 0.95	2.26 +/- 0.54	5.67
	1/29/2020	0.12	NA	NA	8.1	8.3	1.1	0.165 +/- 0.104	< 0.0343 +/- 0.301	0.20
11/11/2024	Damaged									

TABLE 8
5-YEAR MONITORING NETWORK
COMPARISON OF COC RESULTS AT GROUNDWATER MONITORING
LOCATIONS FOR SURFICIAL ZONE AND MAIN PRODUCING ZONE
Agrico Site
Pensacola, Florida

Well ID	Date	Fluoride (mg/L)	Arsenic (mg/L)	Lead (mg/L)	Chloride (mg/L)	Sulfate (mg/L)	Nitrate-N (mg/L)	Radium 226 (pCi/L)	Radium 228 (pCi/L)	Combined Radium 226 + 228 (pCi/L)
PERFORMANCE STANDARD		4	0.01	0.015	250	250	10	--	--	5
Main Producing Zone										
AC-8D	4/15/1987	0.21	< 0.002	NA	14	40	NA	NA	NA	NA
	10/1/1990	< 0.2	< 0.01	< 0.005	4.9	4	< 0.05	NA	NA	NA
	4/10/1992	< 0.2	< 0.01	< 0.005	14	5.7	7.1	NA	NA	NA
	9/25/1997	< 0.2	< 0.01	NA	14	< 5	6.7	< 0.6 +/- 0.07	< 1 +/- 0.44	1.6
	11/18/1999	< 0.2	< 0.01	NA	17	< 5	8.1	1.7	1.9	3.6
	11/17/2000	< 0.2	< 0.01	NA	16	< 5	9.1	0.9 +/- 0.20	2.7 +/- 0.90	3.6
	11/13/2001	< 0.2	< 0.01	NA	16	< 5	8.9	1. +/- 0.20	2.5 +/- 1	3.5
	11/25/2002	< 0.2	< 0.01	NA	17	< 5	9.1	1.5 +/- 0.20	2. +/- 0.90	3.5
	1/27/2004	< 0.2	< 0.01	< 0.005	18	< 5	9.3	1.28 +/- 0.28	1.94 +/- 0.54	3.22
	11/10/2004	< 0.2	< 0.01	NA	18	< 5	9.4	1.04 +/- 0.15	1.96 +/- 0.35	3.00
	11/9/2005	< 0.2	< 0.01	NA	16	< 5	8.1	0.837 J+/- 0.23	1.42 +/- 0.35	2.26
	11/16/2006	< 0.2	< 0.01	NA	15	< 5	8.9	0.805 +/- 0.15	1.5 +/- 0.40	2.3
	11/19/2007	< 0.2	< 0.01	NA	15	< 5	7.8	0.74 +/- 0.19	1.23 +/- 0.39	2.0
	11/11/2008	< 0.2	< 0.01	< 0.005	16	< 5	7.0	0.776 +/- 0.19	0.96 +/- 0.34	1.7
	11/11/2009	< 0.1	< 0.01	NA	15	3.3	7.4	0.933 +/- 0.17	1.16 +/- 0.40	2.09
	11/18/2010	< 0.1	NA	NA	14	3.5	6.1	0.668 +/- 0.18	1.71 +/- 0.44	2.38
	11/9/2011	< 0.1	NA	NA	13	3.7	6.5	0.863 +/- 0.22	1.45 +/- 0.36	2.31
	11/7/2012	< 0.1	NA	NA	12	4.2	6.3	0.918 +/- 0.28	1.65 +/- 0.43	2.57
	11/6/2013	< 0.10	NA	NA	13	4.5	5.3	0.941 +/- 0.37	1.79 +/- 0.45	2.73
11/13/2014	< 0.10	NA	NA	13	4.8	5.3	0.207 +/- 0.11	1.14 +/- 0.35	1.35	
11/20/2019	0.63	NA	NA	12	6.1	5.3	0.714 +/- 0.163	0.940 +/- 0.306	1.65	
11/14/2024	< 0.10	NA	NA	12	6.8	5.2	0.854 +/- 0.186	1.75 +/- 0.536	2.60	

TABLE 8
5-YEAR MONITORING NETWORK
COMPARISON OF COC RESULTS AT GROUNDWATER MONITORING
LOCATIONS FOR SURFICIAL ZONE AND MAIN PRODUCING ZONE
Agrico Site
Pensacola, Florida

Well ID	Date	Fluoride (mg/L)	Arsenic (mg/L)	Lead (mg/L)	Chloride (mg/L)	Sulfate (mg/L)	Nitrate-N (mg/L)	Radium 226 (pCi/L)	Radium 228 (pCi/L)	Combined Radium 226 + 228 (pCi/L)
PERFORMANCE STANDARD		4	0.01	0.015	250	250	10	--	--	5
Main Producing Zone										
AC-9D2	9/27/1997	1	< 0.01	NA	5.3	5.6	0.45	< 0.6 +/- 0.04	< 1 +/- 0.44	1.6
	1/28/2004	37	< 0.01	< 0.005	56	230	13	3.06 +/- 0.49	12.8 +/- 1.60	15.9
	11/17/2008	33	< 0.01	< 0.005	47	220	13	1.51 +/- 0.24	7.9 +/- 0.67	9.4
	11/12/2009	36	< 0.01	NA	50	250	14	2.03 +/- 0.27	8.87 +/- 0.70	10.9
	11/19/2010	40	NA	NA	47	250	13	2.06 +/- 0.47	7.81 +/- 1.1	9.87
	11/10/2011	42	NA	NA	44	230	13	1.52 +/- 0.26	8.56 +/- 0.67	10.1
	11/12/2012	36	NA	NA	43	260	13	1.34 +/- 0.097	8.28 +/- 1.1	9.90
	11/7/2013	41	NA	NA	39	270	10	1.59 +/- 0.40	9.26 +/- 1.3	10.9
	11/20/2014	29	NA	NA	36	240	11	1.86 +/- 0.54	7.96 +/- 1.1	9.8
	11/21/2019	19	NA	NA	29	200	9.7	1.56 +/- 0.254	8.43 +/- 1.05	10.0
11/13/2024	14	NA	NA	21	190	8.6	1.42 +/- 0.244	8.88 +/- 1.24	10.3	
Main Producing Zone										
AC-10D	10/1/1990	< 0.2	< 0.01	0.013	9.7	140	5.2	NA	NA	NA
	4/9/1992	< 0.2	< 0.01	< 0.005	10	65	3.6	NA	NA	NA
	9/27/1997	< 0.2	< 0.01	NA	12	97	6.6	0.93 +/- 0.07	2.8 +/- 5.20	3.7
	1/28/2004	< 0.2	< 0.01	< 0.005	14	42	7.7	1.91 +/- 0.36	3.32 +/- 0.81	5.23
	11/12/2008	< 0.2	< 0.01	< 0.005	8	29	6.1	1.13 +/- 0.18	2.2 +/- 0.40	3.32
	11/18/2014	< 0.10	NA	NA	11	22	5	1.02 +/- 0.29	2.17 +/- 0.51	3.19
	11/21/2019	< 0.10	NA	NA	14	18	5.7	1.22 +/- 0.218	0.240 +/- 0.441	1.46
	11/13/2024	< 0.10	NA	NA	13	18	5.3	1.10 +/- 0.213	1.28 +/- 0.671	2.38
Main Producing Zone										
AC-11D	10/1/1990	< 0.2	< 0.01	0.0058	10	< 5	4.3	NA	NA	NA
	4/9/1992	< 0.2	< 0.01	< 0.005	9.5	< 5	3.5	NA	NA	NA
	9/24/1997	< 0.2	< 0.01	NA	11	< 5	3.8	0.66 +/- 0.06	1.2 +/- 0.45	1.9
	1/27/2004	< 0.2	< 0.01	< 0.005	11	< 5	4.9	1.28 +/- 0.29	3.04 +/- 0.75	4.32
	11/11/2008	< 0.2	< 0.01	< 0.005	10	< 5	3	0.828 +/- 0.19	1.93 +/- 0.41	2.76
	11/18/2014	< 0.10	NA	NA	8.9	1.4	2.3	0.851 +/- 0.25	1.63 +/- 0.46	2.48
	11/20/2019	< 0.10	NA	NA	10	3.4	1.5	0.788 +/- 0.173	1.90 +/- 0.416	2.69
	11/14/2024	< 0.10	NA	NA	9.2	6.1	1.4	0.829 +/- 0.181	1.90 +/- 0.563	2.73

TABLE 8
5-YEAR MONITORING NETWORK
COMPARISON OF COC RESULTS AT GROUNDWATER MONITORING
LOCATIONS FOR SURFICIAL ZONE AND MAIN PRODUCING ZONE
Agrico Site
Pensacola, Florida

Well ID	Date	Fluoride (mg/L)	Arsenic (mg/L)	Lead (mg/L)	Chloride (mg/L)	Sulfate (mg/L)	Nitrate-N (mg/L)	Radium 226 (pCi/L)	Radium 228 (pCi/L)	Combined Radium 226 + 228 (pCi/L)
PERFORMANCE STANDARD		4	0.01	0.015	250	250	10	--	--	5
Main Producing Zone										
AC-14D	10/1/1990	0.028	< 0.01	< 0.005	9	34	4.2	NA	NA	NA
	4/8/1992	< 0.2	< 0.01	0.0219	9.4	33	3.5	NA	NA	NA
	9/24/1997	< 0.2	< 0.01	NA	10	18	4.2	< 0.6 +/- 0.07	1.2 +/- 0.44	1.8
	1/28/2004	< 0.2	< 0.01	< 0.005	11	39	5.8	2.05 +/- 0.37	4.8 +/- 1	6.9
	11/11/2008	< 0.2	< 0.01	< 0.005	12	32	5.5	1.89 +/- 0.30	1.97 +/- 0.40	3.86
	11/19/2014	< 0.10	NA	NA	11	26	5.3	1.41 +/- 0.39	1.82 +/- 0.47	3.23
	11/11/2019	Could Not Locate								
	11/11/2020	Removed from well network								
Main Producing Zone										
AC-21D	10/1/1990	< 0.2	< 0.01	0.0053	15	9.8	6	NA	NA	NA
	2/2/1992	< 0.2	< 0.01	< 0.005	13	11	5.5	NA	NA	NA
	9/26/1997	< 0.2	< 0.01	NA	21	11	5.9	2.3 +/- 0.12	3.5 +/- 0.50	5.8
	1/29/2004	< 0.2	< 0.01	< 0.005	19	16	8.1	3.72 +/- 0.57	4.71 +/- 0.79	8.43
	11/12/2008	< 0.2	< 0.01	< 0.005	10	24	4	2.03 +/- 0.23	2.08 +/- 0.38	4.11
	11/17/2014	< 0.10	NA	NA	7.5	9.8	3.1	1.69 +/- 0.39	2.30 +/- 0.52	3.99
	11/14/2019	< 0.10	NA	NA	8.2	8.5	3.5	1.88 +/- 0.285	2.20 +/- 0.472	4.08
	11/15/2024	< 0.10	NA	NA	8.2	6.5	3.8	1.83 +/- 0.303	2.02 +/- 0.574	3.85
Main Producing Zone										
AC-22D	10/1/1990	2.2	< 0.01	< 0.005	15	17	8.6	NA	NA	NA
	9/25/1997	0.81	< 0.01	NA	14	6	7.7	0.65 +/- 0.06	1.1 +/- 0.47	1.8
	1/29/2004	1.2	< 0.01	< 0.005	8.9	10	5	1.55 +/- 0.33	4.01 +/- 0.68	5.56
	11/11/2008	3.1	< 0.01	< 0.005	9.4	15	3.9	1.34 +/- 0.23	2.65 +/- 0.42	3.99
	11/18/2014	5	NA	NA	12	13	4.4	1.11 +/- 0.30	2.59 +/- 0.56	3.7
	11/18/2019	4.6	NA	NA	13	21	3.5	1.20 +/- 0.216	3.18 +/- 0.529	4.38
	11/20/2024	2.8	NA	NA	7.1	21	1.5	0.883 +/- 0.183	3.55 +/- 0.766	4.43
Main Producing Zone										
AC-23D	10/1/1990	< 0.2	< 0.01	< 0.005	24	28	4.5	NA	NA	NA
	2/6/1992	< 0.2	< 0.01	< 0.005	26	17	5.8	NA	NA	NA
	9/26/1997	< 0.2	< 0.01	NA	12	9.5	3.1	1 +/- 0.08	1.7 +/- 0.43	2.7
	1/22/2004	< 0.2	< 0.01	< 0.005	8.9	15	5.2J	3.74 +/- 0.63	4.81 +/- 0.9950	8.55
	11/18/2008	< 0.2	< 0.01	< 0.005	10	20	4.6	2.96 +/- 0.26	3.51 +/- 0.44	6.47
	11/11/2014	< 0.10	NA	NA	9.1	20	2.5	2.51 +/- 0.62	3.63 +/- 0.66	6.14
	11/25/2019	< 0.10	NA	NA	7.3	23	3.8	2.19 +/- 0.314	3.89* +/- 0.527	6.08
	11/13/2024	< 0.10	NA	NA	6.1	23	2	1.91 +/- 0.300	4.99 +/- 0.901	6.9

TABLE 8
5-YEAR MONITORING NETWORK
COMPARISON OF COC RESULTS AT GROUNDWATER MONITORING
LOCATIONS FOR SURFICIAL ZONE AND MAIN PRODUCING ZONE
Agrico Site
Pensacola, Florida

Well ID	Date	Fluoride (mg/L)	Arsenic (mg/L)	Lead (mg/L)	Chloride (mg/L)	Sulfate (mg/L)	Nitrate-N (mg/L)	Radium 226 (pCi/L)	Radium 228 (pCi/L)	Combined Radium 226 + 228 (pCi/L)	
PERFORMANCE STANDARD		4	0.01	0.015	250	250	10	--	--	5	
Main Producing Zone											
AC-26D	2/11/1992	< 0.2	< 0.01	< 0.005	6.2	6.9	1.1	NA	NA	NA	
	9/24/1997	< 0.2	< 0.01	NA	3.3	10	0.18	< 0.6 +/- 0.04	< 1 +/- 0.43	1.6	
	1/20/2004	< 0.2	< 0.01	< 0.005	4.9	< 5	1.4	< 0.21 +/- 0.15	< 0.55 +/- 0.32	0.21	
	11/12/2008	< 0.2	< 0.01	< 0.005	3.8	9.8	0.07	0.161 +/- 0.0760	0.0167 +/- 0.14	0.178	
	11/19/2014	< 0.10	NA	NA	2.8	7.5	<0.050	0.0322 +/- 0.11	0.122 +/- 0.24	0.154	
	11/11/2019	Could Not Locate									
	11/11/2020	Removed from well network									
Main Producing Zone											
AC-27D	4/8/1992	< 0.2	< 0.01	0.0272	6.7	11	0.3	NA	NA	NA	
	9/24/1997	< 0.2	< 0.01	NA	4.7	14	< 0.05	< 0.6 +/- 0.06	< 1 +/- 0.41	1.6	
	1/13/2004	< 0.2	< 0.01	< 0.005	16	5	3	1.09 +/- 0.26	4.83 +/- 0.92	5.92	
	11/11/2005	< 0.2	< 0.01	NA	4.6	9.6	0.12	0.266 J +/- 0.11	6.75 +/- 1	7.02	
	11/18/2008	< 0.2	< 0.01	< 0.005	29	< 5	2	1.12 +/- 0.18	2.43 +/- 0.40	3.55	
	11/13/2014	0.1	NA	NA	4	10	0.095	0.136 +/- 0.096	0.582 +/- 0.36	0.72	
	11/19/2019	< 0.10 F2	NA	NA	4.4 F1	9.9	< 0.05	0.154 +/- 0.0890	< 0.208 +/- 0.284	0.36	
	11/20/2024	< 0.10	NA	NA	4.7	8.3	0.29 F2F1	0.200 +/- 0.0965	< 0.0336 +/- 0.367	0.234	
Main Producing Zone											
AC-28D	10/14/1993	3.1	NA	NA	NA	13	NA	NA	NA	NA	
	9/27/1997	0.42	< 0.01	NA	14	< 5	6.1	1 +/- 0.08	5.9 +/- 0.59	6.9	
	1/21/2004	5.9	< 0.01	< 0.005	26	24	6	1.93 +/- 0.43	6.5 +/- 1.30	8.4	
	11/17/2008	7.6	< 0.01	< 0.005	31	49	6.8	2.07 +/- 0.24	6.43 +/- 0.59	8.5	
	11/12/2009	8.1	< 0.01	NA	31	55	6.7	2.29 +/- 0.26	6.97 +/- 0.64	9.26	
	11/19/2010	9.5	NA	NA	30	67	6.7	2.70 +/- 0.56	8.60 +/- 0.56	11.3	
	11/10/2011	9.3	NA	NA	23	56	6.8	3.27 +/- 0.35	10.4 +/- 0.81	13.7	
	11/12/2012	9.5	NA	NA	30	74	6.4	3.48 +/- 0.99	10.3 +/- 1.4	13.8	
	11/6/2013	9.6	NA	NA	28	69	5.5	3.57 +/- 1.0	11.2 +/- 1.6	14.8	
	11/20/2014	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	11/21/2019	9.2	NA	NA	23	92	6.3	3.04 +/- 0.394	8.34 +/- 0.991	11.4	
	11/14/2024	7.4	NA	NA	16	100	4.9	2.89 +/- 0.391	14.3 +/- 1.77	17.2	

TABLE 8
5-YEAR MONITORING NETWORK
COMPARISON OF COC RESULTS AT GROUNDWATER MONITORING
LOCATIONS FOR SURFICIAL ZONE AND MAIN PRODUCING ZONE
Agrico Site
Pensacola, Florida

Well ID	Date	Fluoride (mg/L)	Arsenic (mg/L)	Lead (mg/L)	Chloride (mg/L)	Sulfate (mg/L)	Nitrate-N (mg/L)	Radium 226 (pCi/L)	Radium 228 (pCi/L)	Combined Radium 226 + 228 (pCi/L)
PERFORMANCE STANDARD		4	0.01	0.015	250	250	10	--	--	5
Main Producing Zone										
AC-30D	9/26/1997	15	< 0.01	NA	60	100	11	3 +/- 0.12	7.9 +/- 0.61	10.9
	11/22/1999	18	< 0.01	NA	70	130	12	2.5	9.5	12
	11/17/2000	11	< 0.01	NA	50	100	11	2.6 +/- 0.30	14.6 +/- 1.70	17.2
	11/13/2001	11	< 0.01	NA	44	92	9.8	3.4 +/- 0.30	9.3 +/- 1.40	12.7
	11/25/2002	61	< 0.01	NA	120	250	16	2.8 +/- 0.30	13.1 +/- 1.50	15.9
	1/15/2004	46	0.017	< 0.005	94	190	15	6.96 +/- 0.97	21.4 +/- 2.40	28.4
	11/16/2004	34	< 0.01	NA	56	180	15	1.98 +/- 0.21	12.5 +/- 0.78	14.5
	11/17/2005	16	< 0.01	NA	44	120	9.2	1.48 +/- 0.34	11.9 +/- 1.60	13.4
	11/17/2006	11	< 0.01	NA	29	91	7.9	1.27 +/- 0.17	8.37 +/- 0.73	9.64
	11/20/2007	12	< 0.01	NA	25	64	7.2	1.62 +/- 0.25	6.48 +/- 0.57	8.10
	11/18/2008	8	< 0.01	< 0.005	25	60	6	1.69 +/- 0.22	6.8 +/- 0.63	8.49
	11/17/2009	6.7	< 0.01	NA	20	55	5.1	1.71 +/- 0.25	7.51 +/- 0.66	9.22
	11/22/2010	7.2	NA	NA	19	51	4.7	1.81 +/- 0.41	7.13 +/- 1.1	8.94
	11/14/2011	7	NA	NA	11	27	5.7	2.05 +/- 0.34	9.32 +/- 0.93	11.4
	11/14/2012	8	NA	NA	18	64	5.5	2.00 +/- 0.55	8.21 +/- 1.2	10.2
	11/12/2013	7.1	NA	NA	17	48	5.2	1.80 +/- 0.46	6.88 +/- 1.0	8.68
	11/25/2014	5	NA	NA	13	40	3.8	1.62 +/- 0.47	6.04 +/- 0.92	7.66
11/25/2019	4.0	NA	NA	9.6	33	3.2	1.53 +/- 0.251	5.63* +/- 0.714	7.16	
11/21/2024	2.6	NA	NA	7.6	26	2.5 H	1.33 +/- 0.233	7.89 +/- 0.1.22	9.22	

TABLE 8
5-YEAR MONITORING NETWORK
COMPARISON OF COC RESULTS AT GROUNDWATER MONITORING
LOCATIONS FOR SURFICIAL ZONE AND MAIN PRODUCING ZONE
Agrico Site
Pensacola, Florida

Well ID	Date	Fluoride (mg/L)	Arsenic (mg/L)	Lead (mg/L)	Chloride (mg/L)	Sulfate (mg/L)	Nitrate-N (mg/L)	Radium 226 (pCi/L)	Radium 228 (pCi/L)	Combined Radium 226 + 228 (pCi/L)
PERFORMANCE STANDARD		4	0.01	0.015	250	250	10	--	--	5
Main Producing Zone										
AC-36D	11/18/1999	0.79	< 0.01	NA	28	120	3.1	< 1 +/- 0.53	< 1.5 +/- 0.55	2.5
	11/16/2000	< 0.2	< 0.01	NA	10	14	4.6	0.6 +/- 0.09	4.4 +/- 0.70	5
	11/8/2001	< 0.2	< 0.01	NA	10	15	5.1	0.6 +/- 0.20	4.5 +/- 1.10	5.1
	11/15/2002	< 0.2	< 0.01	NA	11	17	5.9	1.0 +/- 0.1	1.9 +/- 0.6	2.9
	1/14/2004	< 0.2	< 0.01	< 0.005	11	12	5.9	1.46 +/- 0.30	2.76 +/- 0.58	4.22
	11/11/2004	< 0.2	< 0.01	NA	14	15	5.2	1.02 +/- 0.17	2.63 +/- 0.38	3.65
	11/9/2005	< 0.2	< 0.01	NA	11	19	5.9	1.07 +/- 0.27	2.34 +/- 0.52	3.41
	11/16/2006	< 0.2	< 0.01	NA	11	18	5.9	1.21 +/- 0.20	2.66 +/- 0.49	3.87
	11/16/2007	< 0.2	< 0.01	NA	11	15	5.7	1.08 +/- 0.21	1.99 +/- 0.35	3.07
	11/11/2008	< 0.2	< 0.01	< 0.005	12	19	5.2	1.19 +/- 0.22	2.63 +/- 0.41	3.82
	11/11/2009	< 0.1	< 0.01	NA	12	16	5.6	1.05 +/- 0.18	2.24 +/- 0.46	3.29
	11/18/2010	< 0.1	NA	NA	12	16	5.3	1.52 +/- 0.45	3.09 +/- 0.59	4.61
	11/9/2011	< 0.1	NA	NA	12	17	5.7	1.45 +/- 0.26	2.88 +/- 0.43	4.33
	11/6/2012	< 0.10	NA	NA	11	16	5.2	1.28 +/- 0.37	3.30 +/- 0.65	4.58
	11/6/2013	< 0.10	NA	NA	12	20	4.9	1.73 +/- 0.53	3.06 +/- 0.59	4.79
	11/18/2014	< 0.10	NA	NA	10	21	5	1.48 +/- 0.47	2.33 +/- 0.60	3.81
11/11/2019	Could Not Locate									
11/11/2020	Removed from well network									
Main Producing Zone										
NWD-2D	10/1/1990	< 0.2	< 0.01	< 0.005	11	5.8	4.9	NA	NA	NA
	2/3/1992	0.2	< 0.01	< 0.005	9.5	< 5	4.4	NA	NA	NA
	9/25/1997	< 0.2	< 0.01	NA	8.8	< 5	3.9	< 0.6 +/- 0.06	2 +/- 0.44	2.6
	1/19/2004	< 0.2	< 0.01	< 0.005	10	7.5	5.6	0.79 +/- 0.21	2.19 +/- 0.60	3.0
	11/13/2008	< 0.2	< 0.01	< 0.005	11	13	5.2	0.901 +/- 0.17	1.71 +/- 0.44	2.61
	11/11/2014	< 0.10	NA	NA	12	7.6	6	0.813 +/- 0.25	0.966 +/- 0.32	1.78
	11/15/2019	< 0.10	NA	NA	11	7.4	5.9	0.693 +/- 0.160	1.85 +/- 0.425	2.54
	11/12/2024	< 0.10	NA	NA	11	7.9	5.9	0.832 +/- 0.180	3.04 +/- 0.904	3.87

TABLE 8
5-YEAR MONITORING NETWORK
COMPARISON OF COC RESULTS AT GROUNDWATER MONITORING
LOCATIONS FOR SURFICIAL ZONE AND MAIN PRODUCING ZONE
Agrico Site
Pensacola, Florida

Well ID	Date	Fluoride (mg/L)	Arsenic (mg/L)	Lead (mg/L)	Chloride (mg/L)	Sulfate (mg/L)	Nitrate-N (mg/L)	Radium 226 (pCi/L)	Radium 228 (pCi/L)	Combined Radium 226 + 228 (pCi/L)
PERFORMANCE STANDARD		4	0.01	0.015	250	250	10	--	--	5
Main Producing Zone										
NWD-4D	2/7/1992	< 0.2	< 0.01	< 0.005	13	14	7.6	4.5 +/- 0.30	5 +/- 0.70	9.5
	9/26/1997	< 0.2	< 0.01	NA	4	11	1.8	0.9 +/- 0.08	1.5 +/- 0.46	2.4
	11/18/1999	< 0.2	< 0.01	NA	6.2	< 5	0.27	< 1 +/- 0.52	< 1.5 +/- 0.32	2.5
	11/21/2000	< 0.2	< 0.01	NA	4.9	< 5	0.35	0.8 +/- 0.40	1.9 +/- 3	2.7
	11/13/2001	< 0.2	< 0.01	NA	8.3	< 5	0.53	0.9 +/- 0.20	0.5 +/- 0.70	1.4
	11/22/2002	< 0.2	< 0.01	NA	13	29	9.7	3.7 +/- 0.40	6.5 +/- 0.80	10.2
	1/21/2004	< 0.2	< 0.01	< 0.005	12	30	11	4.35 +/- 0.71	15.7 +/- 2.20	20.1
	11/16/2004	< 0.2	< 0.01	NA	7	32	10	3.78 +/- 0.28	8.62 +/- 0.62	12.4
	11/15/2005	< 0.2	< 0.01	NA	9.8	41	8.3	2.93 +/- 0.62	9.04 +/- 1.30	12.0
	11/21/2006	< 0.2	< 0.01	NA	8.2	52	5.8	1.75 +/- 0.28	4.7 +/- 0.52	6.45
	11/19/2007	< 0.2	< 0.01	NA	7.7	42	7	1.86 +/- 0.28	2.86 +/- 0.47	4.72
	11/19/2008	< 0.2	< 0.01	< 0.005	8.6	39	1.5	1.91 +/- 0.19	3.85 +/- 0.50	5.76
	11/18/2009	< 0.1	< 0.01	NA	8.6	39	0.96	1.85 +/- 0.24	3.89 +/- 0.51	5.74
	11/23/2010	< 0.1	NA	NA	8.1	40	0.21	1.96 +/- 0.49	3.81 +/- 0.69	5.77
	11/15/2011	< 0.1	NA	NA	7.9	35	0.13	1.45 +/- 0.23	3.43 +/- 0.47	4.88
	11/8/2012	< 0.1	NA	NA	8	47	< 0.010	1.91 +/- 0.44	4.09 +/- 0.07	6.00
11/8/2013	< 0.1	NA	NA	8.2	53	< 0.010	2.05 +/- 0.60	5.20 +/- 0.86	7.25	
11/14/2014	< 0.1	NA	NA	10	28	< 0.050	1.85 +/- 0.57	4.22 +/- 0.69	6.07	
11/19/2019	0.28	NA	NA	7.5	23	< 0.050	0.762 +/- 0.163	1.75 +/- 0.406	2.51	
11/15/2024	< 0.10	NA	NA	7.4	17	0.46	0.823 +/- 0.182	2.15 +/- 0.628	2.97	
Main Producing Zone										
PIP-D	11/14/2005	< 0.2	< 0.01	NA	7.8	< 5	3.4	0.835 +/- 0.336	2.23 +/- 0.57	2.83
	11/22/2006	< 0.2	< 0.01	NA	12	< 5	5.3	1.19 +/- 0.22	1.89 +/- 0.35	3.08
	11/16/2007	< 0.2	< 0.01	NA	7.6	5.3	3.8	0.85 +/- 0.20	1.64 +/- 0.32	2.5
	11/13/2008	< 0.2	< 0.01	< 0.005	10	8.2	4.1	1.32 +/- 0.21	2.41 +/- 0.45	3.73
	11/18/2009	< 0.1	< 0.01	NA	8.9	5	3.5	0.994 +/- 0.18	1.24 +/- 0.33	2.23
	11/24/2010	< 0.1	NA	NA	9.8	4.9	3.7	1.28 +/- 0.37	1.81 +/- 0.47	3.09
	11/11/2011	< 0.1	NA	NA	3.3	2.1	2.9	1.01 +/- 0.20	1.37 +/- 0.39	2.38
	11/13/2012	< 0.10	NA	NA	9.1	4.4	3.5	0.957 +/- 0.31	2.07 +/- 0.48	3.03
	11/13/2013	< 0.10	NA	NA	9.3	5.4	4.1	1.11 +/- 0.30	1.98 +/- 0.44	3.09
	11/14/2014	< 0.10	NA	NA	9	5.6	3.7	1.39 +/- 0.42	1.86 +/- 0.41	3.25
	11/22/2019	< 0.10	NA	NA	9.4	2.0	3.6	0.937 +/- 0.183	1.52 +/- 0.382	2.46
11/12/2024	< 0.10	NA	NA	9.9	2.5	3.5	0.732 +/- 0.165	1.63 +/- 0.746	2.36	

**TABLE 8
COMPARISON OF COC RESULTS AT GROUNDWATER MONITORING
LOCATIONS FOR SURFICIAL ZONE AND MAIN PRODUCING ZONE**

**Agrico Site
Pensacola, Florida**

Notes:

(1) Performance standard for arsenic reduced from 0.05 mg/L to 0.01 mg/L in 2006.

(2) Monitoring well ACB-31S was sampled semiannually from May 1997 through May 2008 and samples analyzed for fluoride, arsenic, and lead only (OU-1 COCs); Beginning in November 2007, the well was incorporated into OU-2 network with samples analyzed for fluoride, arsenic, lead, chloride, sulfate, nitrate, radium 226, and radium 228.

(3) Fluoride results reported by SM4500 (approved Site method) were questionable due to laboratory equipment malfunction. Samples were rerun using Method 300.0 and both results are shown.

BOLD = exceeds constituent performance standard

Highlight = Below performance standard.

<, U = Analyzed for but not detected above limiting criteria

COC = constituent of concern

F1 = The MS and/or MSD recovery is outside acceptance limits

H = Sample was reanalyzed outside recommended analytical holdtime criteria

J = Estimated Value

mg/L = milligrams per Liter

pCi/L = picocuries per Liter

NA = Not Analyzed

NS = Not Sampled

Radium 226 + 228 Analytical Laboratories:

1987 State of Florida Department of Environmental Regulation Laboratory

1992 Savannah Laboratories - Contract Lab Unknown

1997 Savannah Laboratories - Contract Lab Unknown

1999 General Engineering Laboratory - Charleston, SC

2000 through 2002 KNL, Tampa, FL

1/2004 STL - St. Louis

11/2004 through 2017 - STL/TA Richland

2018 and 2023 - Eurofins St. Louis

**TABLE 9
FLUORIDE RESULTS AT LONG-TERM SURFACE WATER MONITORING LOCATIONS**

**Agrico Site
Pensacola, Florida**

Sample Location ID	Date	Fluoride (mg/L) Class III Marine SWS = 5 mg/L*
BT-02 Bayou Texar (Brackish Water)	08/2008	0.56
	11/2010	0.83
	11/2011	0.77
	11/2012	0.89
	11/2013	0.94
	11/2014	1.30
	11/2015	1.50
	11/2016	0.52
	11/2017	0.68
	11/2018*	1.40
	11/2019	0.63
	11/2020	0.72
	11/2021	0.59
	11/2022	1.2
	11/2023	0.86
11/2024	0.84	
BT-107 Bayou Texar (Brackish Water)	05/2009	0.58
	11/2010	0.89
	11/2011	0.81
	11/2012	1.30
	11/2013	0.99
	11/2014	1.30
	11/2015	1.30
	11/2016	0.52
	11/2017	0.55
	11/2018	2.50
	11/2019	0.57
	11/2020	1.3
	11/2021	0.72
	11/2022	0.58
	11/2023	0.83
11/2024	0.99	
BT-127 Bayou Texar (Brackish Water)	05/2009	0.60
	11/2010	1.00
	11/2011	0.81
	11/2012	1.20
	11/2013	1.20
	11/2014	1.30
	11/2015	0.46
	11/2016	0.49
	11/2017	0.93
	11/2018	2.30
	11/2019	0.73
	11/2020	0.90
	11/2021	1.10
	11/2022	0.90
	11/2023	0.80
11/2024	0.95	

Notes:

Stations added in 2010; analyzed for fluoride only.
Chapter 62-302, Class III Marine Surface Water Standard for Fluoride is 5 mg/L.
COC = constituent of concern
mg/L = milligrams per Liter
NA = Not Analyzed
*Listed as BT-102 on lab report and chain-of-custody



TABLE 9
5-YEAR MONITORING NETWORK
COMPARISON OF COC RESULTS AT LONG-TERM MONITORING LOCATIONS FOR SURFACE WATER

Agrico Site
Pensacola, Florida

Sample Location ID	Date	Fluoride (mg/L)
ACSW-1 Bayou Texar (Brackish Water)	11/1999	1.2
	11/2000	1
	11/2001	1.1
	11/2002	1.3
	1/2004	1.5
	11/2004	1.3
	11/2005	1.1
	11/2006	1.3
	11/2007	1.1
	11/2008	0.89
	11/2009	0.99
	11/2010	0.94
	11/2011	0.78
	11/2012	1.3
	11/2013	0.91
	11/2014	1.1
11/2019	NS	
11/2024	0.91	
ACSW-2 Bayou Texar (Brackish Water)	11/1999	0.82
	11/2000	0.63
	11/2001	0.74
	11/2002	0.59
	1/2004	0.66
	11/2004	0.69
	11/2005	0.80
	11/2006	0.73
	11/2007	0.82
	11/2008	0.60
	11/2009	0.59
	11/2010	0.65
	11/2011	0.73
	11/2012	0.73
	11/2013	0.78
	11/2014	0.82
11/2019	NS	
11/2024	0.72	

Notes:
Analyzed for fluoride only.
Chapter 62-302, Class III Marine Surface Water
Standard for Fluoride is 5 mg/L.
COC = constituent of concern
mg/L = milligrams per Liter
NS = Not Sampled

FIGURES



- ◆ OU-1 Monitoring Well Location
- ▭ Site Building
- ▭ Site Boundary


Source: Esri, DigitalGlobe, GeoEye, i-cubed, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AEX, Getmapping, Aerogrid, IGN, IGP, swisstopo, and the GIS User Community, Esri, HERE, DeLorme, TomTom, MapmyIndia, © OpenStreetMap contributors, and the GIS user community

- ◆ OU-1 Monitoring Well Location
- ▭ Stormwater Collection System
- ▭ CAP Area
- ▭ Slurry Wall
- ▭ Stormwater Pond
- ▭ Fence/Right of Way
- ▭ Railroad
- ▭ Access Road

**OU-1 and OU-2
AGRICO SITE
PENSACOLA, FLORIDA**




Base Map Data Provided By:
Florida Department of Environmental Protection
and Northwest Florida Water Management District
Aerial Source: ESRI



**VIEW OF OU-1
(Former Facility Area)
With Current Features**


**FIGURE
2**



**OU-1 and OU-2
 AGRICO SITE
 PENSACOLA, FLORIDA**




Base Map Data Provided By:
 Florida Department of Environmental Protection
 and Northwest Florida Water Management District



**IRRIGATION WELL
 LOCATIONS**

**FIGURE
 3**




OU-1 and OU-2
 AGRICO SITE
 PENSACOLA, FLORIDA



HYDROGEOLOGIC CONCEPTUAL MODEL
 FROM AGRICO SITE TO BAYOU TEXAR

FIGURE
 4

See Table 4 for Water Elevation Data




- Surficial Zone Monitoring Well Location, Groundwater Elevation in ft NGVD 88
- Potentiometric Surface Contour (5 ft interval)
- ➔ Groundwater Flow Direction
- Former Escambia Treating Facility
- Former Kaiser Facility (Site 348)
- Former Site Area

* Well removed from monitoring well network
 **Water level data taken on a later date, data not used for contours
 CNL = Could not locate

**OU-1 and OU-2
 AGRICO SITE
 PENSACOLA, FLORIDA**




Base Map Data Provided By:
 Florida Department of Environmental Protection
 and Northwest Florida Water Management District



**POTENTIOMETRIC SURFACE
 SURFICIAL ZONE
 November 2024**

**FIGURE
 5**


See Table 4 for Water Elevation Data



OU-1 and OU-2
 AGRICO SITE
 PENSACOLA, FLORIDA




Base Map Data Provided By:
 Florida Department of Environmental Protection
 and Northwest Florida Water Management District




POTENTIOMETRIC SURFACE
 MAIN PRODUCING ZONE
 November 2024

FIGURE
 6

Figure 7
Annual Rainfall and Cumulative Departure from Normal
NOAA Rainfall Station
Pensacola, Florida






OU-1 and OU-2
 AGRICO SITE
 PENSACOLA, FLORIDA




Base Map Data Provided By:
 Florida Department of Environmental Protection
 and Northwest Florida Water Management District



FLUORIDE CONCENTRATION
 MAIN PRODUCING ZONE
 November 2024

FIGURE
 8



* = Well removed from monitoring network in 2020

OU-1 and OU-2
 AGRICO SITE
 PENSACOLA, FLORIDA



Base Map Data Provided By:
 Florida Department of Environmental Protection
 and Northwest Florida Water Management District



COMBINED RADIUM 226+228
 CONCENTRATION
 MAIN PRODUCING ZONE
 November 2024

FIGURE
 9

Figure 10
 Concentration Trends
 Surficial Zone
 Annual Network Wells
 Agrico Site
 Pensacola, Florida









Figure 10 (Continued)

Concentration Trends
Surficial Zone
Annual Network Wells

Agrico Site
Pensacola, Florida




Figure 11
 Concentration Trends
 Main Producing Zone
 Annual Network Wells
 Agrico Site
 Pensacola, Florida







Figure 11 (Continued)

Concentration Trends
Main Producing Zone
Annual Network Wells

Agrico Site
Pensacola, Florida




Figure 11 (Continued)

Concentration Trends
Main Producing Zone
Annual Network Wells

Agrico Site
Pensacola, Florida







Figure 11 (Continued)

Concentration Trends
Main Producing Zone
Annual Network Wells

Agrico Site
Pensacola, Florida




Figure 11 (Continued)

Concentration Trends
Main Producing Zone
Annual Network Wells

Agrico Site
Pensacola, Florida







Figure 11 (Continued)

Concentration Trends
Main Producing Zone
Annual Network Wells

Agrico Site
Pensacola, Florida




Figure 11 (Continued)

Concentration Trends
Main Producing Zone
Annual Network Wells

Agrico Site
Pensacola, Florida




Figure 11 (Continued)

Concentration Trends
Main Producing Zone
Annual Network Wells

Agrico Site
Pensacola, Florida







Figure 11 (Continued)

Concentration Trends
Main Producing Zone
Annual Network Wells

Agrico Site
Pensacola, Florida








Figure 11 (Continued)

Concentration Trends
Main Producing Zone
Annual Network Wells

Agrico Site
Pensacola, Florida



APPENDIX A

1
2
3
4
5
6
7
8
9
10
11
12
13
14

ANALYTICAL REPORT

PREPARED FOR

Attn: Ms. Amy Mixon
AECOM
1625 Summit Lake Drive
Suite 200
Tallahassee, Florida 32317
Generated 2/7/2025 9:55:28 AM Revision 1

JOB DESCRIPTION

Agrico Pensacola - 5yr GW

JOB NUMBER

400-265846-1

Eurofins Pensacola

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing Southeast, LLC Project Manager.

Authorization



Generated
2/7/2025 9:55:28 AM
Revision 1

Authorized for release by
Noel Savoie, Project Manager I
Noel.Savoie@et.eurofinsus.com
(850)254-0107



Table of Contents

Cover Page	1
Table of Contents	3
Case Narrative	4
Detection Summary	6
Sample Summary	13
Client Sample Results	14
Definitions	42
QC Association	43
QC Sample Results	55
Chronicle	75
Method Summary	106
Certification Summary	107
Chain of Custody	109
Receipt Checklists	119

Case Narrative

Client: AECOM
Project: Agrico Pensacola - 5yr GW

Job ID: 400-265846-1

Job ID: 400-265846-1

Eurofins Pensacola

Job Narrative 400-265846-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable.

- Matrix QC may not be reported if insufficient sample is provided or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Revision

The report being provided is a revision of the original report sent on 1/3/2025. The report (revision 1) is being revised due to: The case narrative in the original report was not corrected with additional information..

Receipt

The samples were received on 11/13/2024 11:08 AM, 11/14/2024 11:42 AM, 11/15/2024 3:38 PM, 11/19/2024 8:46 AM, 11/21/2024 10:58 AM and 11/22/2024 3:17 PM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperatures of the 11 coolers at receipt time were 0.0°C, 0.0°C, 0.1°C, 0.2°C, 0.4°C, 0.5°C, 0.6°C, 2.6°C, 2.9°C, 3.2°C and 5.1°C.

Receipt Exceptions

Method 904: The laboratory control sample (LCS) failed in the original run. There was insufficient volume to perform a re-extract. Unpreserved volume was sent and the lab preserved the samples. The following samples were affected: AC-24D (400-265846-1), AC-24S (400-265846-2), NWD-2S (400-265846-3), NWD-2D (400-265846-4), PID-D (400-265846-5), DUP-3 (400-265846-6), AC-10D (400-265846-7) and EB-1 (400-265846-8).

HPLC/IC

Method 300_ORGFM_28D: The following samples were diluted due to high conductivity: AC-35D (400-266474-3), AC-29D (400-266474-4) and AC-25D (400-266474-6). Elevated reporting limits (RL) are provided.

Method 300_ORGFM_28D: The following samples were diluted to bring the concentration of target analytes within the calibration range: AC-24D (400-265846-1), AC-12D (400-266120-6), NWD-31S (400-266242-4), AC-25D (400-266474-6), AC-3D (400-266474-7), AC-28D (400-265996-2) and AC-9D2 (400-265996-3). Elevated reporting limits (RLs) are provided.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Metals

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

General Chemistry

Method 353.2_Pres: The following samples were diluted to bring the concentration of target analytes within the calibration range: AC-24D (400-265846-1), AC-24S (400-265846-2), NWD-2S (400-265846-3), NWD-2D (400-265846-4), PID-D (400-265846-5), DUP-3 (400-265846-6), AC-10D (400-265846-7), AC-28D (400-265996-2), AC-9D2 (400-265996-3), AC-8D (400-266120-2), AC-21D (400-266120-3), NWD-4S (400-266120-4), NWD-4S MS (400-266120-4[MS]), NWD-4S MSD (400-266120-4[MSD]), AC-12D (400-266120-6), DUP-2 (400-266120-7), AC-34S (400-266242-1), AC-75R (400-266242-2), NWD-31S (400-266242-4) and DUP-1 (OU-1) (400-266242-6). Elevated reporting limits (RLs) are provided.

Method 4500_F_C: The following sample was diluted to bring the concentration of target analytes within the calibration range: AC-24D (400-265846-1), AC-9D2 (400-265996-3), AC-29D (400-266474-4), AC-2S (400-266568-2), AC-35D (400-266474-3) and AC-25D (400-266474-6). Elevated reporting limits (RLs) are provided.

Method SM4500_NO2_B: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for analytical batch 400-691302 were outside control limits for one or more analytes. See QC Sample Results for detail. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery is within acceptance limits.

Eurofins Pensacola

Case Narrative

Client: AECOM
Project: Agrico Pensacola - 5yr GW

Job ID: 400-265846-1

Job ID: 400-265846-1 (Continued)

Eurofins Pensacola

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Gas Flow Proportional Counter

Method PrecSep-21: Radium-226 Prep Batch 160-696105

Insufficient sample volume was available to perform a sample duplicate for the following samples in prep batch 160-696105: AC-25D (400-266474-6), AC-3D (400-266474-7), AC-30D (400-266568-1), AC-2S (400-266568-2), AC-2D (400-266568-3), EQ-1 (400-266568-5), DUP-1 (400-266568-6), AC-5D (400-266568-7), AC-13D (400-266568-8) and ACB-32S (400-266568-9). A laboratory control sample/ laboratory control sample duplicate (LCS/LCSD) were prepared instead to demonstrate batch precision.

Method 904.0: Radium-228 prep batch 160-690030:

The Ra-228 laboratory control sample (LCS) associated with the following samples recovered at 128%: (LCS 160-690030/2-A). The limits in our LIMS system at (75-125%) reflect the requirements of a regulatory agency that represents a large amount of our work. However the samples associated with this LCS are not from this agency and are therefore held to our in-house statistical limits of (69-145%). The LCS is within criteria and no further action is required.

Method 904.0: Radium-228 prep batch 160-691564:

The Ra-228 laboratory control sample (LCS) associated with the following samples recovered at 138%: (LCS 160-691564/2-A). The limits in our LIMS system at (75-125%) reflect the requirements of a regulatory agency that represents a large amount of our work. However the samples associated with this LCS are not from this agency and are therefore held to our in-house statistical limits of (69-145%). The LCS is within criteria and no further action is required.

Method 904.0: Radium-228 Prep Batch 160-694336:

The detection goal was not met for the following samples due to insufficient sample available for analysis due to the re-extraction: AC-24D (400-265846-1), DUP-3 (400-265846-6) and EB-1 (400-265846-8). Analytical results are reported with the detection limit achieved.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Pensacola

Detection Summary

Client: AECOM
Project/Site: Agrico Pensacola - 5yr GW

Job ID: 400-265846-1

Client Sample ID: AC-24D

Lab Sample ID: 400-265846-1

Analyte	Result	Qualifier	PQL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	59		5.0		mg/L	5		300.0	Total/NA
Sulfate	63		5.0		mg/L	5		300.0	Total/NA
Nitrate Nitrite as N	4.0		0.25		mg/L	5		353.2	Total/NA
Nitrate as N	4.0		0.050		mg/L	1		Nitrate by calc	Total/NA
Fluoride	27		0.50		mg/L	5		SM 4500 F C	Total/NA

Client Sample ID: AC-24S

Lab Sample ID: 400-265846-2

Analyte	Result	Qualifier	PQL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	8.9		1.0		mg/L	1		300.0	Total/NA
Sulfate	10		1.0		mg/L	1		300.0	Total/NA
Nitrate Nitrite as N	1.7		0.25		mg/L	5		353.2	Total/NA
Nitrate as N	1.7		0.050		mg/L	1		Nitrate by calc	Total/NA

Client Sample ID: NWD-2S

Lab Sample ID: 400-265846-3

Analyte	Result	Qualifier	PQL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	5.2		1.0		mg/L	1		300.0	Total/NA
Sulfate	14		1.0		mg/L	1		300.0	Total/NA
Nitrate Nitrite as N	2.3		0.25		mg/L	5		353.2	Total/NA
Nitrate as N	2.3		0.050		mg/L	1		Nitrate by calc	Total/NA
Fluoride	1.1		0.10		mg/L	1		SM 4500 F C	Total/NA

Client Sample ID: NWD-2D

Lab Sample ID: 400-265846-4

Analyte	Result	Qualifier	PQL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	11		1.0		mg/L	1		300.0	Total/NA
Sulfate	7.9		1.0		mg/L	1		300.0	Total/NA
Nitrate Nitrite as N	5.9		0.25		mg/L	5		353.2	Total/NA
Nitrate as N	5.9		0.050		mg/L	1		Nitrate by calc	Total/NA

Client Sample ID: PID-D

Lab Sample ID: 400-265846-5

Analyte	Result	Qualifier	PQL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	9.9		1.0		mg/L	1		300.0	Total/NA
Sulfate	2.5		1.0		mg/L	1		300.0	Total/NA
Nitrate Nitrite as N	3.5		0.25		mg/L	5		353.2	Total/NA
Nitrate as N	3.5		0.050		mg/L	1		Nitrate by calc	Total/NA

Client Sample ID: DUP-3

Lab Sample ID: 400-265846-6

Analyte	Result	Qualifier	PQL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	5.0		1.0		mg/L	1		300.0	Total/NA
Sulfate	14		1.0		mg/L	1		300.0	Total/NA
Nitrate Nitrite as N	2.4		0.25		mg/L	5		353.2	Total/NA
Nitrate as N	2.4		0.050		mg/L	1		Nitrate by calc	Total/NA
Fluoride	1.0		0.10		mg/L	1		SM 4500 F C	Total/NA

Client Sample ID: AC-10D

Lab Sample ID: 400-265846-7

Analyte	Result	Qualifier	PQL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	13		1.0		mg/L	1		300.0	Total/NA
Sulfate	18		1.0		mg/L	1		300.0	Total/NA
Nitrate Nitrite as N	5.3		0.25		mg/L	5		353.2	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Pensacola

Detection Summary

Client: AECOM
Project/Site: Agrico Pensacola - 5yr GW

Job ID: 400-265846-1

Client Sample ID: AC-10D (Continued)

Lab Sample ID: 400-265846-7

Analyte	Result	Qualifier	PQL	MDL	Unit	Dil Fac	D	Method	Prep Type
Nitrate as N	5.3		0.050		mg/L	1		Nitrate by calc	Total/NA

Client Sample ID: EB-1

Lab Sample ID: 400-265846-8

No Detections.

Client Sample ID: AC-23D

Lab Sample ID: 400-265996-1

Analyte	Result	Qualifier	PQL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	6.1		1.0		mg/L	1		300.0	Total/NA
Sulfate	23		1.0		mg/L	1		300.0	Total/NA
Nitrate Nitrite as N	2.0		0.050		mg/L	1		353.2	Total/NA
Nitrate as N	2.0		0.050		mg/L	1		Nitrate by calc	Total/NA

Client Sample ID: AC-28D

Lab Sample ID: 400-265996-2

Analyte	Result	Qualifier	PQL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	16		1.0		mg/L	1		300.0	Total/NA
Sulfate	100		5.0		mg/L	5		300.0	Total/NA
Nitrate Nitrite as N	4.9		0.25		mg/L	5		353.2	Total/NA
Nitrate as N	4.9		0.050		mg/L	1		Nitrate by calc	Total/NA
Fluoride	7.4		0.10		mg/L	1		SM 4500 F C	Total/NA

Client Sample ID: AC-9D2

Lab Sample ID: 400-265996-3

Analyte	Result	Qualifier	PQL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	21		1.0		mg/L	1		300.0	Total/NA
Sulfate	190		10		mg/L	10		300.0	Total/NA
Nitrate Nitrite as N	8.6		0.25		mg/L	5		353.2	Total/NA
Nitrate as N	8.6		0.050		mg/L	1		Nitrate by calc	Total/NA
Fluoride	14		0.20		mg/L	2		SM 4500 F C	Total/NA

Client Sample ID: AC-11D

Lab Sample ID: 400-266120-1

Analyte	Result	Qualifier	PQL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	9.2		1.0		mg/L	1		300.0	Total/NA
Sulfate	6.1		1.0		mg/L	1		300.0	Total/NA
Nitrate Nitrite as N	1.4		0.050		mg/L	1		353.2	Total/NA
Nitrate as N	1.4		0.050		mg/L	1		Nitrate by calc	Total/NA

Client Sample ID: AC-8D

Lab Sample ID: 400-266120-2

Analyte	Result	Qualifier	PQL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	12		1.0		mg/L	1		300.0	Total/NA
Sulfate	6.8		1.0		mg/L	1		300.0	Total/NA
Nitrate Nitrite as N	5.2		0.25		mg/L	5		353.2	Total/NA
Nitrate as N	5.2		0.050		mg/L	1		Nitrate by calc	Total/NA

Client Sample ID: AC-21D

Lab Sample ID: 400-266120-3

Analyte	Result	Qualifier	PQL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	8.2		1.0		mg/L	1		300.0	Total/NA
Sulfate	6.5		1.0		mg/L	1		300.0	Total/NA
Nitrate Nitrite as N	3.8		0.25		mg/L	5		353.2	Total/NA
Nitrate as N	3.8		0.050		mg/L	1		Nitrate by calc	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Pensacola

Detection Summary

Client: AECOM
Project/Site: Agrico Pensacola - 5yr GW

Job ID: 400-265846-1

Client Sample ID: NWD-4S

Lab Sample ID: 400-266120-4

Analyte	Result	Qualifier	PQL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	16		1.0		mg/L	1		300.0	Total/NA
Sulfate	2.9		1.0		mg/L	1		300.0	Total/NA
Nitrate Nitrite as N	16		1.0		mg/L	20		353.2	Total/NA
Nitrate as N	16		0.050		mg/L	1		Nitrate by calc	Total/NA

Client Sample ID: NWD-4D

Lab Sample ID: 400-266120-5

Analyte	Result	Qualifier	PQL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	7.4		1.0		mg/L	1		300.0	Total/NA
Sulfate	17		1.0		mg/L	1		300.0	Total/NA
Nitrate Nitrite as N	0.46		0.050		mg/L	1		353.2	Total/NA
Nitrate as N	0.46		0.050		mg/L	1		Nitrate by calc	Total/NA

Client Sample ID: AC-12D

Lab Sample ID: 400-266120-6

Analyte	Result	Qualifier	PQL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	13		1.0		mg/L	1		300.0	Total/NA
Sulfate	170		10		mg/L	10		300.0	Total/NA
Nitrate Nitrite as N	8.2		0.25		mg/L	5		353.2	Total/NA
Nitrate as N	8.2		0.050		mg/L	1		Nitrate by calc	Total/NA
Fluoride	6.1		0.10		mg/L	1		SM 4500 F C	Total/NA

Client Sample ID: DUP-2

Lab Sample ID: 400-266120-7

Analyte	Result	Qualifier	PQL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	12		1.0		mg/L	1		300.0	Total/NA
Sulfate	6.8		1.0		mg/L	1		300.0	Total/NA
Nitrate Nitrite as N	5.0		0.25		mg/L	5		353.2	Total/NA
Nitrate as N	5.0		0.050		mg/L	1		Nitrate by calc	Total/NA

Client Sample ID: AC-34S

Lab Sample ID: 400-266242-1

Analyte	Result	Qualifier	PQL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	3.6		1.0		mg/L	1		300.0	Total/NA
Sulfate	36		1.0		mg/L	1		300.0	Total/NA
Nitrate Nitrite as N	2.8		0.25		mg/L	5		353.2	Total/NA
Nitrate as N	2.8		0.050		mg/L	1		Nitrate by calc	Total/NA
Fluoride	1.9		0.10		mg/L	1		SM 4500 F C	Total/NA

Client Sample ID: AC-75R

Lab Sample ID: 400-266242-2

Analyte	Result	Qualifier	PQL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	4.3		1.0		mg/L	1		300.0	Total/NA
Sulfate	49		1.0		mg/L	1		300.0	Total/NA
Nitrate Nitrite as N	1.8		0.25		mg/L	5		353.2	Total/NA
Nitrate as N	1.8		0.050		mg/L	1		Nitrate by calc	Total/NA
Fluoride	1.1		0.10		mg/L	1		SM 4500 F C	Total/NA

Client Sample ID: AC-33S

Lab Sample ID: 400-266242-3

Analyte	Result	Qualifier	PQL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	3.8		1.0		mg/L	1		300.0	Total/NA
Sulfate	24		1.0		mg/L	1		300.0	Total/NA
Nitrate Nitrite as N	1.5		0.050		mg/L	1		353.2	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Pensacola

Detection Summary

Client: AECOM
 Project/Site: Agrico Pensacola - 5yr GW

Job ID: 400-265846-1

Client Sample ID: AC-33S (Continued)

Lab Sample ID: 400-266242-3

Analyte	Result	Qualifier	PQL	MDL	Unit	Dil Fac	D	Method	Prep Type
Nitrate as N	1.5		0.050		mg/L	1		Nitrate by calc	Total/NA
Fluoride	0.47		0.10		mg/L	1		SM 4500 F C	Total/NA

Client Sample ID: NWD-31S

Lab Sample ID: 400-266242-4

Analyte	Result	Qualifier	PQL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	5.1		1.0		mg/L	1		300.0	Total/NA
Sulfate	170		10		mg/L	10		300.0	Total/NA
Nitrate Nitrite as N	5.2		0.25		mg/L	5		353.2	Total/NA
Nitrate as N	5.2		0.050		mg/L	1		Nitrate by calc	Total/NA

Client Sample ID: AC-3S

Lab Sample ID: 400-266242-5

Analyte	Result	Qualifier	PQL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	2.8		1.0		mg/L	1		300.0	Total/NA
Sulfate	15		1.0		mg/L	1		300.0	Total/NA
Nitrate Nitrite as N	1.4		0.050		mg/L	1		353.2	Total/NA
Nitrate as N	1.4		0.050		mg/L	1		Nitrate by calc	Total/NA

Client Sample ID: DUP-1 (OU-1)

Lab Sample ID: 400-266242-6

Analyte	Result	Qualifier	PQL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	3.7		1.0		mg/L	1		300.0	Total/NA
Sulfate	36		1.0		mg/L	1		300.0	Total/NA
Nitrate Nitrite as N	2.4		0.25		mg/L	5		353.2	Total/NA
Nitrate as N	2.4		0.050		mg/L	1		Nitrate by calc	Total/NA
Fluoride	1.9		0.10		mg/L	1		SM 4500 F C	Total/NA

Client Sample ID: DUP-4

Lab Sample ID: 400-266242-7

Analyte	Result	Qualifier	PQL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	3.7		1.0		mg/L	1		300.0	Total/NA
Sulfate	24		1.0		mg/L	1		300.0	Total/NA
Nitrate Nitrite as N	1.4		0.050		mg/L	1		353.2	Total/NA
Nitrate as N	1.4		0.050		mg/L	1		Nitrate by calc	Total/NA
Fluoride	0.47		0.10		mg/L	1		SM 4500 F C	Total/NA

Client Sample ID: AC-27D

Lab Sample ID: 400-266474-1

Analyte	Result	Qualifier	PQL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	4.7		1.0		mg/L	1		300.0	Total/NA
Sulfate	8.3		1.0		mg/L	1		300.0	Total/NA
Nitrate Nitrite as N	0.29	F2 F1	0.050		mg/L	1		353.2	Total/NA
Nitrate as N	0.29		0.050		mg/L	1		Nitrate by calc	Total/NA

Client Sample ID: AC-27S

Lab Sample ID: 400-266474-2

Analyte	Result	Qualifier	PQL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	16		1.0		mg/L	1		300.0	Total/NA
Sulfate	6.5		1.0		mg/L	1		300.0	Total/NA
Nitrate Nitrite as N	1.6		0.050		mg/L	1		353.2	Total/NA
Nitrate as N	1.6		0.050		mg/L	1		Nitrate by calc	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Pensacola

Detection Summary

Client: AECOM
Project/Site: Agrico Pensacola - 5yr GW

Job ID: 400-265846-1

Client Sample ID: AC-35D

Lab Sample ID: 400-266474-3

Analyte	Result	Qualifier	PQL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	230		5.0		mg/L	5		300.0	Total/NA
Sulfate	130		5.0		mg/L	5		300.0	Total/NA
Nitrate Nitrite as N	7.3		0.25		mg/L	5		353.2	Total/NA
Nitrate as N	7.3		0.050		mg/L	1		Nitrate by calc	Total/NA
Fluoride	63		1.0		mg/L	10		SM 4500 F C	Total/NA

Client Sample ID: AC-29D

Lab Sample ID: 400-266474-4

Analyte	Result	Qualifier	PQL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	24		5.0		mg/L	5		300.0	Total/NA
Sulfate	230		5.0		mg/L	5		300.0	Total/NA
Nitrate Nitrite as N	5.8		0.25		mg/L	5		353.2	Total/NA
Nitrate as N	5.8		0.050		mg/L	1		Nitrate by calc	Total/NA
Fluoride	22		0.50		mg/L	5		SM 4500 F C	Total/NA

Client Sample ID: AC-22D

Lab Sample ID: 400-266474-5

Analyte	Result	Qualifier	PQL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	7.1		1.0		mg/L	1		300.0	Total/NA
Sulfate	21		1.0		mg/L	1		300.0	Total/NA
Nitrate Nitrite as N	1.5		0.050		mg/L	1		353.2	Total/NA
Nitrate as N	1.5		0.050		mg/L	1		Nitrate by calc	Total/NA
Fluoride	2.8		0.10		mg/L	1		SM 4500 F C	Total/NA

Client Sample ID: AC-25D

Lab Sample ID: 400-266474-6

Analyte	Result	Qualifier	PQL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	260		10		mg/L	10		300.0	Total/NA
Sulfate	68		5.0		mg/L	5		300.0	Total/NA
Nitrate Nitrite as N	4.0		0.25		mg/L	5		353.2	Total/NA
Nitrate as N	4.0		0.050		mg/L	1		Nitrate by calc	Total/NA
Fluoride	63		1.0		mg/L	10		SM 4500 F C	Total/NA

Client Sample ID: AC-3D

Lab Sample ID: 400-266474-7

Analyte	Result	Qualifier	PQL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	6.5		1.0		mg/L	1		300.0	Total/NA
Sulfate	120		5.0		mg/L	5		300.0	Total/NA
Nitrate Nitrite as N	3.7		0.25		mg/L	5		353.2	Total/NA
Nitrate as N	3.7		0.050		mg/L	1		Nitrate by calc	Total/NA
Fluoride	7.9		0.10		mg/L	1		SM 4500 F C	Total/NA

Client Sample ID: AC-30D

Lab Sample ID: 400-266568-1

Analyte	Result	Qualifier	PQL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	7.6		1.0		mg/L	1		300.0	Total/NA
Sulfate	26		1.0		mg/L	1		300.0	Total/NA
Nitrate Nitrite as N	2.5	F1	0.25		mg/L	5		353.2	Total/NA
Nitrate as N	2.5	H	0.050		mg/L	1		Nitrate by calc	Total/NA
Fluoride	2.6		0.10		mg/L	1		SM 4500 F C	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Pensacola

Detection Summary

Client: AECOM
Project/Site: Agrico Pensacola - 5yr GW

Job ID: 400-265846-1

Client Sample ID: AC-2S

Lab Sample ID: 400-266568-2

Analyte	Result	Qualifier	PQL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	4.7		1.0		mg/L	1		300.0	Total/NA
Sulfate	54		2.0		mg/L	2		300.0	Total/NA
Nitrate Nitrite as N	3.2		0.25		mg/L	5		353.2	Total/NA
Nitrate as N	3.2	H	0.050		mg/L	1		Nitrate by calc	Total/NA
Fluoride	22		0.50		mg/L	5		SM 4500 F C	Total/NA

Client Sample ID: AC-2D

Lab Sample ID: 400-266568-3

Analyte	Result	Qualifier	PQL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	4.8		1.0		mg/L	1		300.0	Total/NA
Sulfate	19		1.0		mg/L	1		300.0	Total/NA
Nitrate Nitrite as N	1.2		0.050		mg/L	1		353.2	Total/NA
Nitrate as N	1.2	H	0.050		mg/L	1		Nitrate by calc	Total/NA
Fluoride	1.9		0.10		mg/L	1		SM 4500 F C	Total/NA

Client Sample ID: AC-5S

Lab Sample ID: 400-266568-4

Analyte	Result	Qualifier	PQL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	6.8		1.0		mg/L	1		300.0	Total/NA
Sulfate	20		1.0		mg/L	1		300.0	Total/NA
Nitrate Nitrite as N	0.47		0.050		mg/L	1		353.2	Total/NA
Nitrate as N	0.47	H	0.050		mg/L	1		Nitrate by calc	Total/NA

Client Sample ID: EQ-1

Lab Sample ID: 400-266568-5

No Detections.

Client Sample ID: DUP-1

Lab Sample ID: 400-266568-6

Analyte	Result	Qualifier	PQL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	4.8		1.0		mg/L	1		300.0	Total/NA
Sulfate	19		1.0		mg/L	1		300.0	Total/NA
Nitrate Nitrite as N	1.2		0.050		mg/L	1		353.2	Total/NA
Nitrate as N	1.2	H	0.050		mg/L	1		Nitrate by calc	Total/NA
Fluoride	1.9		0.10		mg/L	1		SM 4500 F C	Total/NA

Client Sample ID: AC-5D

Lab Sample ID: 400-266568-7

Analyte	Result	Qualifier	PQL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	9.8		1.0		mg/L	1		300.0	Total/NA
Sulfate	3.5		1.0		mg/L	1		300.0	Total/NA
Nitrate Nitrite as N	2.5		0.25		mg/L	5		353.2	Total/NA
Nitrate as N	2.5	H	0.050		mg/L	1		Nitrate by calc	Total/NA

Client Sample ID: AC-13D

Lab Sample ID: 400-266568-8

Analyte	Result	Qualifier	PQL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	17		1.0		mg/L	1		300.0	Total/NA
Sulfate	200		10		mg/L	10		300.0	Total/NA
Nitrate Nitrite as N	10		0.25		mg/L	5		353.2	Total/NA
Nitrate as N	10	H	0.050		mg/L	1		Nitrate by calc	Total/NA
Fluoride	5.3		0.10		mg/L	1		SM 4500 F C	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Pensacola

Detection Summary

Client: AECOM

Job ID: 400-265846-1

Project/Site: Agrico Pensacola - 5yr GW

Client Sample ID: ACB-32S

Lab Sample ID: 400-266568-9

Analyte	Result	Qualifier	PQL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	4.4		1.0		mg/L	1		300.0	Total/NA
Sulfate	3.9		1.0		mg/L	1		300.0	Total/NA
Nitrate Nitrite as N	0.64		0.050		mg/L	1		353.2	Total/NA
Nitrate as N	0.64	H	0.050		mg/L	1		Nitrate by calc	Total/NA
Fluoride	0.13		0.10		mg/L	1		SM 4500 F C	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Pensacola

Sample Summary

Client: AECOM

Job ID: 400-265846-1

Project/Site: Agrico Pensacola - 5yr GW

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
400-265846-1	AC-24D	Water	11/12/24 15:02	11/13/24 11:08
400-265846-2	AC-24S	Water	11/12/24 13:56	11/13/24 11:08
400-265846-3	NWD-2S	Water	11/12/24 10:56	11/13/24 11:08
400-265846-4	NWD-2D	Water	11/12/24 11:59	11/13/24 11:08
400-265846-5	PID-D	Water	11/12/24 09:52	11/13/24 11:08
400-265846-6	DUP-3	Water	11/12/24 00:00	11/13/24 11:08
400-265846-7	AC-10D	Water	11/13/24 10:12	11/13/24 11:08
400-265846-8	EB-1	Water	11/13/24 10:24	11/13/24 11:08
400-265996-1	AC-23D	Water	11/13/24 13:29	11/14/24 11:42
400-265996-2	AC-28D	Water	11/14/24 09:42	11/14/24 11:42
400-265996-3	AC-9D2	Water	11/13/24 11:00	11/14/24 11:42
400-266120-1	AC-11D	Water	11/14/24 14:03	11/15/24 15:38
400-266120-2	AC-8D	Water	11/14/24 15:27	11/15/24 15:38
400-266120-3	AC-21D	Water	11/15/24 09:30	11/15/24 15:38
400-266120-4	NWD-4S	Water	11/15/24 10:24	11/15/24 15:38
400-266120-5	NWD-4D	Water	11/15/24 11:11	11/15/24 15:38
400-266120-6	AC-12D	Water	11/15/24 14:13	11/15/24 15:38
400-266120-7	DUP-2	Water	11/14/24 12:00	11/15/24 15:38
400-266242-1	AC-34S	Water	11/18/24 09:48	11/19/24 08:46
400-266242-2	AC-75R	Water	11/18/24 10:35	11/19/24 08:46
400-266242-3	AC-33S	Water	11/18/24 11:12	11/19/24 08:46
400-266242-4	NWD-31S	Water	11/18/24 12:36	11/19/24 08:46
400-266242-5	AC-3S	Water	11/18/24 15:40	11/19/24 08:46
400-266242-6	DUP-1 (OU-1)	Water	11/18/24 00:00	11/19/24 08:46
400-266242-7	DUP-4	Water	11/18/24 00:00	11/19/24 08:46
400-266474-1	AC-27D	Water	11/20/24 08:25	11/21/24 10:58
400-266474-2	AC-27S	Water	11/20/24 08:57	11/21/24 10:58
400-266474-3	AC-35D	Water	11/20/24 10:58	11/21/24 10:58
400-266474-4	AC-29D	Water	11/20/24 12:35	11/21/24 10:58
400-266474-5	AC-22D	Water	11/20/24 15:06	11/21/24 10:58
400-266474-6	AC-25D	Water	11/20/24 16:25	11/21/24 10:58
400-266474-7	AC-3D	Water	11/21/24 10:10	11/21/24 10:58
400-266568-1	AC-30D	Water	11/21/24 11:55	11/22/24 15:17
400-266568-2	AC-2S	Water	11/21/24 14:33	11/22/24 15:17
400-266568-3	AC-2D	Water	11/21/24 18:15	11/22/24 15:17
400-266568-4	AC-5S	Water	11/21/24 08:37	11/22/24 15:17
400-266568-5	EQ-1	Water	11/21/24 13:30	11/22/24 15:17
400-266568-6	DUP-1	Water	11/21/24 00:00	11/22/24 15:17
400-266568-7	AC-5D	Water	11/22/24 09:48	11/22/24 15:17
400-266568-8	AC-13D	Water	11/22/24 11:17	11/22/24 15:17
400-266568-9	ACB-32S	Water	11/22/24 14:07	11/22/24 15:17

Client Sample Results

Client: AECOM
Project/Site: Agrico Pensacola - 5yr GW

Job ID: 400-265846-1

Client Sample ID: AC-24D

Lab Sample ID: 400-265846-1

Date Collected: 11/12/24 15:02

Matrix: Water

Date Received: 11/13/24 11:08

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	59		5.0		mg/L			12/06/24 19:28	5
Sulfate	63		5.0		mg/L			12/06/24 19:28	5

General Chemistry

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate Nitrite as N (EPA 353.2)	4.0		0.25		mg/L			11/13/24 20:45	5
Nitrate as N (SM Nitrate by calc)	4.0		0.050		mg/L			11/13/24 14:52	1
Fluoride (SM 4500 F C)	27		0.50		mg/L			11/13/24 15:14	5
Nitrite as N (SM 4500 NO2 B)	<0.10		0.10		mg/L			11/13/24 14:52	1

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	1.26E+0		1.90E-1	2.21E-1	1.00E+0	1.01E-1	pCi/L	12/31/24 08:59	12/31/24 18:55	1
<i>Carrier</i>	<i>%Yield</i>	<i>Qualifier</i>	<i>Limits</i>					<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
Ba Carrier	8.86E+1		30 - 110					12/31/24 08:59	12/31/24 18:55	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	6.44E+0	G	1.24E+0	1.38E+0	1.00E+0	1.18E+0	pCi/L	12/18/24 08:24	12/27/24 11:55	1
<i>Carrier</i>	<i>%Yield</i>	<i>Qualifier</i>	<i>Limits</i>					<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
Ba Carrier	8.46E+1		30 - 110					12/18/24 08:24	12/27/24 11:55	1
Y Carrier	8.26E+1		30 - 110					12/18/24 08:24	12/27/24 11:55	1

Client Sample ID: AC-24S

Lab Sample ID: 400-265846-2

Date Collected: 11/12/24 13:56

Matrix: Water

Date Received: 11/13/24 11:08

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	8.9		1.0		mg/L			12/05/24 22:26	1
Sulfate	10		1.0		mg/L			12/05/24 22:26	1

General Chemistry

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate Nitrite as N (EPA 353.2)	1.7		0.25		mg/L			11/13/24 20:47	5
Nitrate as N (SM Nitrate by calc)	1.7		0.050		mg/L			11/13/24 14:53	1
Fluoride (SM 4500 F C)	<0.10		0.10		mg/L			11/13/24 14:34	1
Nitrite as N (SM 4500 NO2 B)	<0.10		0.10		mg/L			11/13/24 14:53	1

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	4.13E-1		1.19E-1	1.25E-1	1.00E+0	1.14E-1	pCi/L	12/31/24 08:59	12/31/24 18:55	1

Eurofins Pensacola

Client Sample Results

Client: AECOM
 Project/Site: Agrico Pensacola - 5yr GW

Job ID: 400-265846-1

Client Sample ID: AC-24S
 Date Collected: 11/12/24 13:56
 Date Received: 11/13/24 11:08

Lab Sample ID: 400-265846-2
 Matrix: Water

Carrier	%Yield	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Ba Carrier	8.65E+1		30 - 110	12/31/24 08:59	12/31/24 18:55	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	4.56E-1	U	5.86E-1	5.87E-1	1.00E+0	9.75E-1	pCi/L	12/18/24 08:24	12/27/24 11:55	1

Carrier	%Yield	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Ba Carrier	9.21E+1		30 - 110	12/18/24 08:24	12/27/24 11:55	1
Y Carrier	8.06E+1		30 - 110	12/18/24 08:24	12/27/24 11:55	1

Client Sample ID: NWD-2S
 Date Collected: 11/12/24 10:56
 Date Received: 11/13/24 11:08

Lab Sample ID: 400-265846-3
 Matrix: Water

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	5.2		1.0		mg/L			12/05/24 22:35	1
Sulfate	14		1.0		mg/L			12/05/24 22:35	1

General Chemistry

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate Nitrite as N (EPA 353.2)	2.3		0.25		mg/L			11/13/24 20:49	5
Nitrate as N (SM Nitrate by calc)	2.3		0.050		mg/L			11/13/24 14:53	1
Fluoride (SM 4500 F C)	1.1		0.10		mg/L			11/13/24 14:37	1
Nitrite as N (SM 4500 NO2 B)	<0.10		0.10		mg/L			11/13/24 14:53	1

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	4.35E-1		1.19E-1	1.25E-1	1.00E+0	1.03E-1	pCi/L	12/31/24 08:59	12/31/24 18:55	1

Carrier	%Yield	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Ba Carrier	8.63E+1		30 - 110	12/31/24 08:59	12/31/24 18:55	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	1.15E+0		6.82E-1	6.91E-1	1.00E+0	9.83E-1	pCi/L	12/18/24 08:24	12/27/24 11:55	1

Carrier	%Yield	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Ba Carrier	8.05E+1		30 - 110	12/18/24 08:24	12/27/24 11:55	1
Y Carrier	9.03E+1		30 - 110	12/18/24 08:24	12/27/24 11:55	1

Client Sample Results

Client: AECOM
Project/Site: Agrico Pensacola - 5yr GW

Job ID: 400-265846-1

Client Sample ID: NWD-2D

Lab Sample ID: 400-265846-4

Date Collected: 11/12/24 11:59

Matrix: Water

Date Received: 11/13/24 11:08

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	11		1.0		mg/L			12/05/24 22:43	1
Sulfate	7.9		1.0		mg/L			12/05/24 22:43	1

General Chemistry

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate Nitrite as N (EPA 353.2)	5.9		0.25		mg/L			11/13/24 20:54	5
Nitrate as N (SM Nitrate by calc)	5.9		0.050		mg/L			11/13/24 14:54	1
Fluoride (SM 4500 F C)	<0.10		0.10		mg/L			11/13/24 14:41	1
Nitrite as N (SM 4500 NO2 B)	<0.10		0.10		mg/L			11/13/24 14:54	1

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	8.32E-1		1.64E-1	1.80E-1	1.00E+0	1.09E-1	pCi/L	12/31/24 08:59	12/31/24 18:55	1
<i>Carrier</i>	<i>%Yield</i>	<i>Qualifier</i>	<i>Limits</i>					<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
Ba Carrier	7.64E+1		30 - 110					12/31/24 08:59	12/31/24 18:55	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	3.04E+0		8.60E-1	9.04E-1	1.00E+0	9.68E-1	pCi/L	12/18/24 08:24	12/27/24 11:55	1
<i>Carrier</i>	<i>%Yield</i>	<i>Qualifier</i>	<i>Limits</i>					<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
Ba Carrier	8.46E+1		30 - 110					12/18/24 08:24	12/27/24 11:55	1
Y Carrier	9.08E+1		30 - 110					12/18/24 08:24	12/27/24 11:55	1

Client Sample ID: PID-D

Lab Sample ID: 400-265846-5

Date Collected: 11/12/24 09:52

Matrix: Water

Date Received: 11/13/24 11:08

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	9.9		1.0		mg/L			12/05/24 22:52	1
Sulfate	2.5		1.0		mg/L			12/05/24 22:52	1

General Chemistry

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate Nitrite as N (EPA 353.2)	3.5		0.25		mg/L			11/13/24 20:58	5
Nitrate as N (SM Nitrate by calc)	3.5		0.050		mg/L			11/13/24 14:54	1
Fluoride (SM 4500 F C)	<0.10		0.10		mg/L			11/13/24 14:44	1
Nitrite as N (SM 4500 NO2 B)	<0.10		0.10		mg/L			11/13/24 14:54	1

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	7.32E-1		1.51E-1	1.65E-1	1.00E+0	9.48E-2	pCi/L	12/31/24 08:59	12/31/24 18:59	1

Eurofins Pensacola

Client Sample Results

Client: AECOM
 Project/Site: Agrico Pensacola - 5yr GW

Job ID: 400-265846-1

Client Sample ID: PID-D
 Date Collected: 11/12/24 09:52
 Date Received: 11/13/24 11:08

Lab Sample ID: 400-265846-5
 Matrix: Water

Carrier	%Yield	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Ba Carrier	7.87E+1		30 - 110	12/31/24 08:59	12/31/24 18:59	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	1.63E+0		7.31E-1	7.46E-1	1.00E+0	9.70E-1	pCi/L	12/18/24 08:24	12/27/24 11:55	1

Carrier	%Yield	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Ba Carrier	8.87E+1		30 - 110	12/18/24 08:24	12/27/24 11:55	1
Y Carrier	8.43E+1		30 - 110	12/18/24 08:24	12/27/24 11:55	1

Client Sample ID: DUP-3
 Date Collected: 11/12/24 00:00
 Date Received: 11/13/24 11:08

Lab Sample ID: 400-265846-6
 Matrix: Water

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	5.0		1.0		mg/L			12/05/24 23:00	1
Sulfate	14		1.0		mg/L			12/05/24 23:00	1

General Chemistry

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate Nitrite as N (EPA 353.2)	2.4		0.25		mg/L			11/13/24 21:00	5
Nitrate as N (SM Nitrate by calc)	2.4		0.050		mg/L			11/13/24 14:54	1
Fluoride (SM 4500 F C)	1.0		0.10		mg/L			11/13/24 14:47	1
Nitrite as N (SM 4500 NO2 B)	<0.10		0.10		mg/L			11/13/24 14:54	1

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	2.60E-1		9.57E-2	9.85E-2	1.00E+0	9.74E-2	pCi/L	12/31/24 08:59	12/31/24 18:59	1

Carrier	%Yield	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Ba Carrier	8.50E+1		30 - 110	12/31/24 08:59	12/31/24 18:59	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	1.13E+0	G	7.06E-1	7.14E-1	1.00E+0	1.03E+0	pCi/L	12/18/24 08:24	12/27/24 11:55	1

Carrier	%Yield	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Ba Carrier	9.28E+1		30 - 110	12/18/24 08:24	12/27/24 11:55	1
Y Carrier	7.36E+1		30 - 110	12/18/24 08:24	12/27/24 11:55	1

Client Sample Results

Client: AECOM
Project/Site: Agrico Pensacola - 5yr GW

Job ID: 400-265846-1

Client Sample ID: AC-10D

Lab Sample ID: 400-265846-7

Date Collected: 11/13/24 10:12

Matrix: Water

Date Received: 11/13/24 11:08

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	13		1.0		mg/L			12/05/24 23:09	1
Sulfate	18		1.0		mg/L			12/05/24 23:09	1

General Chemistry

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate Nitrite as N (EPA 353.2)	5.3		0.25		mg/L			11/13/24 21:02	5
Nitrate as N (SM Nitrate by calc)	5.3		0.050		mg/L			11/13/24 14:55	1
Fluoride (SM 4500 F C)	<0.10		0.10		mg/L			11/13/24 14:50	1
Nitrite as N (SM 4500 NO2 B)	<0.10		0.10		mg/L			11/13/24 14:55	1

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	1.10E+0		1.89E-1	2.13E-1	1.00E+0	9.23E-2	pCi/L	12/31/24 08:59	12/31/24 19:00	1
<i>Carrier</i>	<i>%Yield</i>	<i>Qualifier</i>	<i>Limits</i>					<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
Ba Carrier	7.31E+1		30 - 110					12/31/24 08:59	12/31/24 19:00	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	1.28E+0		6.61E-1	6.71E-1	1.00E+0	9.18E-1	pCi/L	12/18/24 08:24	12/27/24 11:56	1
<i>Carrier</i>	<i>%Yield</i>	<i>Qualifier</i>	<i>Limits</i>					<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
Ba Carrier	9.10E+1		30 - 110					12/18/24 08:24	12/27/24 11:56	1
Y Carrier	8.00E+1		30 - 110					12/18/24 08:24	12/27/24 11:56	1

Client Sample ID: EB-1

Lab Sample ID: 400-265846-8

Date Collected: 11/13/24 10:24

Matrix: Water

Date Received: 11/13/24 11:08

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<1.0		1.0		mg/L			12/05/24 23:17	1
Sulfate	<1.0		1.0		mg/L			12/05/24 23:17	1

General Chemistry

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate Nitrite as N (EPA 353.2)	<0.050		0.050		mg/L			11/13/24 21:03	1
Nitrate as N (SM Nitrate by calc)	<0.050		0.050		mg/L			11/13/24 14:55	1
Fluoride (SM 4500 F C)	<0.10		0.10		mg/L			11/13/24 14:53	1
Nitrite as N (SM 4500 NO2 B)	<0.10		0.10		mg/L			11/13/24 14:55	1

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	-2.06E-2	U	6.59E-2	6.59E-2	1.00E+0	1.38E-1	pCi/L	12/31/24 08:59	12/31/24 19:00	1

Eurofins Pensacola

Client Sample Results

Client: AECOM
Project/Site: Agrico Pensacola - 5yr GW

Job ID: 400-265846-1

Client Sample ID: EB-1
Date Collected: 11/13/24 10:24
Date Received: 11/13/24 11:08

Lab Sample ID: 400-265846-8
Matrix: Water

Carrier	%Yield	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Ba Carrier	7.72E+1		30 - 110	12/31/24 08:59	12/31/24 19:00	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	1.18E+0	G	7.13E-1	7.21E-1	1.00E+0	1.04E+0	pCi/L	12/18/24 08:24	12/27/24 11:56	1

Carrier	%Yield	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Ba Carrier	9.51E+1		30 - 110	12/18/24 08:24	12/27/24 11:56	1
Y Carrier	7.55E+1		30 - 110	12/18/24 08:24	12/27/24 11:56	1

Client Sample ID: AC-23D
Date Collected: 11/13/24 13:29
Date Received: 11/14/24 11:42

Lab Sample ID: 400-265996-1
Matrix: Water

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	6.1		1.0		mg/L			12/02/24 21:31	1
Sulfate	23		1.0		mg/L			12/02/24 21:31	1

General Chemistry

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate Nitrite as N (EPA 353.2)	2.0		0.050		mg/L			11/20/24 08:40	1
Nitrate as N (SM Nitrate by calc)	2.0		0.050		mg/L			11/14/24 20:04	1
Fluoride (SM 4500 F C)	<0.10		0.10		mg/L			11/18/24 16:54	1
Nitrite as N (SM 4500 NO2 B)	<0.10	F1	0.10		mg/L			11/14/24 20:04	1

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	1.91E+0		2.45E-1	3.00E-1	1.00E+0	1.24E-1	pCi/L	12/31/24 08:59	12/31/24 19:00	1

Carrier	%Yield	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Ba Carrier	7.46E+1		30 - 110	12/31/24 08:59	12/31/24 19:00	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	4.99E+0		7.75E-1	9.01E-1	1.00E+0	5.60E-1	pCi/L	11/19/24 08:45	11/27/24 12:11	1

Carrier	%Yield	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Ba Carrier	8.50E+1		30 - 110	11/19/24 08:45	11/27/24 12:11	1
Y Carrier	8.00E+1		30 - 110	11/19/24 08:45	11/27/24 12:11	1

Client Sample Results

Client: AECOM
Project/Site: Agrico Pensacola - 5yr GW

Job ID: 400-265846-1

Client Sample ID: AC-28D

Lab Sample ID: 400-265996-2

Date Collected: 11/14/24 09:42

Matrix: Water

Date Received: 11/14/24 11:42

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	16		1.0		mg/L			12/02/24 21:40	1
Sulfate	100		5.0		mg/L			12/03/24 21:33	5

General Chemistry

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate Nitrite as N (EPA 353.2)	4.9		0.25		mg/L			11/19/24 19:04	5
Nitrate as N (SM Nitrate by calc)	4.9		0.050		mg/L			11/14/24 20:05	1
Fluoride (SM 4500 F C)	7.4		0.10		mg/L			11/18/24 17:05	1
Nitrite as N (SM 4500 NO2 B)	<0.10		0.10		mg/L			11/14/24 20:05	1

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	2.89E+0		2.91E-1	3.91E-1	1.00E+0	9.56E-2	pCi/L	12/31/24 08:59	12/31/24 19:01	1
<i>Carrier</i>	<i>%Yield</i>	<i>Qualifier</i>	<i>Limits</i>					<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
Ba Carrier	7.59E+1		30 - 110					12/31/24 08:59	12/31/24 19:01	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	1.43E+1		1.18E+0	1.77E+0	1.00E+0	6.11E-1	pCi/L	11/19/24 08:45	11/27/24 12:12	1
<i>Carrier</i>	<i>%Yield</i>	<i>Qualifier</i>	<i>Limits</i>					<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
Ba Carrier	9.49E+1		30 - 110					11/19/24 08:45	11/27/24 12:12	1
Y Carrier	8.00E+1		30 - 110					11/19/24 08:45	11/27/24 12:12	1

Client Sample ID: AC-9D2

Lab Sample ID: 400-265996-3

Date Collected: 11/13/24 11:00

Matrix: Water

Date Received: 11/14/24 11:42

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	21		1.0		mg/L			12/02/24 21:48	1
Sulfate	190		10		mg/L			12/03/24 21:41	10

General Chemistry

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate Nitrite as N (EPA 353.2)	8.6		0.25		mg/L			11/19/24 19:05	5
Nitrate as N (SM Nitrate by calc)	8.6		0.050		mg/L			11/14/24 20:06	1
Fluoride (SM 4500 F C)	14		0.20		mg/L			11/19/24 10:23	2
Nitrite as N (SM 4500 NO2 B)	<0.10		0.10		mg/L			11/14/24 20:06	1

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	1.42E+0		2.07E-1	2.44E-1	1.00E+0	8.47E-2	pCi/L	12/31/24 08:59	12/31/24 19:01	1

Eurofins Pensacola

Client Sample Results

Client: AECOM
Project/Site: Agrico Pensacola - 5yr GW

Job ID: 400-265846-1

Client Sample ID: AC-9D2

Lab Sample ID: 400-265996-3

Date Collected: 11/13/24 11:00

Matrix: Water

Date Received: 11/14/24 11:42

Carrier	%Yield	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Ba Carrier	7.44E+1		30 - 110	12/31/24 08:59	12/31/24 19:01	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	8.88E+0		9.29E-1	1.24E+0	1.00E+0	5.65E-1	pCi/L	11/19/24 08:45	11/27/24 12:12	1

Carrier	%Yield	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Ba Carrier	9.95E+1		30 - 110	11/19/24 08:45	11/27/24 12:12	1
Y Carrier	7.93E+1		30 - 110	11/19/24 08:45	11/27/24 12:12	1

Client Sample ID: AC-11D

Lab Sample ID: 400-266120-1

Date Collected: 11/14/24 14:03

Matrix: Water

Date Received: 11/15/24 15:38

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	9.2		1.0		mg/L			12/05/24 23:26	1
Sulfate	6.1		1.0		mg/L			12/05/24 23:26	1

General Chemistry

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate Nitrite as N (EPA 353.2)	1.4		0.050		mg/L			11/20/24 08:32	1
Nitrate as N (SM Nitrate by calc)	1.4		0.050		mg/L			11/15/24 19:10	1
Fluoride (SM 4500 F C)	<0.10		0.10		mg/L			11/18/24 16:32	1
Nitrite as N (SM 4500 NO2 B)	<0.10		0.10		mg/L			11/15/24 19:10	1

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	8.29E-1		1.64E-1	1.81E-1	1.00E+0	1.14E-1	pCi/L	12/31/24 08:52	12/31/24 16:59	1

Carrier	%Yield	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Ba Carrier	7.89E+1		30 - 110	12/31/24 08:52	12/31/24 16:59	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	1.90E+0		5.35E-1	5.63E-1	1.00E+0	5.89E-1	pCi/L	11/22/24 15:46	12/06/24 12:03	1

Carrier	%Yield	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Ba Carrier	8.65E+1		30 - 110	11/22/24 15:46	12/06/24 12:03	1
Y Carrier	8.04E+1		30 - 110	11/22/24 15:46	12/06/24 12:03	1

Client Sample Results

Client: AECOM
Project/Site: Agrico Pensacola - 5yr GW

Job ID: 400-265846-1

Client Sample ID: AC-8D

Lab Sample ID: 400-266120-2

Date Collected: 11/14/24 15:27

Matrix: Water

Date Received: 11/15/24 15:38

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	12		1.0		mg/L			12/05/24 23:34	1
Sulfate	6.8		1.0		mg/L			12/05/24 23:34	1

General Chemistry

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate Nitrite as N (EPA 353.2)	5.2		0.25		mg/L			11/19/24 18:54	5
Nitrate as N (SM Nitrate by calc)	5.2		0.050		mg/L			11/15/24 19:10	1
Fluoride (SM 4500 F C)	<0.10		0.10		mg/L			11/18/24 16:34	1
Nitrite as N (SM 4500 NO2 B)	<0.10		0.10		mg/L			11/15/24 19:10	1

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	8.54E-1		1.69E-1	1.86E-1	1.00E+0	1.16E-1	pCi/L	12/31/24 08:52	12/31/24 16:59	1
<i>Carrier</i>	<i>%Yield</i>	<i>Qualifier</i>	<i>Limits</i>					<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
Ba Carrier	7.99E+1		30 - 110					12/31/24 08:52	12/31/24 16:59	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	1.75E+0		5.11E-1	5.36E-1	1.00E+0	5.68E-1	pCi/L	11/22/24 15:46	12/06/24 12:05	1
<i>Carrier</i>	<i>%Yield</i>	<i>Qualifier</i>	<i>Limits</i>					<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
Ba Carrier	8.91E+1		30 - 110					11/22/24 15:46	12/06/24 12:05	1
Y Carrier	7.85E+1		30 - 110					11/22/24 15:46	12/06/24 12:05	1

Client Sample ID: AC-21D

Lab Sample ID: 400-266120-3

Date Collected: 11/15/24 09:30

Matrix: Water

Date Received: 11/15/24 15:38

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	8.2		1.0		mg/L			12/05/24 23:43	1
Sulfate	6.5		1.0		mg/L			12/05/24 23:43	1

General Chemistry

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate Nitrite as N (EPA 353.2)	3.8		0.25		mg/L			11/19/24 18:56	5
Nitrate as N (SM Nitrate by calc)	3.8		0.050		mg/L			11/15/24 19:10	1
Fluoride (SM 4500 F C)	<0.10		0.10		mg/L			11/18/24 16:37	1
Nitrite as N (SM 4500 NO2 B)	<0.10		0.10		mg/L			11/15/24 19:10	1

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	1.83E+0		2.54E-1	3.03E-1	1.00E+0	1.44E-1	pCi/L	12/31/24 08:52	12/31/24 16:59	1

Eurofins Pensacola

Client Sample Results

Client: AECOM
Project/Site: Agrico Pensacola - 5yr GW

Job ID: 400-265846-1

Client Sample ID: AC-21D
Date Collected: 11/15/24 09:30
Date Received: 11/15/24 15:38

Lab Sample ID: 400-266120-3
Matrix: Water

Carrier	%Yield	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Ba Carrier	7.02E+1		30 - 110	12/31/24 08:52	12/31/24 16:59	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	2.02E+0		5.43E-1	5.74E-1	1.00E+0	5.70E-1	pCi/L	11/22/24 15:46	12/06/24 12:05	1

Carrier	%Yield	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Ba Carrier	8.38E+1		30 - 110	11/22/24 15:46	12/06/24 12:05	1
Y Carrier	8.00E+1		30 - 110	11/22/24 15:46	12/06/24 12:05	1

Client Sample ID: NWD-4S
Date Collected: 11/15/24 10:24
Date Received: 11/15/24 15:38

Lab Sample ID: 400-266120-4
Matrix: Water

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	16		1.0		mg/L			12/06/24 00:08	1
Sulfate	2.9		1.0		mg/L			12/06/24 00:08	1

General Chemistry

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate Nitrite as N (EPA 353.2)	16		1.0		mg/L			11/20/24 08:33	20
Nitrate as N (SM Nitrate by calc)	16		0.050		mg/L			11/15/24 19:08	1
Fluoride (SM 4500 F C)	<0.10		0.10		mg/L			11/18/24 16:19	1
Nitrite as N (SM 4500 NO2 B)	<0.10		0.10		mg/L			11/15/24 19:08	1

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	2.43E+0		2.84E-1	3.59E-1	1.00E+0	1.30E-1	pCi/L	12/31/24 08:52	12/31/24 16:59	1

Carrier	%Yield	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Ba Carrier	7.14E+1		30 - 110	12/31/24 08:52	12/31/24 16:59	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	4.73E+0		7.62E-1	8.78E-1	1.00E+0	5.92E-1	pCi/L	11/22/24 15:46	12/06/24 12:05	1

Carrier	%Yield	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Ba Carrier	8.91E+1		30 - 110	11/22/24 15:46	12/06/24 12:05	1
Y Carrier	7.63E+1		30 - 110	11/22/24 15:46	12/06/24 12:05	1

Client Sample Results

Client: AECOM
Project/Site: Agrico Pensacola - 5yr GW

Job ID: 400-265846-1

Client Sample ID: NWD-4D

Lab Sample ID: 400-266120-5

Date Collected: 11/15/24 11:11

Matrix: Water

Date Received: 11/15/24 15:38

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	7.4		1.0		mg/L			12/06/24 00:34	1
Sulfate	17		1.0		mg/L			12/06/24 00:34	1

General Chemistry

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate Nitrite as N (EPA 353.2)	0.46		0.050		mg/L			11/20/24 08:38	1
Nitrate as N (SM Nitrate by calc)	0.46		0.050		mg/L			11/15/24 19:11	1
Fluoride (SM 4500 F C)	<0.10		0.10		mg/L			11/18/24 16:40	1
Nitrite as N (SM 4500 NO2 B)	<0.10		0.10		mg/L			11/15/24 19:11	1

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	8.23E-1		1.67E-1	1.82E-1	1.00E+0	1.02E-1	pCi/L	12/31/24 08:52	12/31/24 17:00	1
<i>Carrier</i>	<i>%Yield</i>	<i>Qualifier</i>	<i>Limits</i>					<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
Ba Carrier	7.29E+1		30 - 110					12/31/24 08:52	12/31/24 17:00	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	2.15E+0		5.97E-1	6.28E-1	1.00E+0	6.30E-1	pCi/L	11/22/24 15:46	12/06/24 12:05	1
<i>Carrier</i>	<i>%Yield</i>	<i>Qualifier</i>	<i>Limits</i>					<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
Ba Carrier	8.07E+1		30 - 110					11/22/24 15:46	12/06/24 12:05	1
Y Carrier	7.48E+1		30 - 110					11/22/24 15:46	12/06/24 12:05	1

Client Sample ID: AC-12D

Lab Sample ID: 400-266120-6

Date Collected: 11/15/24 14:13

Matrix: Water

Date Received: 11/15/24 15:38

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	13		1.0		mg/L			12/06/24 00:43	1
Sulfate	170		10		mg/L			12/06/24 19:37	10

General Chemistry

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate Nitrite as N (EPA 353.2)	8.2		0.25		mg/L			11/19/24 18:59	5
Nitrate as N (SM Nitrate by calc)	8.2		0.050		mg/L			11/15/24 19:11	1
Fluoride (SM 4500 F C)	6.1		0.10		mg/L			11/18/24 16:43	1
Nitrite as N (SM 4500 NO2 B)	<0.10		0.10		mg/L			11/15/24 19:11	1

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	1.73E+0		2.28E-1	2.76E-1	1.00E+0	1.04E-1	pCi/L	12/31/24 08:52	12/31/24 17:00	1

Eurofins Pensacola

Client Sample Results

Client: AECOM
 Project/Site: Agrico Pensacola - 5yr GW

Job ID: 400-265846-1

Client Sample ID: AC-12D
 Date Collected: 11/15/24 14:13
 Date Received: 11/15/24 15:38

Lab Sample ID: 400-266120-6
 Matrix: Water

Carrier	%Yield	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Ba Carrier	8.27E+1		30 - 110	12/31/24 08:52	12/31/24 17:00	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	7.41E+0		9.36E-1	1.16E+0	1.00E+0	5.75E-1	pCi/L	11/22/24 15:46	12/06/24 12:05	1

Carrier	%Yield	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Ba Carrier	8.58E+1		30 - 110	11/22/24 15:46	12/06/24 12:05	1
Y Carrier	7.48E+1		30 - 110	11/22/24 15:46	12/06/24 12:05	1

Client Sample ID: DUP-2
 Date Collected: 11/14/24 12:00
 Date Received: 11/15/24 15:38

Lab Sample ID: 400-266120-7
 Matrix: Water

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	12		1.0		mg/L			12/06/24 01:34	1
Sulfate	6.8		1.0		mg/L			12/06/24 01:34	1

General Chemistry

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate Nitrite as N (EPA 353.2)	5.0		0.25		mg/L			11/19/24 19:00	5
Nitrate as N (SM Nitrate by calc)	5.0		0.050		mg/L			11/15/24 19:12	1
Fluoride (SM 4500 F C)	<0.10		0.10		mg/L			11/18/24 16:47	1
Nitrite as N (SM 4500 NO2 B)	<0.10		0.10		mg/L			11/15/24 19:12	1

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	8.35E-1		1.82E-1	1.97E-1	1.00E+0	1.56E-1	pCi/L	12/31/24 08:52	12/31/24 17:00	1

Carrier	%Yield	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Ba Carrier	7.84E+1		30 - 110	12/31/24 08:52	12/31/24 17:00	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	2.02E+0		5.57E-1	5.87E-1	1.00E+0	5.92E-1	pCi/L	11/22/24 15:46	12/06/24 12:05	1

Carrier	%Yield	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Ba Carrier	8.83E+1		30 - 110	11/22/24 15:46	12/06/24 12:05	1
Y Carrier	7.44E+1		30 - 110	11/22/24 15:46	12/06/24 12:05	1

Client Sample Results

Client: AECOM
Project/Site: Agrico Pensacola - 5yr GW

Job ID: 400-265846-1

Client Sample ID: AC-34S

Lab Sample ID: 400-266242-1

Date Collected: 11/18/24 09:48

Matrix: Water

Date Received: 11/19/24 08:46

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	3.6		1.0		mg/L			12/06/24 01:51	1
Sulfate	36		1.0		mg/L			12/06/24 01:51	1

General Chemistry

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate Nitrite as N (EPA 353.2)	2.8		0.25		mg/L			11/19/24 19:23	5
Nitrate as N (SM Nitrate by calc)	2.8		0.050		mg/L			11/19/24 15:49	1
Fluoride (SM 4500 F C)	1.9		0.10		mg/L			11/25/24 13:50	1
Nitrite as N (SM 4500 NO2 B)	<0.10		0.10		mg/L			11/19/24 15:49	1

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	2.31E-2	U	5.27E-2	5.27E-2	1.00E+0	9.66E-2	pCi/L	12/31/24 08:52	12/31/24 17:00	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	8.42E+1		30 - 110					12/31/24 08:52	12/31/24 17:00	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	-1.38E-1	U	3.13E-1	3.14E-1	1.00E+0	6.34E-1	pCi/L	11/26/24 10:02	12/09/24 12:00	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	7.82E+1		30 - 110					11/26/24 10:02	12/09/24 12:00	1
Y Carrier	8.15E+1		30 - 110					11/26/24 10:02	12/09/24 12:00	1

Client Sample ID: AC-75R

Lab Sample ID: 400-266242-2

Date Collected: 11/18/24 10:35

Matrix: Water

Date Received: 11/19/24 08:46

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	4.3		1.0		mg/L			12/06/24 01:59	1
Sulfate	49		1.0		mg/L			12/06/24 01:59	1

General Chemistry

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate Nitrite as N (EPA 353.2)	1.8		0.25		mg/L			11/19/24 19:25	5
Nitrate as N (SM Nitrate by calc)	1.8		0.050		mg/L			11/19/24 15:49	1
Fluoride (SM 4500 F C)	1.1		0.10		mg/L			11/25/24 13:53	1
Nitrite as N (SM 4500 NO2 B)	<0.10		0.10		mg/L			11/19/24 15:49	1

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	3.49E-1		1.18E-1	1.22E-1	1.00E+0	1.18E-1	pCi/L	12/31/24 08:52	12/31/24 17:00	1

Eurofins Pensacola

Client Sample Results

Client: AECOM
Project/Site: Agrico Pensacola - 5yr GW

Job ID: 400-265846-1

Client Sample ID: AC-75R
Date Collected: 11/18/24 10:35
Date Received: 11/19/24 08:46

Lab Sample ID: 400-266242-2
Matrix: Water

Carrier	%Yield	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Ba Carrier	8.30E+1		30 - 110	12/31/24 08:52	12/31/24 17:00	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	5.70E-1	U	3.89E-1	3.92E-1	1.00E+0	5.87E-1	pCi/L	11/26/24 10:02	12/09/24 12:00	1

Carrier	%Yield	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Ba Carrier	9.14E+1		30 - 110	11/26/24 10:02	12/09/24 12:00	1
Y Carrier	8.11E+1		30 - 110	11/26/24 10:02	12/09/24 12:00	1

Client Sample ID: AC-33S
Date Collected: 11/18/24 11:12
Date Received: 11/19/24 08:46

Lab Sample ID: 400-266242-3
Matrix: Water

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	3.8		1.0		mg/L			12/06/24 02:08	1
Sulfate	24		1.0		mg/L			12/06/24 02:08	1

General Chemistry

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate Nitrite as N (EPA 353.2)	1.5		0.050		mg/L			11/20/24 08:43	1
Nitrate as N (SM Nitrate by calc)	1.5		0.050		mg/L			11/19/24 15:50	1
Fluoride (SM 4500 F C)	0.47		0.10		mg/L			11/25/24 13:56	1
Nitrite as N (SM 4500 NO2 B)	<0.10		0.10		mg/L			11/19/24 15:50	1

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	2.06E-1		8.87E-2	9.06E-2	1.00E+0	9.80E-2	pCi/L	12/31/24 08:52	12/31/24 17:00	1

Carrier	%Yield	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Ba Carrier	8.65E+1		30 - 110	12/31/24 08:52	12/31/24 17:00	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	6.35E-1		3.45E-1	3.50E-1	1.00E+0	4.79E-1	pCi/L	11/26/24 10:02	12/09/24 12:00	1

Carrier	%Yield	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Ba Carrier	9.42E+1		30 - 110	11/26/24 10:02	12/09/24 12:00	1
Y Carrier	8.34E+1		30 - 110	11/26/24 10:02	12/09/24 12:00	1

Client Sample Results

Client: AECOM
Project/Site: Agrico Pensacola - 5yr GW

Job ID: 400-265846-1

Client Sample ID: NWD-31S

Lab Sample ID: 400-266242-4

Date Collected: 11/18/24 12:36

Matrix: Water

Date Received: 11/19/24 08:46

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	5.1		1.0		mg/L			12/06/24 02:16	1
Sulfate	170		10		mg/L			12/06/24 19:45	10

General Chemistry

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate Nitrite as N (EPA 353.2)	5.2		0.25		mg/L			11/19/24 19:28	5
Nitrate as N (SM Nitrate by calc)	5.2		0.050		mg/L			11/19/24 15:50	1
Fluoride (SM 4500 F C)	<0.10		0.10		mg/L			11/25/24 14:06	1
Nitrite as N (SM 4500 NO2 B)	<0.10		0.10		mg/L			11/19/24 15:50	1

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	8.02E-1		1.96E-1	2.09E-1	1.00E+0	1.81E-1	pCi/L	12/31/24 08:52	12/31/24 17:00	1
<i>Carrier</i>	<i>%Yield</i>	<i>Qualifier</i>	<i>Limits</i>					<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
Ba Carrier	9.20E+1		30 - 110					12/31/24 08:52	12/31/24 17:00	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	5.19E+0		7.90E-1	9.24E-1	1.00E+0	6.43E-1	pCi/L	11/26/24 10:02	12/09/24 12:01	1
<i>Carrier</i>	<i>%Yield</i>	<i>Qualifier</i>	<i>Limits</i>					<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
Ba Carrier	8.83E+1		30 - 110					11/26/24 10:02	12/09/24 12:01	1
Y Carrier	7.81E+1		30 - 110					11/26/24 10:02	12/09/24 12:01	1

Client Sample ID: AC-3S

Lab Sample ID: 400-266242-5

Date Collected: 11/18/24 15:40

Matrix: Water

Date Received: 11/19/24 08:46

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	2.8		1.0		mg/L			12/06/24 02:25	1
Sulfate	15		1.0		mg/L			12/06/24 02:25	1

Method: SW846 6010D - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	<0.020		0.020		mg/L		11/24/24 12:12	11/26/24 00:37	1

General Chemistry

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate Nitrite as N (EPA 353.2)	1.4		0.050		mg/L			11/20/24 08:44	1
Nitrate as N (SM Nitrate by calc)	1.4		0.050		mg/L			11/19/24 15:51	1
Fluoride (SM 4500 F C)	<0.10		0.10		mg/L			11/25/24 14:11	1
Nitrite as N (SM 4500 NO2 B)	<0.10		0.10		mg/L			11/19/24 15:51	1

Eurofins Pensacola

Client Sample Results

Client: AECOM
Project/Site: Agrico Pensacola - 5yr GW

Job ID: 400-265846-1

Client Sample ID: AC-3S

Lab Sample ID: 400-266242-5

Date Collected: 11/18/24 15:40

Matrix: Water

Date Received: 11/19/24 08:46

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	1.88E-1		9.01E-2	9.16E-2	1.00E+0	1.12E-1	pCi/L	12/31/24 08:52	12/31/24 16:59	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	8.27E+1		30 - 110					12/31/24 08:52	12/31/24 16:59	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	6.99E-1		4.30E-1	4.35E-1	1.00E+0	6.37E-1	pCi/L	11/26/24 10:02	12/09/24 12:01	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	8.96E+1		30 - 110					11/26/24 10:02	12/09/24 12:01	1
Y Carrier	7.93E+1		30 - 110					11/26/24 10:02	12/09/24 12:01	1

Client Sample ID: DUP-1 (OU-1)

Lab Sample ID: 400-266242-6

Date Collected: 11/18/24 00:00

Matrix: Water

Date Received: 11/19/24 08:46

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	3.7		1.0		mg/L			12/06/24 02:50	1
Sulfate	36		1.0		mg/L			12/06/24 02:50	1

General Chemistry

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate Nitrite as N (EPA 353.2)	2.4		0.25		mg/L			11/19/24 19:32	5
Nitrate as N (SM Nitrate by calc)	2.4		0.050		mg/L			11/19/24 15:51	1
Fluoride (SM 4500 F C)	1.9		0.10		mg/L			11/25/24 14:14	1
Nitrite as N (SM 4500 NO2 B)	<0.10		0.10		mg/L			11/19/24 15:51	1

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	2.13E-2	U	6.55E-2	6.55E-2	1.00E+0	1.21E-1	pCi/L	12/31/24 08:52	12/31/24 16:59	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	8.17E+1		30 - 110					12/31/24 08:52	12/31/24 16:59	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	6.45E-1		3.73E-1	3.77E-1	1.00E+0	5.39E-1	pCi/L	11/26/24 10:02	12/09/24 12:01	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	8.73E+1		30 - 110					11/26/24 10:02	12/09/24 12:01	1
Y Carrier	9.12E+1		30 - 110					11/26/24 10:02	12/09/24 12:01	1

Eurofins Pensacola

Client Sample Results

Client: AECOM
Project/Site: Agrico Pensacola - 5yr GW

Job ID: 400-265846-1

Client Sample ID: DUP-4
Date Collected: 11/18/24 00:00
Date Received: 11/19/24 08:46

Lab Sample ID: 400-266242-7
Matrix: Water

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	3.7		1.0		mg/L			12/06/24 02:59	1
Sulfate	24		1.0		mg/L			12/06/24 02:59	1

General Chemistry

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate Nitrite as N (EPA 353.2)	1.4		0.050		mg/L			11/20/24 08:45	1
Nitrate as N (SM Nitrate by calc)	1.4		0.050		mg/L			11/19/24 15:51	1
Fluoride (SM 4500 F C)	0.47		0.10		mg/L			11/25/24 14:16	1
Nitrite as N (SM 4500 NO2 B)	<0.10		0.10		mg/L			11/19/24 15:51	1

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	2.19E-1		9.17E-2	9.37E-2	1.00E+0	1.02E-1	pCi/L	12/31/24 08:52	12/31/24 16:59	1
<i>Carrier</i>	<i>%Yield</i>	<i>Qualifier</i>	<i>Limits</i>					<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
Ba Carrier	8.22E+1		30 - 110					12/31/24 08:52	12/31/24 16:59	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	8.95E-1		4.04E-1	4.12E-1	1.00E+0	5.27E-1	pCi/L	11/26/24 10:02	12/09/24 12:01	1
<i>Carrier</i>	<i>%Yield</i>	<i>Qualifier</i>	<i>Limits</i>					<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
Ba Carrier	8.78E+1		30 - 110					11/26/24 10:02	12/09/24 12:01	1
Y Carrier	8.00E+1		30 - 110					11/26/24 10:02	12/09/24 12:01	1

Client Sample ID: AC-27D
Date Collected: 11/20/24 08:25
Date Received: 11/21/24 10:58

Lab Sample ID: 400-266474-1
Matrix: Water

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	4.7		1.0		mg/L			12/06/24 03:07	1
Sulfate	8.3		1.0		mg/L			12/06/24 03:07	1

General Chemistry

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate Nitrite as N (EPA 353.2)	0.29	F2 F1	0.050		mg/L			11/22/24 15:16	1
Nitrate as N (SM Nitrate by calc)	0.29		0.050		mg/L			11/21/24 21:11	1
Fluoride (SM 4500 F C)	<0.10		0.10		mg/L			11/25/24 13:23	1
Nitrite as N (SM 4500 NO2 B)	<0.10		0.10		mg/L			11/21/24 21:11	1

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	2.00E-1		9.49E-2	9.65E-2	1.00E+0	1.14E-1	pCi/L	12/31/24 08:52	12/31/24 16:59	1

Eurofins Pensacola

Client Sample Results

Client: AECOM
Project/Site: Agrico Pensacola - 5yr GW

Job ID: 400-265846-1

Client Sample ID: AC-27D
Date Collected: 11/20/24 08:25
Date Received: 11/21/24 10:58

Lab Sample ID: 400-266474-1
Matrix: Water

Carrier	%Yield	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Ba Carrier	7.54E+1		30 - 110	12/31/24 08:52	12/31/24 16:59	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	3.36E-2	U	3.67E-1	3.67E-1	1.00E+0	6.73E-1	pCi/L	12/03/24 10:45	12/11/24 12:34	1

Carrier	%Yield	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Ba Carrier	9.15E+1		30 - 110	12/03/24 10:45	12/11/24 12:34	1
Y Carrier	7.85E+1		30 - 110	12/03/24 10:45	12/11/24 12:34	1

Client Sample ID: AC-27S
Date Collected: 11/20/24 08:57
Date Received: 11/21/24 10:58

Lab Sample ID: 400-266474-2
Matrix: Water

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	16		1.0		mg/L			12/06/24 03:33	1
Sulfate	6.5		1.0		mg/L			12/06/24 03:33	1

General Chemistry

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate Nitrite as N (EPA 353.2)	1.6		0.050		mg/L			11/22/24 15:21	1
Nitrate as N (SM Nitrate by calc)	1.6		0.050		mg/L			11/21/24 21:12	1
Fluoride (SM 4500 F C)	<0.10		0.10		mg/L			11/25/24 13:31	1
Nitrite as N (SM 4500 NO2 B)	<0.10		0.10		mg/L			11/21/24 21:12	1

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	6.97E-1		1.59E-1	1.71E-1	1.00E+0	1.19E-1	pCi/L	12/31/24 08:52	12/31/24 16:59	1

Carrier	%Yield	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Ba Carrier	6.84E+1		30 - 110	12/31/24 08:52	12/31/24 16:59	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	2.87E+0		5.88E-1	6.45E-1	1.00E+0	5.19E-1	pCi/L	12/03/24 10:45	12/11/24 12:30	1

Carrier	%Yield	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Ba Carrier	9.30E+1		30 - 110	12/03/24 10:45	12/11/24 12:30	1
Y Carrier	8.45E+1		30 - 110	12/03/24 10:45	12/11/24 12:30	1

Client Sample Results

Client: AECOM
Project/Site: Agrico Pensacola - 5yr GW

Job ID: 400-265846-1

Client Sample ID: AC-35D

Lab Sample ID: 400-266474-3

Date Collected: 11/20/24 10:58

Matrix: Water

Date Received: 11/21/24 10:58

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	230		5.0		mg/L			12/06/24 03:41	5
Sulfate	130		5.0		mg/L			12/06/24 03:41	5

General Chemistry

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate Nitrite as N (EPA 353.2)	7.3		0.25		mg/L			11/22/24 15:22	5
Nitrate as N (SM Nitrate by calc)	7.3		0.050		mg/L			11/21/24 21:13	1
Fluoride (SM 4500 F C)	63		1.0		mg/L			12/03/24 13:26	10
Nitrite as N (SM 4500 NO2 B)	<0.10		0.10		mg/L			11/21/24 21:13	1

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	1.68E+0		2.22E-1	2.69E-1	1.00E+0	1.05E-1	pCi/L	12/31/24 08:52	12/31/24 16:59	1
<i>Carrier</i>	<i>%Yield</i>	<i>Qualifier</i>	<i>Limits</i>					<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
Ba Carrier	8.07E+1		30 - 110					12/31/24 08:52	12/31/24 16:59	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	7.63E+0		9.95E-1	1.22E+0	1.00E+0	7.26E-1	pCi/L	12/03/24 10:45	12/11/24 12:30	1
<i>Carrier</i>	<i>%Yield</i>	<i>Qualifier</i>	<i>Limits</i>					<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
Ba Carrier	9.25E+1		30 - 110					12/03/24 10:45	12/11/24 12:30	1
Y Carrier	7.33E+1		30 - 110					12/03/24 10:45	12/11/24 12:30	1

Client Sample ID: AC-29D

Lab Sample ID: 400-266474-4

Date Collected: 11/20/24 12:35

Matrix: Water

Date Received: 11/21/24 10:58

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	24		5.0		mg/L			12/06/24 03:50	5
Sulfate	230		5.0		mg/L			12/06/24 03:50	5

General Chemistry

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate Nitrite as N (EPA 353.2)	5.8		0.25		mg/L			11/22/24 15:24	5
Nitrate as N (SM Nitrate by calc)	5.8		0.050		mg/L			11/21/24 21:13	1
Fluoride (SM 4500 F C)	22		0.50		mg/L			11/25/24 14:25	5
Nitrite as N (SM 4500 NO2 B)	<0.10		0.10		mg/L			11/21/24 21:13	1

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	1.64E+0		2.18E-1	2.63E-1	1.00E+0	1.15E-1	pCi/L	12/31/24 08:52	12/31/24 16:59	1

Eurofins Pensacola

Client Sample Results

Client: AECOM
Project/Site: Agrico Pensacola - 5yr GW

Job ID: 400-265846-1

Client Sample ID: AC-29D
Date Collected: 11/20/24 12:35
Date Received: 11/21/24 10:58

Lab Sample ID: 400-266474-4
Matrix: Water

Carrier	%Yield	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Ba Carrier	8.57E+1		30 - 110	12/31/24 08:52	12/31/24 16:59	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	1.57E+1		1.32E+0	1.96E+0	1.00E+0	6.78E-1	pCi/L	12/03/24 10:45	12/11/24 12:31	1

Carrier	%Yield	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Ba Carrier	9.17E+1		30 - 110	12/03/24 10:45	12/11/24 12:31	1
Y Carrier	8.04E+1		30 - 110	12/03/24 10:45	12/11/24 12:31	1

Client Sample ID: AC-22D
Date Collected: 11/20/24 15:06
Date Received: 11/21/24 10:58

Lab Sample ID: 400-266474-5
Matrix: Water

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	7.1		1.0		mg/L			12/06/24 03:58	1
Sulfate	21		1.0		mg/L			12/06/24 03:58	1

General Chemistry

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate Nitrite as N (EPA 353.2)	1.5		0.050		mg/L			11/22/24 15:25	1
Nitrate as N (SM Nitrate by calc)	1.5		0.050		mg/L			11/21/24 21:14	1
Fluoride (SM 4500 F C)	2.8		0.10		mg/L			11/25/24 13:41	1
Nitrite as N (SM 4500 NO2 B)	<0.10		0.10		mg/L			11/21/24 21:14	1

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	8.83E-1		1.64E-1	1.83E-1	1.00E+0	1.06E-1	pCi/L	12/31/24 08:52	12/31/24 16:59	1

Carrier	%Yield	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Ba Carrier	8.52E+1		30 - 110	12/31/24 08:52	12/31/24 16:59	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	3.55E+0		6.92E-1	7.66E-1	1.00E+0	6.37E-1	pCi/L	12/03/24 10:45	12/11/24 12:31	1

Carrier	%Yield	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Ba Carrier	9.30E+1		30 - 110	12/03/24 10:45	12/11/24 12:31	1
Y Carrier	7.78E+1		30 - 110	12/03/24 10:45	12/11/24 12:31	1

Client Sample Results

Client: AECOM
Project/Site: Agrico Pensacola - 5yr GW

Job ID: 400-265846-1

Client Sample ID: AC-25D

Lab Sample ID: 400-266474-6

Date Collected: 11/20/24 16:25

Matrix: Water

Date Received: 11/21/24 10:58

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	260		10		mg/L			12/06/24 19:54	10
Sulfate	68		5.0		mg/L			12/06/24 04:07	5

General Chemistry

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate Nitrite as N (EPA 353.2)	4.0		0.25		mg/L			11/22/24 15:27	5
Nitrate as N (SM Nitrate by calc)	4.0		0.050		mg/L			11/21/24 21:14	1
Fluoride (SM 4500 F C)	63		1.0		mg/L			12/03/24 13:29	10
Nitrite as N (SM 4500 NO2 B)	<0.10		0.10		mg/L			11/21/24 21:14	1

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	1.49E+0		2.76E-1	3.07E-1	1.00E+0	1.19E-1	pCi/L	12/31/24 08:46	12/31/24 19:05	1
<i>Carrier</i>	<i>%Yield</i>	<i>Qualifier</i>	<i>Limits</i>					<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
Ba Carrier	8.80E+1		30 - 110					12/31/24 08:46	12/31/24 19:05	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	5.60E+0		8.04E-1	9.55E-1	1.00E+0	5.46E-1	pCi/L	12/03/24 10:45	12/11/24 12:31	1
<i>Carrier</i>	<i>%Yield</i>	<i>Qualifier</i>	<i>Limits</i>					<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
Ba Carrier	9.10E+1		30 - 110					12/03/24 10:45	12/11/24 12:31	1
Y Carrier	8.26E+1		30 - 110					12/03/24 10:45	12/11/24 12:31	1

Client Sample ID: AC-3D

Lab Sample ID: 400-266474-7

Date Collected: 11/21/24 10:10

Matrix: Water

Date Received: 11/21/24 10:58

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	6.5		1.0		mg/L			12/06/24 04:33	1
Sulfate	120		5.0		mg/L			12/06/24 20:02	5

General Chemistry

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate Nitrite as N (EPA 353.2)	3.7		0.25		mg/L			11/22/24 15:29	5
Nitrate as N (SM Nitrate by calc)	3.7		0.050		mg/L			11/21/24 21:14	1
Fluoride (SM 4500 F C)	7.9		0.10		mg/L			11/25/24 13:48	1
Nitrite as N (SM 4500 NO2 B)	<0.10		0.10		mg/L			11/21/24 21:14	1

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	1.06E+0		2.54E-1	2.71E-1	1.00E+0	1.93E-1	pCi/L	12/31/24 08:46	12/31/24 19:05	1

Eurofins Pensacola

Client Sample Results

Client: AECOM
 Project/Site: Agrico Pensacola - 5yr GW

Job ID: 400-265846-1

Client Sample ID: AC-3D
 Date Collected: 11/21/24 10:10
 Date Received: 11/21/24 10:58

Lab Sample ID: 400-266474-7
 Matrix: Water

Carrier	%Yield	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Ba Carrier	8.90E+1		30 - 110	12/31/24 08:46	12/31/24 19:05	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	1.05E+1		1.05E+0	1.43E+0	1.00E+0	5.51E-1	pCi/L	12/03/24 10:45	12/11/24 12:31	1

Carrier	%Yield	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Ba Carrier	9.00E+1		30 - 110	12/03/24 10:45	12/11/24 12:31	1
Y Carrier	8.56E+1		30 - 110	12/03/24 10:45	12/11/24 12:31	1

Client Sample ID: AC-30D
 Date Collected: 11/21/24 11:55
 Date Received: 11/22/24 15:17

Lab Sample ID: 400-266568-1
 Matrix: Water

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	7.6		1.0		mg/L			11/23/24 23:18	1
Sulfate	26		1.0		mg/L			11/23/24 23:18	1

General Chemistry

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate Nitrite as N (EPA 353.2)	2.5	F1	0.25		mg/L			11/23/24 18:02	5
Nitrate as N (SM Nitrate by calc)	2.5	H	0.050		mg/L			11/26/24 14:30	1
Fluoride (SM 4500 F C)	2.6		0.10		mg/L			11/25/24 12:39	1
Nitrite as N (SM 4500 NO2 B)	<0.10		0.10		mg/L			11/22/24 20:48	1
Nitrite as N (SM 4500 NO2 B)	<0.10	H	0.10		mg/L			11/26/24 14:30	1

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	1.33E+0		2.00E-1	2.33E-1	1.00E+0	1.02E-1	pCi/L	12/31/24 08:46	12/31/24 19:05	1

Carrier	%Yield	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Ba Carrier	8.22E+1		30 - 110	12/31/24 08:46	12/31/24 19:05	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	7.89E+0		9.85E-1	1.22E+0	1.00E+0	6.35E-1	pCi/L	12/03/24 10:45	12/11/24 12:42	1

Carrier	%Yield	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Ba Carrier	9.62E+1		30 - 110	12/03/24 10:45	12/11/24 12:42	1
Y Carrier	7.29E+1		30 - 110	12/03/24 10:45	12/11/24 12:42	1

Client Sample Results

Client: AECOM
Project/Site: Agrico Pensacola - 5yr GW

Job ID: 400-265846-1

Client Sample ID: AC-2S

Lab Sample ID: 400-266568-2

Date Collected: 11/21/24 14:33

Matrix: Water

Date Received: 11/22/24 15:17

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	4.7		1.0		mg/L			11/23/24 23:39	1
Sulfate	54		2.0		mg/L			11/26/24 19:09	2

Method: SW846 6010D - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	<0.020		0.020		mg/L		12/02/24 05:00	12/02/24 16:34	1

General Chemistry

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate Nitrite as N (EPA 353.2)	3.2		0.25		mg/L			11/23/24 18:07	5
Nitrate as N (SM Nitrate by calc)	3.2	H	0.050		mg/L			11/26/24 14:30	1
Fluoride (SM 4500 F C)	22		0.50		mg/L			11/25/24 14:19	5
Nitrite as N (SM 4500 NO2 B)	<0.10		0.10		mg/L			11/22/24 20:49	1
Nitrite as N (SM 4500 NO2 B)	<0.10	H	0.10		mg/L			11/26/24 14:30	1

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert.	Uncert.						
Radium-226	7.78E-2	U	7.20E-2	7.23E-2	1.00E+0	1.11E-1	pCi/L	12/31/24 08:46	12/31/24 19:15	1
<i>Carrier</i>	<i>%Yield</i>	<i>Qualifier</i>	<i>Limits</i>					<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
<i>Ba Carrier</i>	8.22E+1		30 - 110					12/31/24 08:46	12/31/24 19:15	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert.	Uncert.						
Radium-228	2.05E-1	U	3.87E-1	3.87E-1	1.00E+0	6.71E-1	pCi/L	12/03/24 10:45	12/11/24 12:42	1
<i>Carrier</i>	<i>%Yield</i>	<i>Qualifier</i>	<i>Limits</i>					<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
<i>Ba Carrier</i>	8.40E+1		30 - 110					12/03/24 10:45	12/11/24 12:42	1
<i>Y Carrier</i>	7.59E+1		30 - 110					12/03/24 10:45	12/11/24 12:42	1

Client Sample ID: AC-2D

Lab Sample ID: 400-266568-3

Date Collected: 11/21/24 18:15

Matrix: Water

Date Received: 11/22/24 15:17

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	4.8		1.0		mg/L			11/24/24 00:00	1
Sulfate	19		1.0		mg/L			11/24/24 00:00	1

General Chemistry

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate Nitrite as N (EPA 353.2)	1.2		0.050		mg/L			11/23/24 20:09	1
Nitrate as N (SM Nitrate by calc)	1.2	H	0.050		mg/L			11/26/24 14:31	1
Fluoride (SM 4500 F C)	1.9		0.10		mg/L			11/25/24 12:45	1
Nitrite as N (SM 4500 NO2 B)	<0.10		0.10		mg/L			11/22/24 20:49	1
Nitrite as N (SM 4500 NO2 B)	<0.10	H	0.10		mg/L			11/26/24 14:31	1

Eurofins Pensacola

Client Sample Results

Client: AECOM
Project/Site: Agrico Pensacola - 5yr GW

Job ID: 400-265846-1

Client Sample ID: AC-2D
Date Collected: 11/21/24 18:15
Date Received: 11/22/24 15:17

Lab Sample ID: 400-266568-3
Matrix: Water

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	1.20E+0		1.91E-1	2.20E-1	1.00E+0	1.10E-1	pCi/L	12/31/24 08:46	12/31/24 19:15	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	8.30E+1		30 - 110					12/31/24 08:46	12/31/24 19:15	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	2.16E+0		5.72E-1	6.06E-1	1.00E+0	6.05E-1	pCi/L	12/03/24 10:45	12/11/24 12:42	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	9.27E+1		30 - 110					12/03/24 10:45	12/11/24 12:42	1
Y Carrier	7.96E+1		30 - 110					12/03/24 10:45	12/11/24 12:42	1

Client Sample ID: AC-5S
Date Collected: 11/21/24 08:37
Date Received: 11/22/24 15:17

Lab Sample ID: 400-266568-4
Matrix: Water

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	6.8		1.0		mg/L			11/24/24 00:21	1
Sulfate	20		1.0		mg/L			11/24/24 00:21	1

General Chemistry

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate Nitrite as N (EPA 353.2)	0.47		0.050		mg/L			11/23/24 20:10	1
Nitrate as N (SM Nitrate by calc)	0.47	H	0.050		mg/L			11/26/24 14:31	1
Fluoride (SM 4500 F C)	<0.10		0.10		mg/L			11/25/24 12:48	1
Nitrite as N (SM 4500 NO2 B)	<0.10		0.10		mg/L			11/22/24 20:50	1
Nitrite as N (SM 4500 NO2 B)	<0.10	H	0.10		mg/L			11/26/24 14:31	1

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	4.90E-1		1.65E-1	1.71E-1	1.00E+0	1.76E-1	pCi/L	12/31/24 08:46	12/31/24 19:16	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	7.79E+1		30 - 110					12/31/24 08:46	12/31/24 19:16	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	7.60E-1	U	5.59E-1	5.64E-1	1.00E+0	8.53E-1	pCi/L	12/03/24 10:45	12/11/24 12:43	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	8.72E+1		30 - 110					12/03/24 10:45	12/11/24 12:43	1
Y Carrier	8.26E+1		30 - 110					12/03/24 10:45	12/11/24 12:43	1

Eurofins Pensacola

Client Sample Results

Client: AECOM
Project/Site: Agrico Pensacola - 5yr GW

Job ID: 400-265846-1

Client Sample ID: EQ-1

Lab Sample ID: 400-266568-5

Date Collected: 11/21/24 13:30

Matrix: Water

Date Received: 11/22/24 15:17

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<1.0		1.0		mg/L			11/24/24 00:42	1
Sulfate	<1.0		1.0		mg/L			11/24/24 00:42	1

Method: SW846 6010D - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	<0.020		0.020		mg/L		12/02/24 05:00	12/02/24 16:32	1

General Chemistry

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate Nitrite as N (EPA 353.2)	<0.050		0.050		mg/L			11/23/24 20:12	1
Nitrate as N (SM Nitrate by calc)	<0.050	H	0.050		mg/L			11/26/24 14:31	1
Fluoride (SM 4500 F C)	<0.10		0.10		mg/L			11/25/24 12:52	1
Nitrite as N (SM 4500 NO2 B)	<0.10		0.10		mg/L			11/22/24 20:50	1
Nitrite as N (SM 4500 NO2 B)	<0.10	H	0.10		mg/L			11/26/24 14:31	1

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert.	Uncert.						
Radium-226	4.15E-2	U	6.67E-2	6.68E-2	1.00E+0	1.15E-1	pCi/L	12/31/24 08:46	12/31/24 19:16	1
<i>Carrier</i>	<i>%Yield</i>	<i>Qualifier</i>	<i>Limits</i>					<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
<i>Ba Carrier</i>	<i>8.37E+1</i>		<i>30 - 110</i>					<i>12/31/24 08:46</i>	<i>12/31/24 19:16</i>	<i>1</i>

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert.	Uncert.						
Radium-228	-2.16E-1	U	3.39E-1	3.40E-1	1.00E+0	7.03E-1	pCi/L	12/03/24 10:45	12/11/24 12:43	1
<i>Carrier</i>	<i>%Yield</i>	<i>Qualifier</i>	<i>Limits</i>					<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
<i>Ba Carrier</i>	<i>8.70E+1</i>		<i>30 - 110</i>					<i>12/03/24 10:45</i>	<i>12/11/24 12:43</i>	<i>1</i>
<i>Y Carrier</i>	<i>7.63E+1</i>		<i>30 - 110</i>					<i>12/03/24 10:45</i>	<i>12/11/24 12:43</i>	<i>1</i>

Client Sample ID: DUP-1

Lab Sample ID: 400-266568-6

Date Collected: 11/21/24 00:00

Matrix: Water

Date Received: 11/22/24 15:17

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	4.8		1.0		mg/L			11/24/24 01:03	1
Sulfate	19		1.0		mg/L			11/24/24 01:03	1

General Chemistry

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate Nitrite as N (EPA 353.2)	1.2		0.050		mg/L			11/23/24 20:13	1
Nitrate as N (SM Nitrate by calc)	1.2	H	0.050		mg/L			11/26/24 14:32	1
Fluoride (SM 4500 F C)	1.9		0.10		mg/L			11/25/24 12:55	1
Nitrite as N (SM 4500 NO2 B)	<0.10		0.10		mg/L			11/22/24 20:51	1
Nitrite as N (SM 4500 NO2 B)	<0.10	H	0.10		mg/L			11/26/24 14:32	1

Eurofins Pensacola

Client Sample Results

Client: AECOM
Project/Site: Agrico Pensacola - 5yr GW

Job ID: 400-265846-1

Client Sample ID: DUP-1
Date Collected: 11/21/24 00:00
Date Received: 11/22/24 15:17

Lab Sample ID: 400-266568-6
Matrix: Water

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	1.28E+0		1.92E-1	2.24E-1	1.00E+0	8.50E-2	pCi/L	12/31/24 08:46	12/31/24 19:16	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	8.52E+1		30 - 110					12/31/24 08:46	12/31/24 19:16	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	1.95E+0		5.24E-1	5.53E-1	1.00E+0	5.43E-1	pCi/L	12/03/24 10:45	12/11/24 12:43	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	9.35E+1		30 - 110					12/03/24 10:45	12/11/24 12:43	1
Y Carrier	8.22E+1		30 - 110					12/03/24 10:45	12/11/24 12:43	1

Client Sample ID: AC-5D
Date Collected: 11/22/24 09:48
Date Received: 11/22/24 15:17

Lab Sample ID: 400-266568-7
Matrix: Water

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	9.8		1.0		mg/L			11/24/24 02:06	1
Sulfate	3.5		1.0		mg/L			11/24/24 02:06	1

General Chemistry

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate Nitrite as N (EPA 353.2)	2.5		0.25		mg/L			11/23/24 18:15	5
Nitrate as N (SM Nitrate by calc)	2.5	H	0.050		mg/L			11/26/24 14:32	1
Fluoride (SM 4500 F C)	<0.10		0.10		mg/L			11/25/24 12:59	1
Nitrite as N (SM 4500 NO2 B)	<0.10		0.10		mg/L			11/22/24 20:51	1
Nitrite as N (SM 4500 NO2 B)	<0.10	H	0.10		mg/L			11/26/24 14:32	1

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	9.78E-1		1.65E-1	1.87E-1	1.00E+0	8.76E-2	pCi/L	12/31/24 08:46	12/31/24 19:16	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	9.12E+1		30 - 110					12/31/24 08:46	12/31/24 19:16	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	1.89E+0		5.29E-1	5.57E-1	1.00E+0	5.58E-1	pCi/L	12/03/24 10:45	12/11/24 12:43	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	9.42E+1		30 - 110					12/03/24 10:45	12/11/24 12:43	1
Y Carrier	7.81E+1		30 - 110					12/03/24 10:45	12/11/24 12:43	1

Eurofins Pensacola

Client Sample Results

Client: AECOM
Project/Site: Agrico Pensacola - 5yr GW

Job ID: 400-265846-1

Client Sample ID: AC-13D

Lab Sample ID: 400-266568-8

Date Collected: 11/22/24 11:17

Matrix: Water

Date Received: 11/22/24 15:17

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	17		1.0		mg/L			11/24/24 02:27	1
Sulfate	200		10		mg/L			11/26/24 19:30	10

General Chemistry

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate Nitrite as N (EPA 353.2)	10		0.25		mg/L			11/23/24 18:16	5
Nitrate as N (SM Nitrate by calc)	10	H	0.050		mg/L			11/26/24 14:33	1
Fluoride (SM 4500 F C)	5.3		0.10		mg/L			11/25/24 13:03	1
Nitrite as N (SM 4500 NO2 B)	<0.10		0.10		mg/L			11/22/24 20:51	1
Nitrite as N (SM 4500 NO2 B)	<0.10	H	0.10		mg/L			11/26/24 14:33	1

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	1.31E+0		1.86E-1	2.20E-1	1.00E+0	8.30E-2	pCi/L	12/31/24 08:46	12/31/24 19:16	1
<i>Carrier</i>	<i>%Yield</i>	<i>Qualifier</i>	<i>Limits</i>					<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
Ba Carrier	9.42E+1		30 - 110					12/31/24 08:46	12/31/24 19:16	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	8.24E+0		9.66E-1	1.23E+0	1.00E+0	6.28E-1	pCi/L	12/03/24 10:45	12/11/24 12:36	1
<i>Carrier</i>	<i>%Yield</i>	<i>Qualifier</i>	<i>Limits</i>					<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
Ba Carrier	9.00E+1		30 - 110					12/03/24 10:45	12/11/24 12:36	1
Y Carrier	8.26E+1		30 - 110					12/03/24 10:45	12/11/24 12:36	1

Client Sample ID: ACB-32S

Lab Sample ID: 400-266568-9

Date Collected: 11/22/24 14:07

Matrix: Water

Date Received: 11/22/24 15:17

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	4.4		1.0		mg/L			11/24/24 02:48	1
Sulfate	3.9		1.0		mg/L			11/24/24 02:48	1

General Chemistry

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate Nitrite as N (EPA 353.2)	0.64		0.050		mg/L			11/23/24 20:17	1
Nitrate as N (SM Nitrate by calc)	0.64	H	0.050		mg/L			11/26/24 14:35	1
Fluoride (SM 4500 F C)	0.13		0.10		mg/L			11/25/24 13:05	1
Nitrite as N (SM 4500 NO2 B)	<0.10		0.10		mg/L			11/22/24 20:52	1
Nitrite as N (SM 4500 NO2 B)	<0.10	H	0.10		mg/L			11/26/24 14:35	1

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	3.76E-2	U	6.34E-2	6.35E-2	1.00E+0	1.11E-1	pCi/L	12/31/24 08:46	12/31/24 19:16	1

Eurofins Pensacola

Client Sample Results

Client: AECOM
 Project/Site: Agrico Pensacola - 5yr GW

Job ID: 400-265846-1

Client Sample ID: ACB-32S

Lab Sample ID: 400-266568-9

Date Collected: 11/22/24 14:07

Matrix: Water

Date Received: 11/22/24 15:17

Carrier	%Yield	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Ba Carrier	7.59E+1		30 - 110	12/31/24 08:46	12/31/24 19:16	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	2.73E-1	U	3.39E-1	3.40E-1	1.00E+0	5.61E-1	pCi/L	12/03/24 10:45	12/11/24 12:37	1

Carrier	%Yield	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Ba Carrier	9.35E+1		30 - 110	12/03/24 10:45	12/11/24 12:37	1
Y Carrier	7.51E+1		30 - 110	12/03/24 10:45	12/11/24 12:37	1

Definitions/Glossary

Client: AECOM

Job ID: 400-265846-1

Project/Site: Agrico Pensacola - 5yr GW

Qualifiers

General Chemistry

Qualifier	Qualifier Description
^3-	Reporting Limit Check Standard is outside acceptance limits, low biased.
4	MS, MSD: The analyte present in the original sample is greater than 4 times the matrix spike concentration; therefore, control limits are not applicable.
F1	MS and/or MSD recovery exceeds control limits.
F2	MS/MSD RPD exceeds control limits
H	Sample was prepped or analyzed beyond the specified holding time. This does not meet regulatory requirements.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Rad

Qualifier	Qualifier Description
*	LCS or LCSD is outside acceptance limits.
G	The Sample MDC is greater than the requested RL.
U	Result is less than the sample detection limit.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

QC Association Summary

Client: AECOM
Project/Site: Agrico Pensacola - 5yr GW

Job ID: 400-265846-1

HPLC/IC

Analysis Batch: 692241

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-266568-1	AC-30D	Total/NA	Water	300.0	
400-266568-2	AC-2S	Total/NA	Water	300.0	
400-266568-3	AC-2D	Total/NA	Water	300.0	
400-266568-4	AC-5S	Total/NA	Water	300.0	
400-266568-5	EQ-1	Total/NA	Water	300.0	
400-266568-6	DUP-1	Total/NA	Water	300.0	
400-266568-7	AC-5D	Total/NA	Water	300.0	
400-266568-8	AC-13D	Total/NA	Water	300.0	
400-266568-9	ACB-32S	Total/NA	Water	300.0	
MB 400-692241/14	Method Blank	Total/NA	Water	300.0	
LCS 400-692241/15	Lab Control Sample	Total/NA	Water	300.0	
LCSD 400-692241/16	Lab Control Sample Dup	Total/NA	Water	300.0	

Analysis Batch: 692546

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-266568-2	AC-2S	Total/NA	Water	300.0	
400-266568-8	AC-13D	Total/NA	Water	300.0	
MB 400-692546/34	Method Blank	Total/NA	Water	300.0	
LCS 400-692546/35	Lab Control Sample	Total/NA	Water	300.0	
LCSD 400-692546/36	Lab Control Sample Dup	Total/NA	Water	300.0	

Analysis Batch: 692933

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-265996-1	AC-23D	Total/NA	Water	300.0	
400-265996-2	AC-28D	Total/NA	Water	300.0	
400-265996-3	AC-9D2	Total/NA	Water	300.0	
MB 400-692933/5	Method Blank	Total/NA	Water	300.0	
LCS 400-692933/6	Lab Control Sample	Total/NA	Water	300.0	
LCSD 400-692933/7	Lab Control Sample Dup	Total/NA	Water	300.0	

Analysis Batch: 693093

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-265996-2	AC-28D	Total/NA	Water	300.0	
400-265996-3	AC-9D2	Total/NA	Water	300.0	
MB 400-693093/5	Method Blank	Total/NA	Water	300.0	
LCS 400-693093/6	Lab Control Sample	Total/NA	Water	300.0	
LCSD 400-693093/7	Lab Control Sample Dup	Total/NA	Water	300.0	

Analysis Batch: 693364

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-265846-2	AC-24S	Total/NA	Water	300.0	
400-265846-3	NWD-2S	Total/NA	Water	300.0	
400-265846-4	NWD-2D	Total/NA	Water	300.0	
400-265846-5	PID-D	Total/NA	Water	300.0	
400-265846-6	DUP-3	Total/NA	Water	300.0	
400-265846-7	AC-10D	Total/NA	Water	300.0	
400-265846-8	EB-1	Total/NA	Water	300.0	
400-266120-1	AC-11D	Total/NA	Water	300.0	
400-266120-2	AC-8D	Total/NA	Water	300.0	
400-266120-3	AC-21D	Total/NA	Water	300.0	
400-266120-4	NWD-4S	Total/NA	Water	300.0	

Eurofins Pensacola

QC Association Summary

Client: AECOM
Project/Site: Agrico Pensacola - 5yr GW

Job ID: 400-265846-1

HPLC/IC (Continued)

Analysis Batch: 693364 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-266120-5	NWD-4D	Total/NA	Water	300.0	
400-266120-6	AC-12D	Total/NA	Water	300.0	
MB 400-693364/5	Method Blank	Total/NA	Water	300.0	
LCS 400-693364/6	Lab Control Sample	Total/NA	Water	300.0	
LCSD 400-693364/7	Lab Control Sample Dup	Total/NA	Water	300.0	
400-266120-4 MS	NWD-4S MS	Total/NA	Water	300.0	
400-266120-4 MSD	NWD-4S MSD	Total/NA	Water	300.0	

Analysis Batch: 693367

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-266120-7	DUP-2	Total/NA	Water	300.0	
400-266242-1	AC-34S	Total/NA	Water	300.0	
400-266242-2	AC-75R	Total/NA	Water	300.0	
400-266242-3	AC-33S	Total/NA	Water	300.0	
400-266242-4	NWD-31S	Total/NA	Water	300.0	
400-266242-5	AC-3S	Total/NA	Water	300.0	
400-266242-6	DUP-1 (OU-1)	Total/NA	Water	300.0	
400-266242-7	DUP-4	Total/NA	Water	300.0	
400-266474-1	AC-27D	Total/NA	Water	300.0	
400-266474-2	AC-27S	Total/NA	Water	300.0	
400-266474-3	AC-35D	Total/NA	Water	300.0	
400-266474-4	AC-29D	Total/NA	Water	300.0	
400-266474-5	AC-22D	Total/NA	Water	300.0	
400-266474-6	AC-25D	Total/NA	Water	300.0	
400-266474-7	AC-3D	Total/NA	Water	300.0	
MB 400-693367/36	Method Blank	Total/NA	Water	300.0	
LCS 400-693367/37	Lab Control Sample	Total/NA	Water	300.0	
LCSD 400-693367/38	Lab Control Sample Dup	Total/NA	Water	300.0	
400-266474-1 MS	AC-27D MS	Total/NA	Water	300.0	
400-266474-1 MSD	AC-27D MSD	Total/NA	Water	300.0	

Analysis Batch: 693565

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-265846-1	AC-24D	Total/NA	Water	300.0	
400-266120-6	AC-12D	Total/NA	Water	300.0	
400-266242-4	NWD-31S	Total/NA	Water	300.0	
400-266474-6	AC-25D	Total/NA	Water	300.0	
400-266474-7	AC-3D	Total/NA	Water	300.0	
MB 400-693565/5	Method Blank	Total/NA	Water	300.0	
LCS 400-693565/6	Lab Control Sample	Total/NA	Water	300.0	
LCSD 400-693565/7	Lab Control Sample Dup	Total/NA	Water	300.0	

Metals

Prep Batch: 866028

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-266242-5	AC-3S	Total Recoverable	Water	3005A	
MB 680-866028/1-A	Method Blank	Total Recoverable	Water	3005A	
LCS 680-866028/2-A	Lab Control Sample	Total Recoverable	Water	3005A	

QC Association Summary

Client: AECOM
Project/Site: Agrico Pensacola - 5yr GW

Job ID: 400-265846-1

Metals

Analysis Batch: 866316

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-266242-5	AC-3S	Total Recoverable	Water	6010D	866028
MB 680-866028/1-A	Method Blank	Total Recoverable	Water	6010D	866028
LCS 680-866028/2-A	Lab Control Sample	Total Recoverable	Water	6010D	866028

Prep Batch: 866805

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-266568-2	AC-2S	Total Recoverable	Water	3005A	
400-266568-5	EQ-1	Total Recoverable	Water	3005A	
MB 680-866805/1-A	Method Blank	Total Recoverable	Water	3005A	
LCS 680-866805/2-A	Lab Control Sample	Total Recoverable	Water	3005A	

Analysis Batch: 867020

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-266568-2	AC-2S	Total Recoverable	Water	6010D	866805
400-266568-5	EQ-1	Total Recoverable	Water	6010D	866805
MB 680-866805/1-A	Method Blank	Total Recoverable	Water	6010D	866805
LCS 680-866805/2-A	Lab Control Sample	Total Recoverable	Water	6010D	866805

General Chemistry

Analysis Batch: 691111

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-265846-1	AC-24D	Total/NA	Water	SM 4500 F C	
400-265846-2	AC-24S	Total/NA	Water	SM 4500 F C	
400-265846-3	NWD-2S	Total/NA	Water	SM 4500 F C	
400-265846-4	NWD-2D	Total/NA	Water	SM 4500 F C	
400-265846-5	PID-D	Total/NA	Water	SM 4500 F C	
400-265846-6	DUP-3	Total/NA	Water	SM 4500 F C	
400-265846-7	AC-10D	Total/NA	Water	SM 4500 F C	
400-265846-8	EB-1	Total/NA	Water	SM 4500 F C	
MB 400-691111/9	Method Blank	Total/NA	Water	SM 4500 F C	
LCS 400-691111/11	Lab Control Sample	Total/NA	Water	SM 4500 F C	
MRL 400-691111/10	Lab Control Sample	Total/NA	Water	SM 4500 F C	

Analysis Batch: 691150

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-265846-1	AC-24D	Total/NA	Water	SM 4500 NO2 B	
400-265846-2	AC-24S	Total/NA	Water	SM 4500 NO2 B	
400-265846-3	NWD-2S	Total/NA	Water	SM 4500 NO2 B	
400-265846-4	NWD-2D	Total/NA	Water	SM 4500 NO2 B	
400-265846-5	PID-D	Total/NA	Water	SM 4500 NO2 B	
400-265846-6	DUP-3	Total/NA	Water	SM 4500 NO2 B	
400-265846-7	AC-10D	Total/NA	Water	SM 4500 NO2 B	
400-265846-8	EB-1	Total/NA	Water	SM 4500 NO2 B	
MB 400-691150/37	Method Blank	Total/NA	Water	SM 4500 NO2 B	
LCS 400-691150/38	Lab Control Sample	Total/NA	Water	SM 4500 NO2 B	
MRL 400-691150/39	Lab Control Sample	Total/NA	Water	SM 4500 NO2 B	
400-265846-1 MS	AC-24D	Total/NA	Water	SM 4500 NO2 B	
400-265846-1 MSD	AC-24D	Total/NA	Water	SM 4500 NO2 B	

Eurofins Pensacola

QC Association Summary

Client: AECOM
Project/Site: Agrico Pensacola - 5yr GW

Job ID: 400-265846-1

General Chemistry

Analysis Batch: 691297

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-265846-1	AC-24D	Total/NA	Water	353.2	
400-265846-2	AC-24S	Total/NA	Water	353.2	
400-265846-3	NWD-2S	Total/NA	Water	353.2	
400-265846-4	NWD-2D	Total/NA	Water	353.2	
400-265846-5	PID-D	Total/NA	Water	353.2	
400-265846-6	DUP-3	Total/NA	Water	353.2	
400-265846-7	AC-10D	Total/NA	Water	353.2	
400-265846-8	EB-1	Total/NA	Water	353.2	
MB 400-691297/16	Method Blank	Total/NA	Water	353.2	
LCS 400-691297/48	Lab Control Sample	Total/NA	Water	353.2	
MRL 400-691297/18	Lab Control Sample	Total/NA	Water	353.2	
400-265846-4 MS	NWD-2D	Total/NA	Water	353.2	
400-265846-4 MSD	NWD-2D	Total/NA	Water	353.2	

Analysis Batch: 691302

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-265996-1	AC-23D	Total/NA	Water	SM 4500 NO2 B	
400-265996-2	AC-28D	Total/NA	Water	SM 4500 NO2 B	
400-265996-3	AC-9D2	Total/NA	Water	SM 4500 NO2 B	
MB 400-691302/13	Method Blank	Total/NA	Water	SM 4500 NO2 B	
LCS 400-691302/14	Lab Control Sample	Total/NA	Water	SM 4500 NO2 B	
MRL 400-691302/31	Lab Control Sample	Total/NA	Water	SM 4500 NO2 B	
400-265996-1 MS	AC-23D	Total/NA	Water	SM 4500 NO2 B	
400-265996-1 MSD	AC-23D	Total/NA	Water	SM 4500 NO2 B	

Analysis Batch: 691450

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-266120-1	AC-11D	Total/NA	Water	SM 4500 NO2 B	
400-266120-2	AC-8D	Total/NA	Water	SM 4500 NO2 B	
400-266120-3	AC-21D	Total/NA	Water	SM 4500 NO2 B	
400-266120-4	NWD-4S	Total/NA	Water	SM 4500 NO2 B	
400-266120-5	NWD-4D	Total/NA	Water	SM 4500 NO2 B	
400-266120-6	AC-12D	Total/NA	Water	SM 4500 NO2 B	
400-266120-7	DUP-2	Total/NA	Water	SM 4500 NO2 B	
MB 400-691450/13	Method Blank	Total/NA	Water	SM 4500 NO2 B	
LCS 400-691450/14	Lab Control Sample	Total/NA	Water	SM 4500 NO2 B	
MRL 400-691450/15	Lab Control Sample	Total/NA	Water	SM 4500 NO2 B	
400-266120-4 MS	NWD-4S MS	Total/NA	Water	SM 4500 NO2 B	
400-266120-4 MSD	NWD-4S MSD	Total/NA	Water	SM 4500 NO2 B	

Analysis Batch: 691612

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-265996-1	AC-23D	Total/NA	Water	SM 4500 F C	
400-265996-2	AC-28D	Total/NA	Water	SM 4500 F C	
400-265996-3	AC-9D2	Total/NA	Water	SM 4500 F C	
400-266120-1	AC-11D	Total/NA	Water	SM 4500 F C	
400-266120-2	AC-8D	Total/NA	Water	SM 4500 F C	
400-266120-3	AC-21D	Total/NA	Water	SM 4500 F C	
400-266120-4	NWD-4S	Total/NA	Water	SM 4500 F C	
400-266120-5	NWD-4D	Total/NA	Water	SM 4500 F C	
400-266120-6	AC-12D	Total/NA	Water	SM 4500 F C	

Eurofins Pensacola

QC Association Summary

Client: AECOM
Project/Site: Agrico Pensacola - 5yr GW

Job ID: 400-265846-1

General Chemistry (Continued)

Analysis Batch: 691612 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-266120-7	DUP-2	Total/NA	Water	SM 4500 F C	
MB 400-691612/9	Method Blank	Total/NA	Water	SM 4500 F C	
LCS 400-691612/11	Lab Control Sample	Total/NA	Water	SM 4500 F C	
MRL 400-691612/10	Lab Control Sample	Total/NA	Water	SM 4500 F C	
400-266120-4 MS	NWD-4S MS	Total/NA	Water	SM 4500 F C	
400-266120-4 MSD	NWD-4S MSD	Total/NA	Water	SM 4500 F C	
400-265996-2 DU	AC-28D	Total/NA	Water	SM 4500 F C	

Analysis Batch: 691731

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-266242-1	AC-34S	Total/NA	Water	SM 4500 NO2 B	
400-266242-2	AC-75R	Total/NA	Water	SM 4500 NO2 B	
400-266242-3	AC-33S	Total/NA	Water	SM 4500 NO2 B	
400-266242-4	NWD-31S	Total/NA	Water	SM 4500 NO2 B	
400-266242-5	AC-3S	Total/NA	Water	SM 4500 NO2 B	
400-266242-6	DUP-1 (OU-1)	Total/NA	Water	SM 4500 NO2 B	
400-266242-7	DUP-4	Total/NA	Water	SM 4500 NO2 B	
MB 400-691731/97	Method Blank	Total/NA	Water	SM 4500 NO2 B	
LCS 400-691731/98	Lab Control Sample	Total/NA	Water	SM 4500 NO2 B	
MRL 400-691731/99	Lab Control Sample	Total/NA	Water	SM 4500 NO2 B	

Analysis Batch: 691786

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-265996-1	AC-23D	Total/NA	Water	353.2	
400-265996-2	AC-28D	Total/NA	Water	353.2	
400-265996-3	AC-9D2	Total/NA	Water	353.2	
400-266120-1	AC-11D	Total/NA	Water	353.2	
400-266120-2	AC-8D	Total/NA	Water	353.2	
400-266120-3	AC-21D	Total/NA	Water	353.2	
400-266120-4	NWD-4S	Total/NA	Water	353.2	
400-266120-5	NWD-4D	Total/NA	Water	353.2	
400-266120-6	AC-12D	Total/NA	Water	353.2	
400-266120-7	DUP-2	Total/NA	Water	353.2	
400-266242-1	AC-34S	Total/NA	Water	353.2	
400-266242-2	AC-75R	Total/NA	Water	353.2	
400-266242-3	AC-33S	Total/NA	Water	353.2	
400-266242-4	NWD-31S	Total/NA	Water	353.2	
400-266242-5	AC-3S	Total/NA	Water	353.2	
400-266242-6	DUP-1 (OU-1)	Total/NA	Water	353.2	
400-266242-7	DUP-4	Total/NA	Water	353.2	
MB 400-691786/16	Method Blank	Total/NA	Water	353.2	
MB 400-691786/47	Method Blank	Total/NA	Water	353.2	
LCS 400-691786/17	Lab Control Sample	Total/NA	Water	353.2	
LCS 400-691786/48	Lab Control Sample	Total/NA	Water	353.2	
MRL 400-691786/18	Lab Control Sample	Total/NA	Water	353.2	
400-266120-4 MS	NWD-4S MS	Total/NA	Water	353.2	
400-266120-4 MSD	NWD-4S MSD	Total/NA	Water	353.2	

Analysis Batch: 692019

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-265846-1	AC-24D	Total/NA	Water	Nitrate by calc	

Eurofins Pensacola

QC Association Summary

Client: AECOM
Project/Site: Agrico Pensacola - 5yr GW

Job ID: 400-265846-1

General Chemistry (Continued)

Analysis Batch: 692019 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-265846-2	AC-24S	Total/NA	Water	Nitrate by calc	
400-265846-3	NWD-2S	Total/NA	Water	Nitrate by calc	
400-265846-4	NWD-2D	Total/NA	Water	Nitrate by calc	
400-265846-5	PID-D	Total/NA	Water	Nitrate by calc	
400-265846-6	DUP-3	Total/NA	Water	Nitrate by calc	
400-265846-7	AC-10D	Total/NA	Water	Nitrate by calc	
400-265846-8	EB-1	Total/NA	Water	Nitrate by calc	

Analysis Batch: 692021

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-266242-1	AC-34S	Total/NA	Water	Nitrate by calc	
400-266242-2	AC-75R	Total/NA	Water	Nitrate by calc	
400-266242-3	AC-33S	Total/NA	Water	Nitrate by calc	
400-266242-4	NWD-31S	Total/NA	Water	Nitrate by calc	
400-266242-5	AC-3S	Total/NA	Water	Nitrate by calc	
400-266242-6	DUP-1 (OU-1)	Total/NA	Water	Nitrate by calc	
400-266242-7	DUP-4	Total/NA	Water	Nitrate by calc	

Analysis Batch: 692077

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-266474-1	AC-27D	Total/NA	Water	SM 4500 NO2 B	
400-266474-2	AC-27S	Total/NA	Water	SM 4500 NO2 B	
400-266474-3	AC-35D	Total/NA	Water	SM 4500 NO2 B	
400-266474-4	AC-29D	Total/NA	Water	SM 4500 NO2 B	
400-266474-5	AC-22D	Total/NA	Water	SM 4500 NO2 B	
400-266474-6	AC-25D	Total/NA	Water	SM 4500 NO2 B	
400-266474-7	AC-3D	Total/NA	Water	SM 4500 NO2 B	
MB 400-692077/13	Method Blank	Total/NA	Water	SM 4500 NO2 B	
LCS 400-692077/14	Lab Control Sample	Total/NA	Water	SM 4500 NO2 B	
MRL 400-692077/15	Lab Control Sample	Total/NA	Water	SM 4500 NO2 B	
400-266474-1 MS	AC-27D MS	Total/NA	Water	SM 4500 NO2 B	
400-266474-1 MSD	AC-27D MSD	Total/NA	Water	SM 4500 NO2 B	

Analysis Batch: 692190

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-266474-1	AC-27D	Total/NA	Water	353.2	
400-266474-2	AC-27S	Total/NA	Water	353.2	
400-266474-3	AC-35D	Total/NA	Water	353.2	
400-266474-4	AC-29D	Total/NA	Water	353.2	
400-266474-5	AC-22D	Total/NA	Water	353.2	
400-266474-6	AC-25D	Total/NA	Water	353.2	
400-266474-7	AC-3D	Total/NA	Water	353.2	
MB 400-692190/42	Method Blank	Total/NA	Water	353.2	
LCS 400-692190/43	Lab Control Sample	Total/NA	Water	353.2	
MRL 400-692190/18	Lab Control Sample	Total/NA	Water	353.2	
400-266474-1 MS	AC-27D MS	Total/NA	Water	353.2	
400-266474-1 MSD	AC-27D MSD	Total/NA	Water	353.2	

Analysis Batch: 692246

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-266568-1	AC-30D	Total/NA	Water	SM 4500 NO2 B	

Eurofins Pensacola

QC Association Summary

Client: AECOM

Job ID: 400-265846-1

Project/Site: Agrico Pensacola - 5yr GW

General Chemistry (Continued)

Analysis Batch: 692246 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-266568-2	AC-2S	Total/NA	Water	SM 4500 NO2 B	
400-266568-3	AC-2D	Total/NA	Water	SM 4500 NO2 B	
400-266568-4	AC-5S	Total/NA	Water	SM 4500 NO2 B	
400-266568-5	EQ-1	Total/NA	Water	SM 4500 NO2 B	
400-266568-6	DUP-1	Total/NA	Water	SM 4500 NO2 B	
400-266568-7	AC-5D	Total/NA	Water	SM 4500 NO2 B	
400-266568-8	AC-13D	Total/NA	Water	SM 4500 NO2 B	
400-266568-9	ACB-32S	Total/NA	Water	SM 4500 NO2 B	
MB 400-692246/44	Method Blank	Total/NA	Water	SM 4500 NO2 B	
LCS 400-692246/45	Lab Control Sample	Total/NA	Water	SM 4500 NO2 B	
MRL 400-692246/46	Lab Control Sample	Total/NA	Water	SM 4500 NO2 B	
400-266568-1 MS	AC-30D	Total/NA	Water	SM 4500 NO2 B	
400-266568-1 MSD	AC-30D	Total/NA	Water	SM 4500 NO2 B	

Analysis Batch: 692250

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MRL 400-692250/15	Lab Control Sample	Total/NA	Water	SM 4500 NO2 B	

Analysis Batch: 692295

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-266568-1	AC-30D	Total/NA	Water	353.2	
400-266568-2	AC-2S	Total/NA	Water	353.2	
400-266568-3	AC-2D	Total/NA	Water	353.2	
400-266568-4	AC-5S	Total/NA	Water	353.2	
400-266568-5	EQ-1	Total/NA	Water	353.2	
400-266568-6	DUP-1	Total/NA	Water	353.2	
400-266568-7	AC-5D	Total/NA	Water	353.2	
400-266568-8	AC-13D	Total/NA	Water	353.2	
400-266568-9	ACB-32S	Total/NA	Water	353.2	
MB 400-692295/16	Method Blank	Total/NA	Water	353.2	
MB 400-692295/76	Method Blank	Total/NA	Water	353.2	
LCS 400-692295/17	Lab Control Sample	Total/NA	Water	353.2	
LCS 400-692295/77	Lab Control Sample	Total/NA	Water	353.2	
MRL 400-692295/18	Lab Control Sample	Total/NA	Water	353.2	
400-266568-1 MS	AC-30D	Total/NA	Water	353.2	
400-266568-1 MSD	AC-30D	Total/NA	Water	353.2	

Analysis Batch: 692362

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-266568-1	AC-30D	Total/NA	Water	SM 4500 F C	
400-266568-3	AC-2D	Total/NA	Water	SM 4500 F C	
400-266568-4	AC-5S	Total/NA	Water	SM 4500 F C	
400-266568-5	EQ-1	Total/NA	Water	SM 4500 F C	
400-266568-6	DUP-1	Total/NA	Water	SM 4500 F C	
400-266568-7	AC-5D	Total/NA	Water	SM 4500 F C	
400-266568-8	AC-13D	Total/NA	Water	SM 4500 F C	
400-266568-9	ACB-32S	Total/NA	Water	SM 4500 F C	
MB 400-692362/9	Method Blank	Total/NA	Water	SM 4500 F C	
LCS 400-692362/11	Lab Control Sample	Total/NA	Water	SM 4500 F C	
MRL 400-692362/10	Lab Control Sample	Total/NA	Water	SM 4500 F C	

Eurofins Pensacola

QC Association Summary

Client: AECOM
Project/Site: Agrico Pensacola - 5yr GW

Job ID: 400-265846-1

General Chemistry

Analysis Batch: 692364

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-266242-1	AC-34S	Total/NA	Water	SM 4500 F C	
400-266242-2	AC-75R	Total/NA	Water	SM 4500 F C	
400-266242-3	AC-33S	Total/NA	Water	SM 4500 F C	
400-266242-4	NWD-31S	Total/NA	Water	SM 4500 F C	
400-266242-5	AC-3S	Total/NA	Water	SM 4500 F C	
400-266242-6	DUP-1 (OU-1)	Total/NA	Water	SM 4500 F C	
400-266242-7	DUP-4	Total/NA	Water	SM 4500 F C	
400-266474-1	AC-27D	Total/NA	Water	SM 4500 F C	
400-266474-2	AC-27S	Total/NA	Water	SM 4500 F C	
400-266474-4	AC-29D	Total/NA	Water	SM 4500 F C	
400-266474-5	AC-22D	Total/NA	Water	SM 4500 F C	
400-266474-7	AC-3D	Total/NA	Water	SM 4500 F C	
400-266568-2	AC-2S	Total/NA	Water	SM 4500 F C	
MB 400-692364/1	Method Blank	Total/NA	Water	SM 4500 F C	
LCS 400-692364/3	Lab Control Sample	Total/NA	Water	SM 4500 F C	
MRL 400-692364/2	Lab Control Sample	Total/NA	Water	SM 4500 F C	
400-266474-1 MS	AC-27D MS	Total/NA	Water	SM 4500 F C	
400-266474-1 MSD	AC-27D MSD	Total/NA	Water	SM 4500 F C	
400-266242-4 DU	NWD-31S	Total/NA	Water	SM 4500 F C	

Analysis Batch: 692412

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-265996-1	AC-23D	Total/NA	Water	Nitrate by calc	
400-265996-2	AC-28D	Total/NA	Water	Nitrate by calc	
400-265996-3	AC-9D2	Total/NA	Water	Nitrate by calc	

Analysis Batch: 692555

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-266568-1	AC-30D	Total/NA	Water	SM 4500 NO2 B	
400-266568-2	AC-2S	Total/NA	Water	SM 4500 NO2 B	
400-266568-3	AC-2D	Total/NA	Water	SM 4500 NO2 B	
400-266568-4	AC-5S	Total/NA	Water	SM 4500 NO2 B	
400-266568-5	EQ-1	Total/NA	Water	SM 4500 NO2 B	
400-266568-6	DUP-1	Total/NA	Water	SM 4500 NO2 B	
400-266568-7	AC-5D	Total/NA	Water	SM 4500 NO2 B	
400-266568-8	AC-13D	Total/NA	Water	SM 4500 NO2 B	
400-266568-9	ACB-32S	Total/NA	Water	SM 4500 NO2 B	
MB 400-692555/13	Method Blank	Total/NA	Water	SM 4500 NO2 B	
LCS 400-692555/14	Lab Control Sample	Total/NA	Water	SM 4500 NO2 B	
MRL 400-692555/15	Lab Control Sample	Total/NA	Water	SM 4500 NO2 B	
400-266568-8 MS	AC-13D	Total/NA	Water	SM 4500 NO2 B	
400-266568-8 MSD	AC-13D	Total/NA	Water	SM 4500 NO2 B	

Analysis Batch: 692841

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-266120-1	AC-11D	Total/NA	Water	Nitrate by calc	
400-266120-2	AC-8D	Total/NA	Water	Nitrate by calc	
400-266120-3	AC-21D	Total/NA	Water	Nitrate by calc	
400-266120-4	NWD-4S	Total/NA	Water	Nitrate by calc	
400-266120-5	NWD-4D	Total/NA	Water	Nitrate by calc	
400-266120-6	AC-12D	Total/NA	Water	Nitrate by calc	

Eurofins Pensacola

QC Association Summary

Client: AECOM
Project/Site: Agrico Pensacola - 5yr GW

Job ID: 400-265846-1

General Chemistry (Continued)

Analysis Batch: 692841 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-266120-7	DUP-2	Total/NA	Water	Nitrate by calc	
400-266120-4 MS	NWD-4S MS	Total/NA	Water	Nitrate by calc	
400-266120-4 MSD	NWD-4S MSD	Total/NA	Water	Nitrate by calc	

Analysis Batch: 693028

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-266474-3	AC-35D	Total/NA	Water	SM 4500 F C	
400-266474-6	AC-25D	Total/NA	Water	SM 4500 F C	
MB 400-693028/9	Method Blank	Total/NA	Water	SM 4500 F C	
LCS 400-693028/11	Lab Control Sample	Total/NA	Water	SM 4500 F C	
MRL 400-693028/10	Lab Control Sample	Total/NA	Water	SM 4500 F C	

Analysis Batch: 693159

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-266474-1	AC-27D	Total/NA	Water	Nitrate by calc	
400-266474-2	AC-27S	Total/NA	Water	Nitrate by calc	
400-266474-3	AC-35D	Total/NA	Water	Nitrate by calc	
400-266474-4	AC-29D	Total/NA	Water	Nitrate by calc	
400-266474-5	AC-22D	Total/NA	Water	Nitrate by calc	
400-266474-6	AC-25D	Total/NA	Water	Nitrate by calc	
400-266474-7	AC-3D	Total/NA	Water	Nitrate by calc	
400-266474-1 MS	AC-27D MS	Total/NA	Water	Nitrate by calc	
400-266474-1 MSD	AC-27D MSD	Total/NA	Water	Nitrate by calc	

Analysis Batch: 693160

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-266568-1	AC-30D	Total/NA	Water	Nitrate by calc	
400-266568-2	AC-2S	Total/NA	Water	Nitrate by calc	
400-266568-3	AC-2D	Total/NA	Water	Nitrate by calc	
400-266568-4	AC-5S	Total/NA	Water	Nitrate by calc	
400-266568-5	EQ-1	Total/NA	Water	Nitrate by calc	
400-266568-6	DUP-1	Total/NA	Water	Nitrate by calc	
400-266568-7	AC-5D	Total/NA	Water	Nitrate by calc	
400-266568-8	AC-13D	Total/NA	Water	Nitrate by calc	
400-266568-9	ACB-32S	Total/NA	Water	Nitrate by calc	

Rad

Prep Batch: 689277

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-265996-1	AC-23D	Total/NA	Water	PrecSep_0	
400-265996-2	AC-28D	Total/NA	Water	PrecSep_0	
400-265996-3	AC-9D2	Total/NA	Water	PrecSep_0	
MB 160-689277/1-A	Method Blank	Total/NA	Water	PrecSep_0	
LCS 160-689277/2-A	Lab Control Sample	Total/NA	Water	PrecSep_0	

Prep Batch: 690030

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-266120-1	AC-11D	Total/NA	Water	PrecSep_0	
400-266120-2	AC-8D	Total/NA	Water	PrecSep_0	
400-266120-3	AC-21D	Total/NA	Water	PrecSep_0	

Eurofins Pensacola

QC Association Summary

Client: AECOM
Project/Site: Agrico Pensacola - 5yr GW

Job ID: 400-265846-1

Rad (Continued)

Prep Batch: 690030 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-266120-4	NWD-4S	Total/NA	Water	PrecSep_0	
400-266120-5	NWD-4D	Total/NA	Water	PrecSep_0	
400-266120-6	AC-12D	Total/NA	Water	PrecSep_0	
400-266120-7	DUP-2	Total/NA	Water	PrecSep_0	
MB 160-690030/1-A	Method Blank	Total/NA	Water	PrecSep_0	
LCS 160-690030/2-A	Lab Control Sample	Total/NA	Water	PrecSep_0	
400-266120-4 MS	NWD-4S MS	Total/NA	Water	PrecSep_0	
400-266120-4 MSD	NWD-4S MSD	Total/NA	Water	PrecSep_0	

Prep Batch: 690642

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-266242-1	AC-34S	Total/NA	Water	PrecSep_0	
400-266242-2	AC-75R	Total/NA	Water	PrecSep_0	
400-266242-3	AC-33S	Total/NA	Water	PrecSep_0	
400-266242-4	NWD-31S	Total/NA	Water	PrecSep_0	
400-266242-5	AC-3S	Total/NA	Water	PrecSep_0	
400-266242-6	DUP-1 (OU-1)	Total/NA	Water	PrecSep_0	
400-266242-7	DUP-4	Total/NA	Water	PrecSep_0	
MB 160-690642/1-A	Method Blank	Total/NA	Water	PrecSep_0	
LCS 160-690642/2-A	Lab Control Sample	Total/NA	Water	PrecSep_0	

Prep Batch: 691564

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-266474-1	AC-27D	Total/NA	Water	PrecSep_0	
400-266474-2	AC-27S	Total/NA	Water	PrecSep_0	
400-266474-3	AC-35D	Total/NA	Water	PrecSep_0	
400-266474-4	AC-29D	Total/NA	Water	PrecSep_0	
400-266474-5	AC-22D	Total/NA	Water	PrecSep_0	
400-266474-6	AC-25D	Total/NA	Water	PrecSep_0	
400-266474-7	AC-3D	Total/NA	Water	PrecSep_0	
400-266568-1	AC-30D	Total/NA	Water	PrecSep_0	
400-266568-2	AC-2S	Total/NA	Water	PrecSep_0	
400-266568-3	AC-2D	Total/NA	Water	PrecSep_0	
400-266568-4	AC-5S	Total/NA	Water	PrecSep_0	
400-266568-5	EQ-1	Total/NA	Water	PrecSep_0	
400-266568-6	DUP-1	Total/NA	Water	PrecSep_0	
400-266568-7	AC-5D	Total/NA	Water	PrecSep_0	
400-266568-8	AC-13D	Total/NA	Water	PrecSep_0	
400-266568-9	ACB-32S	Total/NA	Water	PrecSep_0	
MB 160-691564/1-A	Method Blank	Total/NA	Water	PrecSep_0	
LCS 160-691564/2-A	Lab Control Sample	Total/NA	Water	PrecSep_0	

Prep Batch: 694336

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-265846-1	AC-24D	Total/NA	Water	PrecSep_0	
400-265846-2	AC-24S	Total/NA	Water	PrecSep_0	
400-265846-3	NWD-2S	Total/NA	Water	PrecSep_0	
400-265846-4	NWD-2D	Total/NA	Water	PrecSep_0	
400-265846-5	PID-D	Total/NA	Water	PrecSep_0	
400-265846-6	DUP-3	Total/NA	Water	PrecSep_0	
400-265846-7	AC-10D	Total/NA	Water	PrecSep_0	

Eurofins Pensacola

QC Association Summary

Client: AECOM

Job ID: 400-265846-1

Project/Site: Agrico Pensacola - 5yr GW

Rad (Continued)

Prep Batch: 694336 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-265846-8	EB-1	Total/NA	Water	PrecSep_0	
MB 160-694336/1-A	Method Blank	Total/NA	Water	PrecSep_0	
LCS 160-694336/2-A	Lab Control Sample	Total/NA	Water	PrecSep_0	

Prep Batch: 696105

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-266474-6	AC-25D	Total/NA	Water	PrecSep-21	
400-266474-7	AC-3D	Total/NA	Water	PrecSep-21	
400-266568-1	AC-30D	Total/NA	Water	PrecSep-21	
400-266568-2	AC-2S	Total/NA	Water	PrecSep-21	
400-266568-3	AC-2D	Total/NA	Water	PrecSep-21	
400-266568-4	AC-5S	Total/NA	Water	PrecSep-21	
400-266568-5	EQ-1	Total/NA	Water	PrecSep-21	
400-266568-6	DUP-1	Total/NA	Water	PrecSep-21	
400-266568-7	AC-5D	Total/NA	Water	PrecSep-21	
400-266568-8	AC-13D	Total/NA	Water	PrecSep-21	
400-266568-9	ACB-32S	Total/NA	Water	PrecSep-21	
MB 160-696105/1-A	Method Blank	Total/NA	Water	PrecSep-21	
LCS 160-696105/2-A	Lab Control Sample	Total/NA	Water	PrecSep-21	
LCSD 160-696105/3-A	Lab Control Sample Dup	Total/NA	Water	PrecSep-21	

Prep Batch: 696106

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-266120-1	AC-11D	Total/NA	Water	PrecSep-21	
400-266120-2	AC-8D	Total/NA	Water	PrecSep-21	
400-266120-3	AC-21D	Total/NA	Water	PrecSep-21	
400-266120-4	NWD-4S	Total/NA	Water	PrecSep-21	
400-266120-5	NWD-4D	Total/NA	Water	PrecSep-21	
400-266120-6	AC-12D	Total/NA	Water	PrecSep-21	
400-266120-7	DUP-2	Total/NA	Water	PrecSep-21	
400-266242-1	AC-34S	Total/NA	Water	PrecSep-21	
400-266242-2	AC-75R	Total/NA	Water	PrecSep-21	
400-266242-3	AC-33S	Total/NA	Water	PrecSep-21	
400-266242-4	NWD-31S	Total/NA	Water	PrecSep-21	
400-266242-5	AC-3S	Total/NA	Water	PrecSep-21	
400-266242-6	DUP-1 (OU-1)	Total/NA	Water	PrecSep-21	
400-266242-7	DUP-4	Total/NA	Water	PrecSep-21	
400-266474-1	AC-27D	Total/NA	Water	PrecSep-21	
400-266474-2	AC-27S	Total/NA	Water	PrecSep-21	
400-266474-3	AC-35D	Total/NA	Water	PrecSep-21	
400-266474-4	AC-29D	Total/NA	Water	PrecSep-21	
400-266474-5	AC-22D	Total/NA	Water	PrecSep-21	
MB 160-696106/1-A	Method Blank	Total/NA	Water	PrecSep-21	
LCS 160-696106/2-A	Lab Control Sample	Total/NA	Water	PrecSep-21	
400-266120-4 MS	NWD-4S MS	Total/NA	Water	PrecSep-21	
400-266120-4 MSD	NWD-4S MSD	Total/NA	Water	PrecSep-21	

Prep Batch: 696107

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-265846-1	AC-24D	Total/NA	Water	PrecSep-21	
400-265846-2	AC-24S	Total/NA	Water	PrecSep-21	

Eurofins Pensacola

QC Association Summary

Client: AECOM

Job ID: 400-265846-1

Project/Site: Agrico Pensacola - 5yr GW

Rad (Continued)

Prep Batch: 696107 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-265846-3	NWD-2S	Total/NA	Water	PrecSep-21	
400-265846-4	NWD-2D	Total/NA	Water	PrecSep-21	
400-265846-5	PID-D	Total/NA	Water	PrecSep-21	
400-265846-6	DUP-3	Total/NA	Water	PrecSep-21	
400-265846-7	AC-10D	Total/NA	Water	PrecSep-21	
400-265846-8	EB-1	Total/NA	Water	PrecSep-21	
400-265996-1	AC-23D	Total/NA	Water	PrecSep-21	
400-265996-2	AC-28D	Total/NA	Water	PrecSep-21	
400-265996-3	AC-9D2	Total/NA	Water	PrecSep-21	
MB 160-696107/1-A	Method Blank	Total/NA	Water	PrecSep-21	
LCS 160-696107/2-A	Lab Control Sample	Total/NA	Water	PrecSep-21	

QC Sample Results

Client: AECOM
Project/Site: Agrico Pensacola - 5yr GW

Job ID: 400-265846-1

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 400-692241/14
Matrix: Water
Analysis Batch: 692241

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<1.0		1.0		mg/L			11/23/24 17:43	1
Sulfate	<1.0		1.0		mg/L			11/23/24 17:43	1

Lab Sample ID: LCS 400-692241/15
Matrix: Water
Analysis Batch: 692241

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	10.0	10.0		mg/L		100	90 - 110
Sulfate	10.0	10.7		mg/L		107	90 - 110

Lab Sample ID: LCSD 400-692241/16
Matrix: Water
Analysis Batch: 692241

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	10.0	10.1		mg/L		101	90 - 110	1	15
Sulfate	10.0	10.7		mg/L		107	90 - 110	0	15

Lab Sample ID: MB 400-692546/34
Matrix: Water
Analysis Batch: 692546

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<1.0		1.0		mg/L			11/26/24 17:03	1
Sulfate	<1.0		1.0		mg/L			11/26/24 17:03	1

Lab Sample ID: LCS 400-692546/35
Matrix: Water
Analysis Batch: 692546

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	10.0	10.0		mg/L		100	90 - 110
Sulfate	10.0	10.7		mg/L		107	90 - 110

Lab Sample ID: LCSD 400-692546/36
Matrix: Water
Analysis Batch: 692546

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	10.0	10.1		mg/L		101	90 - 110	0	15
Sulfate	10.0	10.8		mg/L		108	90 - 110	0	15

Lab Sample ID: MB 400-692933/5
Matrix: Water
Analysis Batch: 692933

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<1.0		1.0		mg/L			12/02/24 18:07	1
Sulfate	<1.0		1.0		mg/L			12/02/24 18:07	1

Eurofins Pensacola

QC Sample Results

Client: AECOM
Project/Site: Agrico Pensacola - 5yr GW

Job ID: 400-265846-1

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: LCS 400-692933/6
Matrix: Water
Analysis Batch: 692933

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	10.0	9.02		mg/L		90	90 - 110
Sulfate	10.0	10.5		mg/L		105	90 - 110

Lab Sample ID: LCSD 400-692933/7
Matrix: Water
Analysis Batch: 692933

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	10.0	9.03		mg/L		90	90 - 110	0	15
Sulfate	10.0	10.3		mg/L		103	90 - 110	2	15

Lab Sample ID: MB 400-693093/5
Matrix: Water
Analysis Batch: 693093

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<1.0		1.0		mg/L			12/03/24 19:08	1
Sulfate	<1.0		1.0		mg/L			12/03/24 19:08	1

Lab Sample ID: LCS 400-693093/6
Matrix: Water
Analysis Batch: 693093

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	10.0	9.00		mg/L		90	90 - 110
Sulfate	10.0	9.63		mg/L		96	90 - 110

Lab Sample ID: LCSD 400-693093/7
Matrix: Water
Analysis Batch: 693093

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	10.0	9.08		mg/L		91	90 - 110	1	15
Sulfate	10.0	9.67		mg/L		97	90 - 110	0	15

Lab Sample ID: MB 400-693364/5
Matrix: Water
Analysis Batch: 693364

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<1.0		1.0		mg/L			12/05/24 20:44	1
Sulfate	<1.0		1.0		mg/L			12/05/24 20:44	1

Lab Sample ID: LCS 400-693364/6
Matrix: Water
Analysis Batch: 693364

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	10.0	9.08		mg/L		91	90 - 110
Sulfate	10.0	10.5		mg/L		105	90 - 110

Eurofins Pensacola

QC Sample Results

Client: AECOM
Project/Site: Agrico Pensacola - 5yr GW

Job ID: 400-265846-1

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: LCSD 400-693364/7
Matrix: Water
Analysis Batch: 693364

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	10.0	9.03		mg/L		90	90 - 110	1	15
Sulfate	10.0	10.1		mg/L		101	90 - 110	4	15

Lab Sample ID: 400-266120-4 MS
Matrix: Water
Analysis Batch: 693364

Client Sample ID: NWD-4S MS
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	16		10.0	25.6		mg/L		98	80 - 120
Sulfate	2.9		10.0	12.5		mg/L		97	80 - 120

Lab Sample ID: 400-266120-4 MSD
Matrix: Water
Analysis Batch: 693364

Client Sample ID: NWD-4S MSD
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	16		10.0	24.9		mg/L		90	80 - 120	3	20
Sulfate	2.9		10.0	11.4		mg/L		86	80 - 120	9	20

Lab Sample ID: MB 400-693367/36
Matrix: Water
Analysis Batch: 693367

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<1.0		1.0		mg/L			12/06/24 01:08	1
Sulfate	<1.0		1.0		mg/L			12/06/24 01:08	1

Lab Sample ID: LCS 400-693367/37
Matrix: Water
Analysis Batch: 693367

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	10.0	9.08		mg/L		91	90 - 110
Sulfate	10.0	10.3		mg/L		103	90 - 110

Lab Sample ID: LCSD 400-693367/38
Matrix: Water
Analysis Batch: 693367

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	10.0	9.04		mg/L		90	90 - 110	0	15
Sulfate	10.0	10.0		mg/L		100	90 - 110	3	15

Lab Sample ID: 400-266474-1 MS
Matrix: Water
Analysis Batch: 693367

Client Sample ID: AC-27D MS
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	4.7		10.0	13.3		mg/L		85	80 - 120
Sulfate	8.3		10.0	18.3		mg/L		100	80 - 120

Eurofins Pensacola

QC Sample Results

Client: AECOM
Project/Site: Agrico Pensacola - 5yr GW

Job ID: 400-265846-1

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: 400-266474-1 MSD
Matrix: Water
Analysis Batch: 693367

Client Sample ID: AC-27D MSD
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	4.7		10.0	12.9		mg/L		82	80 - 120	3	20
Sulfate	8.3		10.0	17.9		mg/L		96	80 - 120	2	20

Lab Sample ID: MB 400-693565/5
Matrix: Water
Analysis Batch: 693565

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<1.0		1.0		mg/L			12/06/24 17:29	1
Sulfate	<1.0		1.0		mg/L			12/06/24 17:29	1

Lab Sample ID: LCS 400-693565/6
Matrix: Water
Analysis Batch: 693565

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	10.0	9.09		mg/L		91	90 - 110
Sulfate	10.0	10.5		mg/L		105	90 - 110

Lab Sample ID: LCSD 400-693565/7
Matrix: Water
Analysis Batch: 693565

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	10.0	9.05		mg/L		90	90 - 110	1	15
Sulfate	10.0	9.97		mg/L		100	90 - 110	5	15

Method: 6010D - Metals (ICP)

Lab Sample ID: MB 680-866028/1-A
Matrix: Water
Analysis Batch: 866316

Client Sample ID: Method Blank
Prep Type: Total Recoverable
Prep Batch: 866028

Analyte	MB Result	MB Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	<0.020		0.020		mg/L		11/24/24 12:12	11/25/24 23:57	1

Lab Sample ID: LCS 680-866028/2-A
Matrix: Water
Analysis Batch: 866316

Client Sample ID: Lab Control Sample
Prep Type: Total Recoverable
Prep Batch: 866028

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Arsenic	0.100	0.0864		mg/L		86	80 - 120

Lab Sample ID: MB 680-866805/1-A
Matrix: Water
Analysis Batch: 867020

Client Sample ID: Method Blank
Prep Type: Total Recoverable
Prep Batch: 866805

Analyte	MB Result	MB Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	<0.020		0.020		mg/L		12/02/24 05:00	12/02/24 16:03	1

Eurofins Pensacola

QC Sample Results

Client: AECOM
 Project/Site: Agrico Pensacola - 5yr GW

Job ID: 400-265846-1

Method: 6010D - Metals (ICP) (Continued)

Lab Sample ID: LCS 680-866805/2-A
 Matrix: Water
 Analysis Batch: 867020

Client Sample ID: Lab Control Sample
 Prep Type: Total Recoverable
 Prep Batch: 866805

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Arsenic	0.100	0.0987		mg/L		99	80 - 120

Method: 353.2 - Nitrogen, Nitrate-Nitrite

Lab Sample ID: MB 400-691297/16
 Matrix: Water
 Analysis Batch: 691297

Client Sample ID: Method Blank
 Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate Nitrite as N	<0.050		0.050		mg/L			11/13/24 20:26	1

Lab Sample ID: LCS 400-691297/48
 Matrix: Water
 Analysis Batch: 691297

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Nitrate Nitrite as N	1.00	1.01		mg/L		100	90 - 110

Lab Sample ID: MRL 400-691297/18
 Matrix: Water
 Analysis Batch: 691297

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
Nitrate Nitrite as N	0.0500	0.0610		mg/L		122	50 - 150

Lab Sample ID: 400-265846-4 MS
 Matrix: Water
 Analysis Batch: 691297

Client Sample ID: NWD-2D
 Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Nitrate Nitrite as N	5.9		1.00	6.90	4	mg/L		96	90 - 110

Lab Sample ID: 400-265846-4 MSD
 Matrix: Water
 Analysis Batch: 691297

Client Sample ID: NWD-2D
 Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	Limit
Nitrate Nitrite as N	5.9		1.00	6.90	4	mg/L		96	90 - 110	0	4

Lab Sample ID: MB 400-691786/16
 Matrix: Water
 Analysis Batch: 691786

Client Sample ID: Method Blank
 Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate Nitrite as N	<0.050		0.050		mg/L			11/19/24 18:21	1

QC Sample Results

Client: AECOM
Project/Site: Agrico Pensacola - 5yr GW

Job ID: 400-265846-1

Method: 353.2 - Nitrogen, Nitrate-Nitrite (Continued)

Lab Sample ID: MB 400-691786/47
Matrix: Water
Analysis Batch: 691786

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate Nitrite as N	<0.050		0.050		mg/L			11/19/24 19:12	1

Lab Sample ID: LCS 400-691786/17
Matrix: Water
Analysis Batch: 691786

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Nitrate Nitrite as N	1.00	0.944		mg/L		94	90 - 110

Lab Sample ID: LCS 400-691786/48
Matrix: Water
Analysis Batch: 691786

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Nitrate Nitrite as N	1.00	1.00		mg/L		100	90 - 110

Lab Sample ID: MRL 400-691786/18
Matrix: Water
Analysis Batch: 691786

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
Nitrate Nitrite as N	0.0500	0.0480	J	mg/L		96	50 - 150

Lab Sample ID: 400-266120-4 MS
Matrix: Water
Analysis Batch: 691786

Client Sample ID: NWD-4S MS
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Nitrate Nitrite as N	16		1.00	16.9	4	mg/L		103	90 - 110

Lab Sample ID: 400-266120-4 MSD
Matrix: Water
Analysis Batch: 691786

Client Sample ID: NWD-4S MSD
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Nitrate Nitrite as N	16		1.00	17.0	4	mg/L		111	90 - 110	0	4

Lab Sample ID: MB 400-692190/42
Matrix: Water
Analysis Batch: 692190

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate Nitrite as N	<0.050		0.050		mg/L			11/22/24 15:12	1

Lab Sample ID: LCS 400-692190/43
Matrix: Water
Analysis Batch: 692190

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Nitrate Nitrite as N	1.00	0.966		mg/L		97	90 - 110

Eurofins Pensacola

QC Sample Results

Client: AECOM
Project/Site: Agrico Pensacola - 5yr GW

Job ID: 400-265846-1

Method: 353.2 - Nitrogen, Nitrate-Nitrite

Lab Sample ID: MRL 400-692190/18
Matrix: Water
Analysis Batch: 692190

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
Nitrate Nitrite as N	0.0500	0.0530		mg/L		106	50 - 150

Lab Sample ID: 400-266474-1 MS
Matrix: Water
Analysis Batch: 692190

Client Sample ID: AC-27D MS
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Nitrate Nitrite as N	0.29	F2 F1	1.00	1.32		mg/L		103	90 - 110

Lab Sample ID: 400-266474-1 MSD
Matrix: Water
Analysis Batch: 692190

Client Sample ID: AC-27D MSD
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Nitrate Nitrite as N	0.29	F2 F1	1.00	1.40	F1 F2	mg/L		111	90 - 110	6	4

Lab Sample ID: MB 400-692295/16
Matrix: Water
Analysis Batch: 692295

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate Nitrite as N	<0.050		0.050		mg/L			11/23/24 17:57	1

Lab Sample ID: MB 400-692295/76
Matrix: Water
Analysis Batch: 692295

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate Nitrite as N	<0.050		0.050		mg/L			11/23/24 19:34	1

Lab Sample ID: LCS 400-692295/17
Matrix: Water
Analysis Batch: 692295

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Nitrate Nitrite as N	1.00	0.993		mg/L		99	90 - 110

Lab Sample ID: LCS 400-692295/77
Matrix: Water
Analysis Batch: 692295

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Nitrate Nitrite as N	1.00	0.970		mg/L		97	90 - 110

Lab Sample ID: MRL 400-692295/18
Matrix: Water
Analysis Batch: 692295

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
Nitrate Nitrite as N	0.0500	0.0470	J	mg/L		94	50 - 150

Eurofins Pensacola

QC Sample Results

Client: AECOM
Project/Site: Agrico Pensacola - 5yr GW

Job ID: 400-265846-1

Method: 353.2 - Nitrogen, Nitrate-Nitrite

Lab Sample ID: 400-266568-1 MS
Matrix: Water
Analysis Batch: 692295

Client Sample ID: AC-30D
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Nitrate Nitrite as N	2.5	F1	1.00	3.66	F1	mg/L		113	90 - 110

Lab Sample ID: 400-266568-1 MSD
Matrix: Water
Analysis Batch: 692295

Client Sample ID: AC-30D
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Nitrate Nitrite as N	2.5	F1	1.00	3.56		mg/L		103	90 - 110	3	4

Method: SM 4500 F C - Fluoride

Lab Sample ID: MB 400-691111/9
Matrix: Water
Analysis Batch: 691111

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Fluoride	<0.10		0.10		mg/L			11/13/24 14:11	1

Lab Sample ID: LCS 400-691111/11
Matrix: Water
Analysis Batch: 691111

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Fluoride	4.98	4.98		mg/L		100	90 - 110

Lab Sample ID: MRL 400-691111/10
Matrix: Water
Analysis Batch: 691111

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
Fluoride	0.100	0.103		mg/L		103	50 - 150

Lab Sample ID: MB 400-691612/9
Matrix: Water
Analysis Batch: 691612

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Fluoride	<0.10		0.10		mg/L			11/18/24 16:11	1

Lab Sample ID: LCS 400-691612/11
Matrix: Water
Analysis Batch: 691612

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Fluoride	4.98	4.81		mg/L		97	90 - 110

Eurofins Pensacola

QC Sample Results

Client: AECOM
Project/Site: Agrico Pensacola - 5yr GW

Job ID: 400-265846-1

Method: SM 4500 F C - Fluoride (Continued)

Lab Sample ID: MRL 400-691612/10
Matrix: Water
Analysis Batch: 691612

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
Fluoride	0.100	0.103		mg/L		102	50 - 150

Lab Sample ID: 400-266120-4 MS
Matrix: Water
Analysis Batch: 691612

Client Sample ID: NWD-4S MS
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Fluoride	<0.10		0.100	0.120		mg/L		94	75 - 125

Lab Sample ID: 400-266120-4 MSD
Matrix: Water
Analysis Batch: 691612

Client Sample ID: NWD-4S MSD
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Fluoride	<0.10		0.100	0.120		mg/L		94	75 - 125	0	4

Lab Sample ID: 400-265996-2 DU
Matrix: Water
Analysis Batch: 691612

Client Sample ID: AC-28D
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	DU Result	DU Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Fluoride	7.4		0.100	7.66		mg/L				4	4

Lab Sample ID: MB 400-692362/9
Matrix: Water
Analysis Batch: 692362

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Fluoride	<0.10		0.10		mg/L			11/25/24 11:45	1

Lab Sample ID: LCS 400-692362/11
Matrix: Water
Analysis Batch: 692362

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Fluoride	4.98	4.92		mg/L		99	90 - 110

Lab Sample ID: MRL 400-692362/10
Matrix: Water
Analysis Batch: 692362

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
Fluoride	0.100	0.103		mg/L		102	50 - 150

Lab Sample ID: MB 400-692364/1
Matrix: Water
Analysis Batch: 692364

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Fluoride	<0.10		0.10		mg/L			11/25/24 13:15	1

Eurofins Pensacola

QC Sample Results

Client: AECOM
Project/Site: Agrico Pensacola - 5yr GW

Job ID: 400-265846-1

Method: SM 4500 F C - Fluoride

Lab Sample ID: LCS 400-692364/3
Matrix: Water
Analysis Batch: 692364

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Fluoride	4.98	5.12		mg/L		103	90 - 110

Lab Sample ID: MRL 400-692364/2
Matrix: Water
Analysis Batch: 692364

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
Fluoride	0.100	0.107		mg/L		107	50 - 150

Lab Sample ID: 400-266474-1 MS
Matrix: Water
Analysis Batch: 692364

Client Sample ID: AC-27D MS
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Fluoride	<0.10		0.100	0.164		mg/L		94	75 - 125

Lab Sample ID: 400-266474-1 MSD
Matrix: Water
Analysis Batch: 692364

Client Sample ID: AC-27D MSD
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Fluoride	<0.10		0.100	0.164		mg/L		94	75 - 125	0	4

Lab Sample ID: 400-266242-4 DU
Matrix: Water
Analysis Batch: 692364

Client Sample ID: NWD-31S
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	DU Result	DU Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Fluoride	<0.10			<0.10		mg/L				NC	4

Lab Sample ID: MB 400-693028/9
Matrix: Water
Analysis Batch: 693028

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Fluoride	<0.10		0.10		mg/L			12/03/24 13:07	1

Lab Sample ID: LCS 400-693028/11
Matrix: Water
Analysis Batch: 693028

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Fluoride	4.98	4.95		mg/L		99	90 - 110

Lab Sample ID: MRL 400-693028/10
Matrix: Water
Analysis Batch: 693028

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
Fluoride	0.100	0.101		mg/L		101	50 - 150

Eurofins Pensacola

QC Sample Results

Client: AECOM
Project/Site: Agrico Pensacola - 5yr GW

Job ID: 400-265846-1

Method: SM 4500 NO2 B - Nitrogen, Nitrite

Lab Sample ID: MB 400-691150/37
Matrix: Water
Analysis Batch: 691150

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrite as N	<0.10		0.10		mg/L			11/13/24 14:50	1

Lab Sample ID: LCS 400-691150/38
Matrix: Water
Analysis Batch: 691150

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Nitrite as N	0.100	0.100		mg/L		100	90 - 110

Lab Sample ID: MRL 400-691150/39
Matrix: Water
Analysis Batch: 691150

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
Nitrite as N	0.0500	0.0294	J	mg/L		59	50 - 150

Lab Sample ID: 400-265846-1 MS
Matrix: Water
Analysis Batch: 691150

Client Sample ID: AC-24D
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Nitrite as N	<0.10		0.100	<0.10		mg/L		89	80 - 118

Lab Sample ID: 400-265846-1 MSD
Matrix: Water
Analysis Batch: 691150

Client Sample ID: AC-24D
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Nitrite as N	<0.10		0.100	<0.10		mg/L		94	80 - 118	5	9

Lab Sample ID: MB 400-691302/13
Matrix: Water
Analysis Batch: 691302

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrite as N	<0.10		0.10		mg/L			11/14/24 20:03	1

Lab Sample ID: LCS 400-691302/14
Matrix: Water
Analysis Batch: 691302

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Nitrite as N	0.100	0.0986	J	mg/L		99	90 - 110

Lab Sample ID: MRL 400-691302/31
Matrix: Water
Analysis Batch: 691302

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
Nitrite as N	0.0500	0.0566	J	mg/L		113	50 - 150

Eurofins Pensacola

QC Sample Results

Client: AECOM
Project/Site: Agrico Pensacola - 5yr GW

Job ID: 400-265846-1

Method: SM 4500 NO2 B - Nitrogen, Nitrite

Lab Sample ID: 400-265996-1 MS
Matrix: Water
Analysis Batch: 691302

Client Sample ID: AC-23D
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Nitrite as N	<0.10	F1	0.100	0.124	F1	mg/L		124	80 - 118

Lab Sample ID: 400-265996-1 MSD
Matrix: Water
Analysis Batch: 691302

Client Sample ID: AC-23D
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Nitrite as N	<0.10	F1	0.100	0.116		mg/L		116	80 - 118	7	9

Lab Sample ID: MB 400-691450/13
Matrix: Water
Analysis Batch: 691450

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrite as N	<0.10		0.10		mg/L			11/15/24 19:07	1

Lab Sample ID: LCS 400-691450/14
Matrix: Water
Analysis Batch: 691450

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Nitrite as N	0.100	0.102		mg/L		102	90 - 110

Lab Sample ID: MRL 400-691450/15
Matrix: Water
Analysis Batch: 691450

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
Nitrite as N	0.0500	0.0483	J	mg/L		97	50 - 150

Lab Sample ID: 400-266120-4 MS
Matrix: Water
Analysis Batch: 691450

Client Sample ID: NWD-4S MS
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Nitrite as N	<0.10		0.100	0.103		mg/L		103	80 - 118

Lab Sample ID: 400-266120-4 MSD
Matrix: Water
Analysis Batch: 691450

Client Sample ID: NWD-4S MSD
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Nitrite as N	<0.10		0.100	<0.10		mg/L		98	80 - 118	4	9

Lab Sample ID: MB 400-691731/97
Matrix: Water
Analysis Batch: 691731

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrite as N	<0.10		0.10		mg/L			11/19/24 15:47	1

Eurofins Pensacola

QC Sample Results

Client: AECOM
Project/Site: Agrico Pensacola - 5yr GW

Job ID: 400-265846-1

Method: SM 4500 NO2 B - Nitrogen, Nitrite

Lab Sample ID: LCS 400-691731/98
Matrix: Water
Analysis Batch: 691731

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Nitrite as N	0.100	0.0977	J	mg/L		98	90 - 110

Lab Sample ID: MB 400-692077/13
Matrix: Water
Analysis Batch: 692077

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrite as N	<0.10		0.10		mg/L			11/21/24 21:10	1

Lab Sample ID: LCS 400-692077/14
Matrix: Water
Analysis Batch: 692077

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Nitrite as N	0.100	0.0950	J	mg/L		95	90 - 110

Lab Sample ID: MRL 400-692077/15
Matrix: Water
Analysis Batch: 692077

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
Nitrite as N	0.0500	0.0266	J	mg/L		53	50 - 150

Lab Sample ID: 400-266474-1 MS
Matrix: Water
Analysis Batch: 692077

Client Sample ID: AC-27D MS
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Nitrite as N	<0.10		0.100	<0.10		mg/L		95	80 - 118

Lab Sample ID: 400-266474-1 MSD
Matrix: Water
Analysis Batch: 692077

Client Sample ID: AC-27D MSD
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Nitrite as N	<0.10		0.100	<0.10		mg/L		97	80 - 118	2	9

Lab Sample ID: MB 400-692246/44
Matrix: Water
Analysis Batch: 692246

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrite as N	<0.10		0.10		mg/L			11/22/24 20:47	1

Lab Sample ID: LCS 400-692246/45
Matrix: Water
Analysis Batch: 692246

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Nitrite as N	0.100	0.0995	J	mg/L		99	90 - 110

Eurofins Pensacola

QC Sample Results

Client: AECOM
Project/Site: Agrico Pensacola - 5yr GW

Job ID: 400-265846-1

Method: SM 4500 NO2 B - Nitrogen, Nitrite

Lab Sample ID: MRL 400-692246/46
Matrix: Water
Analysis Batch: 692246

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
Nitrite as N	0.0500	<0.018	^3-	mg/L		35	50 - 150

Lab Sample ID: 400-266568-1 MS
Matrix: Water
Analysis Batch: 692246

Client Sample ID: AC-30D
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Nitrite as N	<0.10		0.100	<0.10		mg/L		92	80 - 118

Lab Sample ID: 400-266568-1 MSD
Matrix: Water
Analysis Batch: 692246

Client Sample ID: AC-30D
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Nitrite as N	<0.10		0.100	<0.10		mg/L		96	80 - 118	4	9

Lab Sample ID: MRL 400-692250/15
Matrix: Water
Analysis Batch: 692250

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
Nitrite as N	0.0500	0.0492	J	mg/L		98	50 - 150

Lab Sample ID: MB 400-692555/13
Matrix: Water
Analysis Batch: 692555

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrite as N	<0.10		0.10		mg/L			11/26/24 14:27	1

Lab Sample ID: LCS 400-692555/14
Matrix: Water
Analysis Batch: 692555

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Nitrite as N	0.100	0.0998	J	mg/L		100	90 - 110

Lab Sample ID: MRL 400-692555/15
Matrix: Water
Analysis Batch: 692555

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
Nitrite as N	0.0500	0.0293	J	mg/L		59	50 - 150

Lab Sample ID: 400-266568-8 MS
Matrix: Water
Analysis Batch: 692555

Client Sample ID: AC-13D
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Nitrite as N	<0.10	H	0.100	<0.10		mg/L		92	80 - 118

Eurofins Pensacola

QC Sample Results

Client: AECOM
Project/Site: Agrico Pensacola - 5yr GW

Job ID: 400-265846-1

Method: SM 4500 NO2 B - Nitrogen, Nitrite

Lab Sample ID: 400-266568-8 MSD
Matrix: Water
Analysis Batch: 692555

Client Sample ID: AC-13D
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Nitrite as N	<0.10	H	0.100	<0.10		mg/L		96	80 - 118	4	9

Method: 903.0 - Radium-226 (GFPC)

Lab Sample ID: MB 160-696105/1-A
Matrix: Water
Analysis Batch: 696146

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 696105

Analyte	MB Result	MB Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	-1.107E-2	U	4.39E-2	4.39E-2	1.00E+0	9.85E-2	pCi/L	12/31/24 08:46	12/31/24 19:05	1
Carrier	MB %Yield	MB Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	8.25E+1		30 - 110					12/31/24 08:46	12/31/24 19:05	1

Lab Sample ID: LCS 160-696105/2-A
Matrix: Water
Analysis Batch: 696146

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 696105

Analyte	Spike Added	LCS Result	LCS Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	%Rec	%Rec Limits
Radium-226	9.58E+0	1.042E+1		1.09E+0	1.00E+0	1.02E-1	pCi/L	109	75 - 125
Carrier	LCS %Yield	LCS Qualifier	Limits						
Ba Carrier	7.54E+1		30 - 110						

Lab Sample ID: LCSD 160-696105/3-A
Matrix: Water
Analysis Batch: 696146

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 696105

Analyte	Spike Added	LCSD Result	LCSD Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	%Rec	%Rec Limits	DER	DER Limit
Radium-226	9.58E+0	1.130E+1		1.17E+0	1.00E+0	9.86E-2	pCi/L	118	75 - 125	1.10 E+0	3
Carrier	LCSD %Yield	LCSD Qualifier	Limits								
Ba Carrier	7.74E+1		30 - 110								

Lab Sample ID: MB 160-696106/1-A
Matrix: Water
Analysis Batch: 696149

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 696106

Analyte	MB Result	MB Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	-4.894E-2	U	6.94E-2	6.95E-2	1.00E+0	1.55E-1	pCi/L	12/31/24 08:52	12/31/24 15:10	1
Carrier	MB %Yield	MB Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	7.72E+1		30 - 110					12/31/24 08:52	12/31/24 15:10	1

Eurofins Pensacola

QC Sample Results

Client: AECOM
Project/Site: Agrico Pensacola - 5yr GW

Job ID: 400-265846-1

Method: 903.0 - Radium-226 (GFPC)

Lab Sample ID: LCS 160-696106/2-A
Matrix: Water
Analysis Batch: 696148

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 696106

Analyte	Spike Added	LCS Result	LCS Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	%Rec	%Rec Limits	
Radium-226	9.58E+0	1.057E+1		1.09E+0	1.00E+0	1.07E-1	pCi/L	110	75 - 125	
Carrier		LCS %Yield	LCS Qualifier	Limits						
Ba Carrier		8.70E+1		30 - 110						

Lab Sample ID: 400-266120-4 MS
Matrix: Water
Analysis Batch: 696149

Client Sample ID: NWD-4S MS
Prep Type: Total/NA
Prep Batch: 696106

Analyte	Sample Result	Sample Qual	Spike Added	MS Result	MS Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	%Rec	%Rec Limits	
Radium-226	2.43E+0		9.49E+0	1.283E+1		1.29E+0	1.00E+0	8.24E-2	pCi/L	109	60 - 140	
Carrier		MS %Yield	MS Qualifier	Limits								
Ba Carrier		8.70E+1		30 - 110								

Lab Sample ID: 400-266120-4 MSD
Matrix: Water
Analysis Batch: 696149

Client Sample ID: NWD-4S MSD
Prep Type: Total/NA
Prep Batch: 696106

Analyte	Sample Result	Sample Qual	Spike Added	MSD Result	MSD Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	%Rec	%Rec Limits		DER Limit	
													DER	Limit
Radium-226	2.43E+0		9.55E+0	1.296E+1		1.32E+0	1.00E+0	9.58E-2	pCi/L	110	60 - 140	0.14	3	
Carrier		MSD %Yield	MSD Qualifier	Limits										
Ba Carrier		8.15E+1		30 - 110										

Lab Sample ID: MB 160-696107/1-A
Matrix: Water
Analysis Batch: 696146

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 696107

Analyte	MB Result	MB Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Carrier		MB %Yield	MB Qualifier	Limits	Prepared		Analyzed		Dil Fac	
Ba Carrier		7.82E+1		30 - 110	12/31/24 08:59		12/31/24 17:02		1	

Lab Sample ID: LCS 160-696107/2-A
Matrix: Water
Analysis Batch: 696148

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 696107

Analyte	Spike Added	LCS Result	LCS Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	%Rec	%Rec Limits	
Radium-226	9.58E+0	9.522E+0		1.00E+0	1.00E+0	1.04E-1	pCi/L	99	75 - 125	

Eurofins Pensacola

QC Sample Results

Client: AECOM
Project/Site: Agrico Pensacola - 5yr GW

Job ID: 400-265846-1

Method: 903.0 - Radium-226 (GFPC) (Continued)

Lab Sample ID: LCS 160-696107/2-A
Matrix: Water
Analysis Batch: 696148

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 696107

Carrier	LCS LCS		Limits
	%Yield	Qualifier	
Ba Carrier	8.15E+1		30 - 110

Method: 904.0 - Radium-228 (GFPC)

Lab Sample ID: MB 160-689277/1-A
Matrix: Water
Analysis Batch: 690739

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 689277

Analyte	MB MB		Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
	Result	Qualifier	Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	7.175E-1		3.90E-1	3.95E-1	1.00E+0	5.49E-1	pCi/L	11/19/24 08:45	11/27/24 12:04	1
Carrier	MB MB		Limits		Prepared	Analyzed	Dil Fac			
	%Yield	Qualifier								
Ba Carrier	9.34E+1		30 - 110		11/19/24 08:45	11/27/24 12:04	1			
Y Carrier	7.85E+1		30 - 110		11/19/24 08:45	11/27/24 12:04	1			

Lab Sample ID: LCS 160-689277/2-A
Matrix: Water
Analysis Batch: 690739

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 689277

Analyte	Spike Added	LCS Result	LCS Qual	Total	RL	MDC	Unit	%Rec	%Rec
				Uncert. (2σ+/-)					Limits
Radium-228	8.31E+0	1.010E+1		1.41E+0	1.00E+0	5.44E-1	pCi/L	122	75 - 125
Carrier	LCS LCS		Limits						
	%Yield	Qualifier							
Ba Carrier	8.50E+1		30 - 110						
Y Carrier	7.81E+1		30 - 110						

Lab Sample ID: MB 160-690030/1-A
Matrix: Water
Analysis Batch: 692119

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 690030

Analyte	MB MB		Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
	Result	Qualifier	Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	-8.874E-2	U	2.98E-1	2.98E-1	1.00E+0	6.00E-1	pCi/L	11/22/24 15:46	12/06/24 12:03	1
Carrier	MB MB		Limits		Prepared	Analyzed	Dil Fac			
	%Yield	Qualifier								
Ba Carrier	8.32E+1		30 - 110		11/22/24 15:46	12/06/24 12:03	1			
Y Carrier	7.40E+1		30 - 110		11/22/24 15:46	12/06/24 12:03	1			

Lab Sample ID: LCS 160-690030/2-A
Matrix: Water
Analysis Batch: 692119

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 690030

Analyte	Spike Added	LCS Result	LCS Qual	Total	RL	MDC	Unit	%Rec	%Rec
				Uncert. (2σ+/-)					Limits
Radium-228	8.28E+0	1.060E+1		1.75E+0	1.00E+0	1.13E+0	pCi/L	128	75 - 125

Eurofins Pensacola

QC Sample Results

Client: AECOM
Project/Site: Agrico Pensacola - 5yr GW

Job ID: 400-265846-1

Method: 904.0 - Radium-228 (GFPC) (Continued)

Lab Sample ID: LCS 160-690030/2-A
Matrix: Water
Analysis Batch: 692119

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 690030

LCS LCS			
Carrier	%Yield	Qualifier	Limits
Ba Carrier	8.65E+1		30 - 110
Y Carrier	7.78E+1		30 - 110

Lab Sample ID: 400-266120-4 MS
Matrix: Water
Analysis Batch: 692119

Client Sample ID: NWD-4S MS
Prep Type: Total/NA
Prep Batch: 690030

Analyte	Sample Result	Sample Qual	Spike Added	MS Result	MS Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	%Rec	%Rec Limits	
											Der	Limit
Radium-228	4.73E+0		8.38E+0	1.460E+1		1.84E+0	1.00E+0	6.15E-1	pCi/L	118	60 - 140	

MS MS			
Carrier	%Yield	Qualifier	Limits
Ba Carrier	8.40E+1		30 - 110
Y Carrier	8.04E+1		30 - 110

Lab Sample ID: 400-266120-4 MSD
Matrix: Water
Analysis Batch: 692119

Client Sample ID: NWD-4S MSD
Prep Type: Total/NA
Prep Batch: 690030

Analyte	Sample Result	Sample Qual	Spike Added	MSD Result	MSD Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	%Rec	%Rec Limits		DER	Limit
											Der	Limit		
Radium-228	4.73E+0		8.29E+0	1.520E+1		1.87E+0	1.00E+0	5.79E-1	pCi/L	126	60 - 140	0.46	3	

MSD MSD			
Carrier	%Yield	Qualifier	Limits
Ba Carrier	8.98E+1		30 - 110
Y Carrier	8.00E+1		30 - 110

Lab Sample ID: MB 160-690642/1-A
Matrix: Water
Analysis Batch: 692633

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 690642

Analyte	MB Result	MB Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac

MB MB			Limits	Prepared	Analyzed	Dil Fac
Carrier	%Yield	Qualifier				
Ba Carrier	9.97E+1		30 - 110	11/26/24 10:02	12/09/24 12:00	1
Y Carrier	8.37E+1		30 - 110	11/26/24 10:02	12/09/24 12:00	1

Lab Sample ID: LCS 160-690642/2-A
Matrix: Water
Analysis Batch: 692633

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 690642

Analyte	Spike Added	LCS Result	LCS Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	%Rec	%Rec Limits	
									Der	Limit
Radium-228	8.28E+0	1.108E+1	*	1.74E+0	1.00E+0	9.45E-1	pCi/L	134	75 - 125	

Eurofins Pensacola

QC Sample Results

Client: AECOM
Project/Site: Agrico Pensacola - 5yr GW

Job ID: 400-265846-1

Method: 904.0 - Radium-228 (GFPC) (Continued)

Lab Sample ID: LCS 160-690642/2-A
Matrix: Water
Analysis Batch: 692633

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 690642

	LCS	LCS	
Carrier	%Yield	Qualifier	Limits
Ba Carrier	9.64E+1		30 - 110
Y Carrier	8.22E+1		30 - 110

Lab Sample ID: MB 160-691564/1-A
Matrix: Water
Analysis Batch: 693052

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 691564

Analyte	MB MB		Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
	Result	Qualifier	Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	3.329E-1	U	3.72E-1	3.74E-1	1.00E+0	6.08E-1	pCi/L	12/03/24 10:45	12/11/24 12:28	1

Carrier	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Yield	Qualifier				
Ba Carrier	8.97E+1		30 - 110	12/03/24 10:45	12/11/24 12:28	1
Y Carrier	7.85E+1		30 - 110	12/03/24 10:45	12/11/24 12:28	1

Lab Sample ID: LCS 160-691564/2-A
Matrix: Water
Analysis Batch: 693052

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 691564

Analyte	Spike Added	LCS Result	LCS Qual	Total	RL	MDC	Unit	%Rec	%Rec Limits
				Uncert. (2σ+/-)					
Radium-228	8.27E+0	1.139E+1		1.52E+0	1.00E+0	5.54E-1	pCi/L	138	75 - 125

	LCS	LCS	
Carrier	%Yield	Qualifier	Limits
Ba Carrier	9.72E+1		30 - 110
Y Carrier	7.81E+1		30 - 110

Lab Sample ID: MB 160-694336/1-A
Matrix: Water
Analysis Batch: 695577

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 694336

Analyte	MB MB		Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
	Result	Qualifier	Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	-1.051E-1	U	2.27E-1	2.27E-1	1.00E+0	4.69E-1	pCi/L	12/18/24 08:24	12/27/24 11:54	1

Carrier	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Yield	Qualifier				
Ba Carrier	9.79E+1		30 - 110	12/18/24 08:24	12/27/24 11:54	1
Y Carrier	8.19E+1		30 - 110	12/18/24 08:24	12/27/24 11:54	1

Lab Sample ID: LCS 160-694336/2-A
Matrix: Water
Analysis Batch: 695577

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 694336

Analyte	Spike Added	LCS Result	LCS Qual	Total	RL	MDC	Unit	%Rec	%Rec Limits
				Uncert. (2σ+/-)					
Radium-228	8.23E+0	9.610E+0		1.31E+0	1.00E+0	5.92E-1	pCi/L	117	75 - 125

Eurofins Pensacola

QC Sample Results

Client: AECOM
Project/Site: Agrico Pensacola - 5yr GW

Job ID: 400-265846-1

Method: 904.0 - Radium-228 (GFPC) (Continued)

Lab Sample ID: LCS 160-694336/2-A
Matrix: Water
Analysis Batch: 695577

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 694336

Carrier	LCS		Limits
	%Yield	Qualifier	
Ba Carrier	9.03E+1		30 - 110
Y Carrier	8.60E+1		30 - 110

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Lab Chronicle

Client: AECOM
 Project/Site: Agrico Pensacola - 5yr GW

Job ID: 400-265846-1

Client Sample ID: AC-24D

Lab Sample ID: 400-265846-1

Date Collected: 11/12/24 15:02

Matrix: Water

Date Received: 11/13/24 11:08

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		5			693565	12/06/24 19:28	LHB	EET PEN
Total/NA	Analysis	353.2		5	5 mL	5 mL	691297	11/13/24 20:45	DEK	EET PEN
Total/NA	Analysis	Nitrate by calc		1	10 mL	10 mL	692019	11/13/24 14:52	KWS	EET PEN
Total/NA	Analysis	SM 4500 F C		5	25 mL	25 mL	691111	11/13/24 15:14	JP	EET PEN
Total/NA	Analysis	SM 4500 NO2 B		1	10 mL	10 mL	691150	11/13/24 14:52	DEK	EET PEN
Total/NA	Prep	PrecSep-21			961.14 mL	1.0 g	696107	12/31/24 08:59	BMW	EET SL
Total/NA	Analysis	903.0		1	1.0 mL	1.0 mL	696148	12/31/24 18:55	SCB	EET SL
Total/NA	Prep	PrecSep_0			557.67 mL	1.0 g	694336	12/18/24 08:24	MLT	EET SL
Total/NA	Analysis	904.0		1			695577	12/27/24 11:55	EMH	EET SL

Client Sample ID: AC-24S

Lab Sample ID: 400-265846-2

Date Collected: 11/12/24 13:56

Matrix: Water

Date Received: 11/13/24 11:08

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1			693364	12/05/24 22:26	AMM	EET PEN
Total/NA	Analysis	353.2		5	5 mL	5 mL	691297	11/13/24 20:47	DEK	EET PEN
Total/NA	Analysis	Nitrate by calc		1	10 mL	10 mL	692019	11/13/24 14:53	KWS	EET PEN
Total/NA	Analysis	SM 4500 F C		1	25 mL	25 mL	691111	11/13/24 14:34	JP	EET PEN
Total/NA	Analysis	SM 4500 NO2 B		1	10 mL	10 mL	691150	11/13/24 14:53	DEK	EET PEN
Total/NA	Prep	PrecSep-21			999.24 mL	1.0 g	696107	12/31/24 08:59	BMW	EET SL
Total/NA	Analysis	903.0		1	1.0 mL	1.0 mL	696148	12/31/24 18:55	SCB	EET SL
Total/NA	Prep	PrecSep_0			576.61 mL	1.0 g	694336	12/18/24 08:24	MLT	EET SL
Total/NA	Analysis	904.0		1			695577	12/27/24 11:55	EMH	EET SL

Client Sample ID: NWD-2S

Lab Sample ID: 400-265846-3

Date Collected: 11/12/24 10:56

Matrix: Water

Date Received: 11/13/24 11:08

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1			693364	12/05/24 22:35	AMM	EET PEN
Total/NA	Analysis	353.2		5	5 mL	5 mL	691297	11/13/24 20:49	DEK	EET PEN
Total/NA	Analysis	Nitrate by calc		1	10 mL	10 mL	692019	11/13/24 14:53	KWS	EET PEN
Total/NA	Analysis	SM 4500 F C		1	25 mL	25 mL	691111	11/13/24 14:37	JP	EET PEN
Total/NA	Analysis	SM 4500 NO2 B		1	10 mL	10 mL	691150	11/13/24 14:53	DEK	EET PEN
Total/NA	Prep	PrecSep-21			995.20 mL	1.0 g	696107	12/31/24 08:59	BMW	EET SL
Total/NA	Analysis	903.0		1	1.0 mL	1.0 mL	696148	12/31/24 18:55	SCB	EET SL
Total/NA	Prep	PrecSep_0			565.17 mL	1.0 g	694336	12/18/24 08:24	MLT	EET SL
Total/NA	Analysis	904.0		1			695577	12/27/24 11:55	EMH	EET SL

Lab Chronicle

Client: AECOM
 Project/Site: Agrico Pensacola - 5yr GW

Job ID: 400-265846-1

Client Sample ID: NWD-2D

Lab Sample ID: 400-265846-4

Date Collected: 11/12/24 11:59

Matrix: Water

Date Received: 11/13/24 11:08

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1			693364	12/05/24 22:43	AMM	EET PEN
Total/NA	Analysis	353.2		5	5 mL	5 mL	691297	11/13/24 20:54	DEK	EET PEN
Total/NA	Analysis	Nitrate by calc		1	10 mL	10 mL	692019	11/13/24 14:54	KWS	EET PEN
Total/NA	Analysis	SM 4500 F C		1	25 mL	25 mL	691111	11/13/24 14:41	JP	EET PEN
Total/NA	Analysis	SM 4500 NO2 B		1	10 mL	10 mL	691150	11/13/24 14:54	DEK	EET PEN
Total/NA	Prep	PrecSep-21			1004.87 mL	1.0 g	696107	12/31/24 08:59	BMW	EET SL
Total/NA	Analysis	903.0		1	1.0 mL	1.0 mL	696148	12/31/24 18:55	SCB	EET SL
Total/NA	Prep	PrecSep_0			594.61 mL	1.0 g	694336	12/18/24 08:24	MLT	EET SL
Total/NA	Analysis	904.0		1			695577	12/27/24 11:55	EMH	EET SL

Client Sample ID: PID-D

Lab Sample ID: 400-265846-5

Date Collected: 11/12/24 09:52

Matrix: Water

Date Received: 11/13/24 11:08

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1			693364	12/05/24 22:52	AMM	EET PEN
Total/NA	Analysis	353.2		5	5 mL	5 mL	691297	11/13/24 20:58	DEK	EET PEN
Total/NA	Analysis	Nitrate by calc		1	10 mL	10 mL	692019	11/13/24 14:54	KWS	EET PEN
Total/NA	Analysis	SM 4500 F C		1	25 mL	25 mL	691111	11/13/24 14:44	JP	EET PEN
Total/NA	Analysis	SM 4500 NO2 B		1	10 mL	10 mL	691150	11/13/24 14:54	DEK	EET PEN
Total/NA	Prep	PrecSep-21			1002.99 mL	1.0 g	696107	12/31/24 08:59	BMW	EET SL
Total/NA	Analysis	903.0		1			696146	12/31/24 18:59	SCB	EET SL
Total/NA	Prep	PrecSep_0			562.81 mL	1.0 g	694336	12/18/24 08:24	MLT	EET SL
Total/NA	Analysis	904.0		1			695577	12/27/24 11:55	EMH	EET SL

Client Sample ID: DUP-3

Lab Sample ID: 400-265846-6

Date Collected: 11/12/24 00:00

Matrix: Water

Date Received: 11/13/24 11:08

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1			693364	12/05/24 23:00	AMM	EET PEN
Total/NA	Analysis	353.2		5	5 mL	5 mL	691297	11/13/24 21:00	DEK	EET PEN
Total/NA	Analysis	Nitrate by calc		1	10 mL	10 mL	692019	11/13/24 14:54	KWS	EET PEN
Total/NA	Analysis	SM 4500 F C		1	25 mL	25 mL	691111	11/13/24 14:47	JP	EET PEN
Total/NA	Analysis	SM 4500 NO2 B		1	10 mL	10 mL	691150	11/13/24 14:54	DEK	EET PEN
Total/NA	Prep	PrecSep-21			998.36 mL	1.0 g	696107	12/31/24 08:59	BMW	EET SL
Total/NA	Analysis	903.0		1			696146	12/31/24 18:59	SCB	EET SL
Total/NA	Prep	PrecSep_0			567.34 mL	1.0 g	694336	12/18/24 08:24	MLT	EET SL
Total/NA	Analysis	904.0		1			695577	12/27/24 11:55	EMH	EET SL

Lab Chronicle

Client: AECOM
 Project/Site: Agrico Pensacola - 5yr GW

Job ID: 400-265846-1

Client Sample ID: AC-10D

Lab Sample ID: 400-265846-7

Date Collected: 11/13/24 10:12

Matrix: Water

Date Received: 11/13/24 11:08

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1			693364	12/05/24 23:09	AMM	EET PEN
Total/NA	Analysis	353.2		5	5 mL	5 mL	691297	11/13/24 21:02	DEK	EET PEN
Total/NA	Analysis	Nitrate by calc		1	10 mL	10 mL	692019	11/13/24 14:55	KWS	EET PEN
Total/NA	Analysis	SM 4500 F C		1	25 mL	25 mL	691111	11/13/24 14:50	JP	EET PEN
Total/NA	Analysis	SM 4500 NO2 B		1	10 mL	10 mL	691150	11/13/24 14:55	DEK	EET PEN
Total/NA	Prep	PrecSep-21			997.77 mL	1.0 g	696107	12/31/24 08:59	BMW	EET SL
Total/NA	Analysis	903.0		1			696146	12/31/24 19:00	SCB	EET SL
Total/NA	Prep	PrecSep_0			596.86 mL	1.0 g	694336	12/18/24 08:24	MLT	EET SL
Total/NA	Analysis	904.0		1			695577	12/27/24 11:56	EMH	EET SL

Client Sample ID: EB-1

Lab Sample ID: 400-265846-8

Date Collected: 11/13/24 10:24

Matrix: Water

Date Received: 11/13/24 11:08

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1			693364	12/05/24 23:17	AMM	EET PEN
Total/NA	Analysis	353.2		1	5 mL	5 mL	691297	11/13/24 21:03	DEK	EET PEN
Total/NA	Analysis	Nitrate by calc		1	10 mL	10 mL	692019	11/13/24 14:55	KWS	EET PEN
Total/NA	Analysis	SM 4500 F C		1	25 mL	25 mL	691111	11/13/24 14:53	JP	EET PEN
Total/NA	Analysis	SM 4500 NO2 B		1	10 mL	10 mL	691150	11/13/24 14:55	DEK	EET PEN
Total/NA	Prep	PrecSep-21			990.98 mL	1.0 g	696107	12/31/24 08:59	BMW	EET SL
Total/NA	Analysis	903.0		1			696146	12/31/24 19:00	SCB	EET SL
Total/NA	Prep	PrecSep_0			538.10 mL	1.0 g	694336	12/18/24 08:24	MLT	EET SL
Total/NA	Analysis	904.0		1			695577	12/27/24 11:56	EMH	EET SL

Client Sample ID: AC-23D

Lab Sample ID: 400-265996-1

Date Collected: 11/13/24 13:29

Matrix: Water

Date Received: 11/14/24 11:42

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1			692933	12/02/24 21:31	AMM	EET PEN
Total/NA	Analysis	353.2		1	5 mL	5 mL	691786	11/20/24 08:40	DEK	EET PEN
Total/NA	Analysis	Nitrate by calc		1	10 mL	10 mL	692412	11/14/24 20:04	KWS	EET PEN
Total/NA	Analysis	SM 4500 F C		1	25 mL	25 mL	691612	11/18/24 16:54	JP	EET PEN
Total/NA	Analysis	SM 4500 NO2 B		1	10 mL	10 mL	691302	11/14/24 20:04	DEK	EET PEN
Total/NA	Prep	PrecSep-21			1003.57 mL	1.0 g	696107	12/31/24 08:59	BMW	EET SL
Total/NA	Analysis	903.0		1			696146	12/31/24 19:00	SCB	EET SL
Total/NA	Prep	PrecSep_0			994.92 mL	1.0 g	689277	11/19/24 08:45	BCE	EET SL
Total/NA	Analysis	904.0		1			690802	11/27/24 12:11	FLC	EET SL

Lab Chronicle

Client: AECOM
 Project/Site: Agrico Pensacola - 5yr GW

Job ID: 400-265846-1

Client Sample ID: AC-28D

Lab Sample ID: 400-265996-2

Date Collected: 11/14/24 09:42

Matrix: Water

Date Received: 11/14/24 11:42

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1			692933	12/02/24 21:40	AMM	EET PEN
Total/NA	Analysis	300.0		5			693093	12/03/24 21:33	AMM	EET PEN
Total/NA	Analysis	353.2		5	5 mL	5 mL	691786	11/19/24 19:04	DEK	EET PEN
Total/NA	Analysis	Nitrate by calc		1	10 mL	10 mL	692412	11/14/24 20:05	KWS	EET PEN
Total/NA	Analysis	SM 4500 F C		1	25 mL	25 mL	691612	11/18/24 17:05	JP	EET PEN
Total/NA	Analysis	SM 4500 NO2 B		1	10 mL	10 mL	691302	11/14/24 20:05	DEK	EET PEN
Total/NA	Prep	PrecSep-21			1001.80 mL	1.0 g	696107	12/31/24 08:59	BMW	EET SL
Total/NA	Analysis	903.0		1			696146	12/31/24 19:01	SCB	EET SL
Total/NA	Prep	PrecSep_0			1000.73 mL	1.0 g	689277	11/19/24 08:45	BCE	EET SL
Total/NA	Analysis	904.0		1			690802	11/27/24 12:12	FLC	EET SL

Client Sample ID: AC-9D2

Lab Sample ID: 400-265996-3

Date Collected: 11/13/24 11:00

Matrix: Water

Date Received: 11/14/24 11:42

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1			692933	12/02/24 21:48	AMM	EET PEN
Total/NA	Analysis	300.0		10			693093	12/03/24 21:41	AMM	EET PEN
Total/NA	Analysis	353.2		5	5 mL	5 mL	691786	11/19/24 19:05	DEK	EET PEN
Total/NA	Analysis	Nitrate by calc		1	10 mL	10 mL	692412	11/14/24 20:06	KWS	EET PEN
Total/NA	Analysis	SM 4500 F C		2	25 mL	25 mL	691612	11/19/24 10:23	JP	EET PEN
Total/NA	Analysis	SM 4500 NO2 B		1	10 mL	10 mL	691302	11/14/24 20:06	DEK	EET PEN
Total/NA	Prep	PrecSep-21			1001.97 mL	1.0 g	696107	12/31/24 08:59	BMW	EET SL
Total/NA	Analysis	903.0		1			696146	12/31/24 19:01	SCB	EET SL
Total/NA	Prep	PrecSep_0			999.94 mL	1.0 g	689277	11/19/24 08:45	BCE	EET SL
Total/NA	Analysis	904.0		1			690802	11/27/24 12:12	FLC	EET SL

Client Sample ID: AC-11D

Lab Sample ID: 400-266120-1

Date Collected: 11/14/24 14:03

Matrix: Water

Date Received: 11/15/24 15:38

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1			693364	12/05/24 23:26	AMM	EET PEN
Total/NA	Analysis	353.2		1	5 mL	5 mL	691786	11/20/24 08:32	DEK	EET PEN
Total/NA	Analysis	Nitrate by calc		1	10 mL	10 mL	692841	11/15/24 19:10	KWS	EET PEN
Total/NA	Analysis	SM 4500 F C		1	25 mL	25 mL	691612	11/18/24 16:32	JP	EET PEN
Total/NA	Analysis	SM 4500 NO2 B		1	10 mL	10 mL	691450	11/15/24 19:10	DEK	EET PEN
Total/NA	Prep	PrecSep-21			1014.99 mL	1.0 g	696106	12/31/24 08:52	BMW	EET SL
Total/NA	Analysis	903.0		1			696149	12/31/24 16:59	SCB	EET SL
Total/NA	Prep	PrecSep_0			987.54 mL	1.0 g	690030	11/22/24 15:46	BCE	EET SL
Total/NA	Analysis	904.0		1	1.0 mL	1.0 mL	692119	12/06/24 12:03	SCB	EET SL

Lab Chronicle

Client: AECOM
 Project/Site: Agrico Pensacola - 5yr GW

Job ID: 400-265846-1

Client Sample ID: AC-8D

Lab Sample ID: 400-266120-2

Date Collected: 11/14/24 15:27

Matrix: Water

Date Received: 11/15/24 15:38

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1			693364	12/05/24 23:34	AMM	EET PEN
Total/NA	Analysis	353.2		5	5 mL	5 mL	691786	11/19/24 18:54	DEK	EET PEN
Total/NA	Analysis	Nitrate by calc		1	10 mL	10 mL	692841	11/15/24 19:10	KWS	EET PEN
Total/NA	Analysis	SM 4500 F C		1	25 mL	25 mL	691612	11/18/24 16:34	JP	EET PEN
Total/NA	Analysis	SM 4500 NO2 B		1	10 mL	10 mL	691450	11/15/24 19:10	DEK	EET PEN
Total/NA	Prep	PrecSep-21			991.90 mL	1.0 g	696106	12/31/24 08:52	BMW	EET SL
Total/NA	Analysis	903.0		1			696149	12/31/24 16:59	SCB	EET SL
Total/NA	Prep	PrecSep_0			1005.42 mL	1.0 g	690030	11/22/24 15:46	BCE	EET SL
Total/NA	Analysis	904.0		1	1.0 mL	1.0 mL	692119	12/06/24 12:05	SCB	EET SL

Client Sample ID: AC-21D

Lab Sample ID: 400-266120-3

Date Collected: 11/15/24 09:30

Matrix: Water

Date Received: 11/15/24 15:38

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1			693364	12/05/24 23:43	AMM	EET PEN
Total/NA	Analysis	353.2		5	5 mL	5 mL	691786	11/19/24 18:56	DEK	EET PEN
Total/NA	Analysis	Nitrate by calc		1	10 mL	10 mL	692841	11/15/24 19:10	KWS	EET PEN
Total/NA	Analysis	SM 4500 F C		1	25 mL	25 mL	691612	11/18/24 16:37	JP	EET PEN
Total/NA	Analysis	SM 4500 NO2 B		1	10 mL	10 mL	691450	11/15/24 19:10	DEK	EET PEN
Total/NA	Prep	PrecSep-21			998.30 mL	1.0 g	696106	12/31/24 08:52	BMW	EET SL
Total/NA	Analysis	903.0		1			696149	12/31/24 16:59	SCB	EET SL
Total/NA	Prep	PrecSep_0			1002.99 mL	1.0 g	690030	11/22/24 15:46	BCE	EET SL
Total/NA	Analysis	904.0		1	1.0 mL	1.0 mL	692119	12/06/24 12:05	SCB	EET SL

Client Sample ID: NWD-4S

Lab Sample ID: 400-266120-4

Date Collected: 11/15/24 10:24

Matrix: Water

Date Received: 11/15/24 15:38

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1			693364	12/06/24 00:08	AMM	EET PEN
Total/NA	Analysis	353.2		20	5 mL	5 mL	691786	11/20/24 08:33	DEK	EET PEN
Total/NA	Analysis	Nitrate by calc		1	10 mL	10 mL	692841	11/15/24 19:08	KWS	EET PEN
Total/NA	Analysis	SM 4500 F C		1	25 mL	25 mL	691612	11/18/24 16:19	JP	EET PEN
Total/NA	Analysis	SM 4500 NO2 B		1	10 mL	10 mL	691450	11/15/24 19:08	DEK	EET PEN
Total/NA	Prep	PrecSep-21			1013.61 mL	1.0 g	696106	12/31/24 08:52	BMW	EET SL
Total/NA	Analysis	903.0		1			696149	12/31/24 16:59	SCB	EET SL
Total/NA	Prep	PrecSep_0			992.01 mL	1.0 g	690030	11/22/24 15:46	BCE	EET SL
Total/NA	Analysis	904.0		1	1.0 mL	1.0 mL	692119	12/06/24 12:05	SCB	EET SL

Lab Chronicle

Client: AECOM
 Project/Site: Agrico Pensacola - 5yr GW

Job ID: 400-265846-1

Client Sample ID: NWD-4D

Lab Sample ID: 400-266120-5

Date Collected: 11/15/24 11:11

Matrix: Water

Date Received: 11/15/24 15:38

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1			693364	12/06/24 00:34	AMM	EET PEN
Total/NA	Analysis	353.2		1	5 mL	5 mL	691786	11/20/24 08:38	DEK	EET PEN
Total/NA	Analysis	Nitrate by calc		1	10 mL	10 mL	692841	11/15/24 19:11	KWS	EET PEN
Total/NA	Analysis	SM 4500 F C		1	25 mL	25 mL	691612	11/18/24 16:40	JP	EET PEN
Total/NA	Analysis	SM 4500 NO2 B		1	10 mL	10 mL	691450	11/15/24 19:11	DEK	EET PEN
Total/NA	Prep	PrecSep-21			998.05 mL	1.0 g	696106	12/31/24 08:52	BMW	EET SL
Total/NA	Analysis	903.0		1			696149	12/31/24 17:00	SCB	EET SL
Total/NA	Prep	PrecSep_0			986.46 mL	1.0 g	690030	11/22/24 15:46	BCE	EET SL
Total/NA	Analysis	904.0		1	1.0 mL	1.0 mL	692119	12/06/24 12:05	SCB	EET SL

Client Sample ID: AC-12D

Lab Sample ID: 400-266120-6

Date Collected: 11/15/24 14:13

Matrix: Water

Date Received: 11/15/24 15:38

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1			693364	12/06/24 00:43	AMM	EET PEN
Total/NA	Analysis	300.0		10			693565	12/06/24 19:37	LHB	EET PEN
Total/NA	Analysis	353.2		5	5 mL	5 mL	691786	11/19/24 18:59	DEK	EET PEN
Total/NA	Analysis	Nitrate by calc		1	10 mL	10 mL	692841	11/15/24 19:11	KWS	EET PEN
Total/NA	Analysis	SM 4500 F C		1	25 mL	25 mL	691612	11/18/24 16:43	JP	EET PEN
Total/NA	Analysis	SM 4500 NO2 B		1	10 mL	10 mL	691450	11/15/24 19:11	DEK	EET PEN
Total/NA	Prep	PrecSep-21			979.82 mL	1.0 g	696106	12/31/24 08:52	BMW	EET SL
Total/NA	Analysis	903.0		1			696149	12/31/24 17:00	SCB	EET SL
Total/NA	Prep	PrecSep_0			999.42 mL	1.0 g	690030	11/22/24 15:46	BCE	EET SL
Total/NA	Analysis	904.0		1	1.0 mL	1.0 mL	692119	12/06/24 12:05	SCB	EET SL

Client Sample ID: DUP-2

Lab Sample ID: 400-266120-7

Date Collected: 11/14/24 12:00

Matrix: Water

Date Received: 11/15/24 15:38

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1			693367	12/06/24 01:34	AMM	EET PEN
Total/NA	Analysis	353.2		5	5 mL	5 mL	691786	11/19/24 19:00	DEK	EET PEN
Total/NA	Analysis	Nitrate by calc		1	10 mL	10 mL	692841	11/15/24 19:12	KWS	EET PEN
Total/NA	Analysis	SM 4500 F C		1	25 mL	25 mL	691612	11/18/24 16:47	JP	EET PEN
Total/NA	Analysis	SM 4500 NO2 B		1	10 mL	10 mL	691450	11/15/24 19:12	DEK	EET PEN
Total/NA	Prep	PrecSep-21			993.81 mL	1.0 g	696106	12/31/24 08:52	BMW	EET SL
Total/NA	Analysis	903.0		1			696149	12/31/24 17:00	SCB	EET SL
Total/NA	Prep	PrecSep_0			995.68 mL	1.0 g	690030	11/22/24 15:46	BCE	EET SL
Total/NA	Analysis	904.0		1	1.0 mL	1.0 mL	692119	12/06/24 12:05	SCB	EET SL

Lab Chronicle

Client: AECOM

Job ID: 400-265846-1

Project/Site: Agrico Pensacola - 5yr GW

Client Sample ID: AC-34S

Lab Sample ID: 400-266242-1

Date Collected: 11/18/24 09:48

Matrix: Water

Date Received: 11/19/24 08:46

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1			693367	12/06/24 01:51	AMM	EET PEN
Total/NA	Analysis	353.2		5	5 mL	5 mL	691786	11/19/24 19:23	DEK	EET PEN
Total/NA	Analysis	Nitrate by calc		1	10 mL	10 mL	692021	11/19/24 15:49	KWS	EET PEN
Total/NA	Analysis	SM 4500 F C		1	25 mL	25 mL	692364	11/25/24 13:50	JP	EET PEN
Total/NA	Analysis	SM 4500 NO2 B		1	10 mL	10 mL	691731	11/19/24 15:49	DEK	EET PEN
Total/NA	Prep	PrecSep-21			985.83 mL	1.0 g	696106	12/31/24 08:52	BMW	EET SL
Total/NA	Analysis	903.0		1			696149	12/31/24 17:00	SCB	EET SL
Total/NA	Prep	PrecSep_0			981.65 mL	1.0 g	690642	11/26/24 10:02	BCE	EET SL
Total/NA	Analysis	904.0		1	1.0 mL	1.0 mL	692633	12/09/24 12:00	SCB	EET SL

Client Sample ID: AC-75R

Lab Sample ID: 400-266242-2

Date Collected: 11/18/24 10:35

Matrix: Water

Date Received: 11/19/24 08:46

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1			693367	12/06/24 01:59	AMM	EET PEN
Total/NA	Analysis	353.2		5	5 mL	5 mL	691786	11/19/24 19:25	DEK	EET PEN
Total/NA	Analysis	Nitrate by calc		1	10 mL	10 mL	692021	11/19/24 15:49	KWS	EET PEN
Total/NA	Analysis	SM 4500 F C		1	25 mL	25 mL	692364	11/25/24 13:53	JP	EET PEN
Total/NA	Analysis	SM 4500 NO2 B		1	10 mL	10 mL	691731	11/19/24 15:49	DEK	EET PEN
Total/NA	Prep	PrecSep-21			993.94 mL	1.0 g	696106	12/31/24 08:52	BMW	EET SL
Total/NA	Analysis	903.0		1			696149	12/31/24 17:00	SCB	EET SL
Total/NA	Prep	PrecSep_0			1011.90 mL	1.0 g	690642	11/26/24 10:02	BCE	EET SL
Total/NA	Analysis	904.0		1	1.0 mL	1.0 mL	692633	12/09/24 12:00	SCB	EET SL

Client Sample ID: AC-33S

Lab Sample ID: 400-266242-3

Date Collected: 11/18/24 11:12

Matrix: Water

Date Received: 11/19/24 08:46

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1			693367	12/06/24 02:08	AMM	EET PEN
Total/NA	Analysis	353.2		1	5 mL	5 mL	691786	11/20/24 08:43	DEK	EET PEN
Total/NA	Analysis	Nitrate by calc		1	10 mL	10 mL	692021	11/19/24 15:50	KWS	EET PEN
Total/NA	Analysis	SM 4500 F C		1	25 mL	25 mL	692364	11/25/24 13:56	JP	EET PEN
Total/NA	Analysis	SM 4500 NO2 B		1	10 mL	10 mL	691731	11/19/24 15:50	DEK	EET PEN
Total/NA	Prep	PrecSep-21			985.12 mL	1.0 g	696106	12/31/24 08:52	BMW	EET SL
Total/NA	Analysis	903.0		1			696149	12/31/24 17:00	SCB	EET SL
Total/NA	Prep	PrecSep_0			991.01 mL	1.0 g	690642	11/26/24 10:02	BCE	EET SL
Total/NA	Analysis	904.0		1	1.0 mL	1.0 mL	692633	12/09/24 12:00	SCB	EET SL

Eurofins Pensacola

Lab Chronicle

Client: AECOM
Project/Site: Agrico Pensacola - 5yr GW

Job ID: 400-265846-1

Client Sample ID: NWD-31S

Lab Sample ID: 400-266242-4

Date Collected: 11/18/24 12:36

Matrix: Water

Date Received: 11/19/24 08:46

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1			693367	12/06/24 02:16	AMM	EET PEN
Total/NA	Analysis	300.0		10			693565	12/06/24 19:45	LHB	EET PEN
Total/NA	Analysis	353.2		5	5 mL	5 mL	691786	11/19/24 19:28	DEK	EET PEN
Total/NA	Analysis	Nitrate by calc		1	10 mL	10 mL	692021	11/19/24 15:50	KWS	EET PEN
Total/NA	Analysis	SM 4500 F C		1	25 mL	25 mL	692364	11/25/24 14:06	JP	EET PEN
Total/NA	Analysis	SM 4500 NO2 B		1	10 mL	10 mL	691731	11/19/24 15:50	DEK	EET PEN
Total/NA	Prep	PrecSep-21			742.21 mL	1.0 g	696106	12/31/24 08:52	BMW	EET SL
Total/NA	Analysis	903.0		1			696149	12/31/24 17:00	SCB	EET SL
Total/NA	Prep	PrecSep_0			1001.35 mL	1.0 g	690642	11/26/24 10:02	BCE	EET SL
Total/NA	Analysis	904.0		1	1.0 mL	1.0 mL	692633	12/09/24 12:01	SCB	EET SL

Client Sample ID: AC-3S

Lab Sample ID: 400-266242-5

Date Collected: 11/18/24 15:40

Matrix: Water

Date Received: 11/19/24 08:46

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1			693367	12/06/24 02:25	AMM	EET PEN
Total Recoverable	Prep	3005A			25 mL	25 mL	866028	11/24/24 12:12	RR	EET SAV
Total Recoverable	Analysis	6010D		1			866316	11/26/24 00:37	BCB	EET SAV
Total/NA	Analysis	353.2		1	5 mL	5 mL	691786	11/20/24 08:44	DEK	EET PEN
Total/NA	Analysis	Nitrate by calc		1	10 mL	10 mL	692021	11/19/24 15:51	KWS	EET PEN
Total/NA	Analysis	SM 4500 F C		1	25 mL	25 mL	692364	11/25/24 14:11	JP	EET PEN
Total/NA	Analysis	SM 4500 NO2 B		1	10 mL	10 mL	691731	11/19/24 15:51	DEK	EET PEN
Total/NA	Prep	PrecSep-21			997.06 mL	1.0 g	696106	12/31/24 08:52	BMW	EET SL
Total/NA	Analysis	903.0		1			696148	12/31/24 16:59	SCB	EET SL
Total/NA	Prep	PrecSep_0			989.11 mL	1.0 g	690642	11/26/24 10:02	BCE	EET SL
Total/NA	Analysis	904.0		1	1.0 mL	1.0 mL	692633	12/09/24 12:01	SCB	EET SL

Client Sample ID: DUP-1 (OU-1)

Lab Sample ID: 400-266242-6

Date Collected: 11/18/24 00:00

Matrix: Water

Date Received: 11/19/24 08:46

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1			693367	12/06/24 02:50	AMM	EET PEN
Total/NA	Analysis	353.2		5	5 mL	5 mL	691786	11/19/24 19:32	DEK	EET PEN
Total/NA	Analysis	Nitrate by calc		1	10 mL	10 mL	692021	11/19/24 15:51	KWS	EET PEN
Total/NA	Analysis	SM 4500 F C		1	25 mL	25 mL	692364	11/25/24 14:14	JP	EET PEN
Total/NA	Analysis	SM 4500 NO2 B		1	10 mL	10 mL	691731	11/19/24 15:51	DEK	EET PEN
Total/NA	Prep	PrecSep-21			986.24 mL	1.0 g	696106	12/31/24 08:52	BMW	EET SL
Total/NA	Analysis	903.0		1			696148	12/31/24 16:59	SCB	EET SL
Total/NA	Prep	PrecSep_0			985.07 mL	1.0 g	690642	11/26/24 10:02	BCE	EET SL
Total/NA	Analysis	904.0		1	1.0 mL	1.0 mL	692633	12/09/24 12:01	SCB	EET SL

Lab Chronicle

Client: AECOM
 Project/Site: Agrico Pensacola - 5yr GW

Job ID: 400-265846-1

Client Sample ID: DUP-4

Date Collected: 11/18/24 00:00

Date Received: 11/19/24 08:46

Lab Sample ID: 400-266242-7

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1			693367	12/06/24 02:59	AMM	EET PEN
Total/NA	Analysis	353.2		1	5 mL	5 mL	691786	11/20/24 08:45	DEK	EET PEN
Total/NA	Analysis	Nitrate by calc		1	10 mL	10 mL	692021	11/19/24 15:51	KWS	EET PEN
Total/NA	Analysis	SM 4500 F C		1	25 mL	25 mL	692364	11/25/24 14:16	JP	EET PEN
Total/NA	Analysis	SM 4500 NO2 B		1	10 mL	10 mL	691731	11/19/24 15:51	DEK	EET PEN
Total/NA	Prep	PrecSep-21			988.62 mL	1.0 g	696106	12/31/24 08:52	BMW	EET SL
Total/NA	Analysis	903.0		1			696148	12/31/24 16:59	SCB	EET SL
Total/NA	Prep	PrecSep_0			992.94 mL	1.0 g	690642	11/26/24 10:02	BCE	EET SL
Total/NA	Analysis	904.0		1	1.0 mL	1.0 mL	692633	12/09/24 12:01	SCB	EET SL

Client Sample ID: AC-27D

Date Collected: 11/20/24 08:25

Date Received: 11/21/24 10:58

Lab Sample ID: 400-266474-1

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1			693367	12/06/24 03:07	AMM	EET PEN
Total/NA	Analysis	353.2		1	5 mL	5 mL	692190	11/22/24 15:16	DEK	EET PEN
Total/NA	Analysis	Nitrate by calc		1	10 mL	10 mL	693159	11/21/24 21:11	KWS	EET PEN
Total/NA	Analysis	SM 4500 F C		1	25 mL	25 mL	692364	11/25/24 13:23	JP	EET PEN
Total/NA	Analysis	SM 4500 NO2 B		1	10 mL	10 mL	692077	11/21/24 21:11	DEK	EET PEN
Total/NA	Prep	PrecSep-21			994.84 mL	1.0 g	696106	12/31/24 08:52	BMW	EET SL
Total/NA	Analysis	903.0		1			696148	12/31/24 16:59	SCB	EET SL
Total/NA	Prep	PrecSep_0			1007.56 mL	1.0 g	691564	12/03/24 10:45	BCE	EET SL
Total/NA	Analysis	904.0		1	1.0 mL	1.0 mL	693052	12/11/24 12:34	SCB	EET SL

Client Sample ID: AC-27S

Date Collected: 11/20/24 08:57

Date Received: 11/21/24 10:58

Lab Sample ID: 400-266474-2

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1			693367	12/06/24 03:33	AMM	EET PEN
Total/NA	Analysis	353.2		1	5 mL	5 mL	692190	11/22/24 15:21	DEK	EET PEN
Total/NA	Analysis	Nitrate by calc		1	10 mL	10 mL	693159	11/21/24 21:12	KWS	EET PEN
Total/NA	Analysis	SM 4500 F C		1	25 mL	25 mL	692364	11/25/24 13:31	JP	EET PEN
Total/NA	Analysis	SM 4500 NO2 B		1	10 mL	10 mL	692077	11/21/24 21:12	DEK	EET PEN
Total/NA	Prep	PrecSep-21			1013.45 mL	1.0 g	696106	12/31/24 08:52	BMW	EET SL
Total/NA	Analysis	903.0		1			696148	12/31/24 16:59	SCB	EET SL
Total/NA	Prep	PrecSep_0			1006.20 mL	1.0 g	691564	12/03/24 10:45	BCE	EET SL
Total/NA	Analysis	904.0		1	1.0 mL	1.0 mL	693052	12/11/24 12:30	SCB	EET SL

Lab Chronicle

Client: AECOM
 Project/Site: Agrico Pensacola - 5yr GW

Job ID: 400-265846-1

Client Sample ID: AC-35D

Lab Sample ID: 400-266474-3

Date Collected: 11/20/24 10:58

Matrix: Water

Date Received: 11/21/24 10:58

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		5			693367	12/06/24 03:41	AMM	EET PEN
Total/NA	Analysis	353.2		5	5 mL	5 mL	692190	11/22/24 15:22	DEK	EET PEN
Total/NA	Analysis	Nitrate by calc		1	10 mL	10 mL	693159	11/21/24 21:13	KWS	EET PEN
Total/NA	Analysis	SM 4500 F C		10	25 mL	25 mL	693028	12/03/24 13:26	JP	EET PEN
Total/NA	Analysis	SM 4500 NO2 B		1	10 mL	10 mL	692077	11/21/24 21:13	DEK	EET PEN
Total/NA	Prep	PrecSep-21			1003.69 mL	1.0 g	696106	12/31/24 08:52	BMW	EET SL
Total/NA	Analysis	903.0		1			696148	12/31/24 16:59	SCB	EET SL
Total/NA	Prep	PrecSep_0			991.66 mL	1.0 g	691564	12/03/24 10:45	BCE	EET SL
Total/NA	Analysis	904.0		1	1.0 mL	1.0 mL	693052	12/11/24 12:30	SCB	EET SL

Client Sample ID: AC-29D

Lab Sample ID: 400-266474-4

Date Collected: 11/20/24 12:35

Matrix: Water

Date Received: 11/21/24 10:58

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		5			693367	12/06/24 03:50	AMM	EET PEN
Total/NA	Analysis	353.2		5	5 mL	5 mL	692190	11/22/24 15:24	DEK	EET PEN
Total/NA	Analysis	Nitrate by calc		1	10 mL	10 mL	693159	11/21/24 21:13	KWS	EET PEN
Total/NA	Analysis	SM 4500 F C		5	25 mL	25 mL	692364	11/25/24 14:25	JP	EET PEN
Total/NA	Analysis	SM 4500 NO2 B		1	10 mL	10 mL	692077	11/21/24 21:13	DEK	EET PEN
Total/NA	Prep	PrecSep-21			1003.90 mL	1.0 g	696106	12/31/24 08:52	BMW	EET SL
Total/NA	Analysis	903.0		1			696148	12/31/24 16:59	SCB	EET SL
Total/NA	Prep	PrecSep_0			984.12 mL	1.0 g	691564	12/03/24 10:45	BCE	EET SL
Total/NA	Analysis	904.0		1	1.0 mL	1.0 mL	693052	12/11/24 12:31	SCB	EET SL

Client Sample ID: AC-22D

Lab Sample ID: 400-266474-5

Date Collected: 11/20/24 15:06

Matrix: Water

Date Received: 11/21/24 10:58

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1			693367	12/06/24 03:58	AMM	EET PEN
Total/NA	Analysis	353.2		1	5 mL	5 mL	692190	11/22/24 15:25	DEK	EET PEN
Total/NA	Analysis	Nitrate by calc		1	10 mL	10 mL	693159	11/21/24 21:14	KWS	EET PEN
Total/NA	Analysis	SM 4500 F C		1	25 mL	25 mL	692364	11/25/24 13:41	JP	EET PEN
Total/NA	Analysis	SM 4500 NO2 B		1	10 mL	10 mL	692077	11/21/24 21:14	DEK	EET PEN
Total/NA	Prep	PrecSep-21			982.94 mL	1.0 g	696106	12/31/24 08:52	BMW	EET SL
Total/NA	Analysis	903.0		1			696148	12/31/24 16:59	SCB	EET SL
Total/NA	Prep	PrecSep_0			1006.95 mL	1.0 g	691564	12/03/24 10:45	BCE	EET SL
Total/NA	Analysis	904.0		1	1.0 mL	1.0 mL	693052	12/11/24 12:31	SCB	EET SL

Lab Chronicle

Client: AECOM
Project/Site: Agrico Pensacola - 5yr GW

Job ID: 400-265846-1

Client Sample ID: AC-25D

Lab Sample ID: 400-266474-6

Date Collected: 11/20/24 16:25

Matrix: Water

Date Received: 11/21/24 10:58

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		5			693367	12/06/24 04:07	AMM	EET PEN
Total/NA	Analysis	300.0		10			693565	12/06/24 19:54	LHB	EET PEN
Total/NA	Analysis	353.2		5	5 mL	5 mL	692190	11/22/24 15:27	DEK	EET PEN
Total/NA	Analysis	Nitrate by calc		1	10 mL	10 mL	693159	11/21/24 21:14	KWS	EET PEN
Total/NA	Analysis	SM 4500 F C		10	25 mL	25 mL	693028	12/03/24 13:29	JP	EET PEN
Total/NA	Analysis	SM 4500 NO2 B		1	10 mL	10 mL	692077	11/21/24 21:14	DEK	EET PEN
Total/NA	Prep	PrecSep-21			526.26 mL	1.0 g	696105	12/31/24 08:46	BMW	EET SL
Total/NA	Analysis	903.0		1			696146	12/31/24 19:05	SCB	EET SL
Total/NA	Prep	PrecSep_0			985.83 mL	1.0 g	691564	12/03/24 10:45	BCE	EET SL
Total/NA	Analysis	904.0		1	1.0 mL	1.0 mL	693052	12/11/24 12:31	SCB	EET SL

Client Sample ID: AC-3D

Lab Sample ID: 400-266474-7

Date Collected: 11/21/24 10:10

Matrix: Water

Date Received: 11/21/24 10:58

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1			693367	12/06/24 04:33	AMM	EET PEN
Total/NA	Analysis	300.0		5			693565	12/06/24 20:02	LHB	EET PEN
Total/NA	Analysis	353.2		5	5 mL	5 mL	692190	11/22/24 15:29	DEK	EET PEN
Total/NA	Analysis	Nitrate by calc		1	10 mL	10 mL	693159	11/21/24 21:14	KWS	EET PEN
Total/NA	Analysis	SM 4500 F C		1	25 mL	25 mL	692364	11/25/24 13:48	JP	EET PEN
Total/NA	Analysis	SM 4500 NO2 B		1	10 mL	10 mL	692077	11/21/24 21:14	DEK	EET PEN
Total/NA	Prep	PrecSep-21			506.74 mL	1.0 g	696105	12/31/24 08:46	BMW	EET SL
Total/NA	Analysis	903.0		1			696146	12/31/24 19:05	SCB	EET SL
Total/NA	Prep	PrecSep_0			1007.23 mL	1.0 g	691564	12/03/24 10:45	BCE	EET SL
Total/NA	Analysis	904.0		1	1.0 mL	1.0 mL	693052	12/11/24 12:31	SCB	EET SL

Client Sample ID: AC-30D

Lab Sample ID: 400-266568-1

Date Collected: 11/21/24 11:55

Matrix: Water

Date Received: 11/22/24 15:17

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	10 mL	10 mL	692241	11/23/24 23:18	AMM	EET PEN
Total/NA	Analysis	353.2		5	5 mL	5 mL	692295	11/23/24 18:02	DEK	EET PEN
Total/NA	Analysis	Nitrate by calc		1	10 mL	10 mL	693160	11/26/24 14:30	KWS	EET PEN
Total/NA	Analysis	SM 4500 F C		1	25 mL	25 mL	692362	11/25/24 12:39	JP	EET PEN
Total/NA	Analysis	SM 4500 NO2 B		1	10 mL	10 mL	692246	11/22/24 20:48	DEK	EET PEN
Total/NA	Analysis	SM 4500 NO2 B		1	10 mL	10 mL	692555	11/26/24 14:30	DEK	EET PEN
Total/NA	Prep	PrecSep-21			996.82 mL	1.0 g	696105	12/31/24 08:46	BMW	EET SL
Total/NA	Analysis	903.0		1			696146	12/31/24 19:05	SCB	EET SL
Total/NA	Prep	PrecSep_0			994.99 mL	1.0 g	691564	12/03/24 10:45	BCE	EET SL
Total/NA	Analysis	904.0		1			693052	12/11/24 12:42	SCB	EET SL

Lab Chronicle

Client: AECOM
 Project/Site: Agrico Pensacola - 5yr GW

Job ID: 400-265846-1

Client Sample ID: AC-2S
Date Collected: 11/21/24 14:33
Date Received: 11/22/24 15:17

Lab Sample ID: 400-266568-2
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	10 mL	10 mL	692241	11/23/24 23:39	AMM	EET PEN
Total/NA	Analysis	300.0		2	10 mL	10 mL	692546	11/26/24 19:09	AMM	EET PEN
Total Recoverable	Prep	3005A			25 mL	25 mL	866805	12/02/24 05:00	RR	EET SAV
Total Recoverable	Analysis	6010D		1			867020	12/02/24 16:34	BJB	EET SAV
Total/NA	Analysis	353.2		5	5 mL	5 mL	692295	11/23/24 18:07	DEK	EET PEN
Total/NA	Analysis	Nitrate by calc		1	10 mL	10 mL	693160	11/26/24 14:30	KWS	EET PEN
Total/NA	Analysis	SM 4500 F C		5	25 mL	25 mL	692364	11/25/24 14:19	JP	EET PEN
Total/NA	Analysis	SM 4500 NO2 B		1	10 mL	10 mL	692246	11/22/24 20:49	DEK	EET PEN
Total/NA	Analysis	SM 4500 NO2 B		1	10 mL	10 mL	692555	11/26/24 14:30	DEK	EET PEN
Total/NA	Prep	PrecSep-21			1008.81 mL	1.0 g	696105	12/31/24 08:46	BMW	EET SL
Total/NA	Analysis	903.0		1			696149	12/31/24 19:15	SCB	EET SL
Total/NA	Prep	PrecSep_0			995.49 mL	1.0 g	691564	12/03/24 10:45	BCE	EET SL
Total/NA	Analysis	904.0		1			693052	12/11/24 12:42	SCB	EET SL

Client Sample ID: AC-2D
Date Collected: 11/21/24 18:15
Date Received: 11/22/24 15:17

Lab Sample ID: 400-266568-3
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	10 mL	10 mL	692241	11/24/24 00:00	AMM	EET PEN
Total/NA	Analysis	353.2		1	5 mL	5 mL	692295	11/23/24 20:09	DEK	EET PEN
Total/NA	Analysis	Nitrate by calc		1	10 mL	10 mL	693160	11/26/24 14:31	KWS	EET PEN
Total/NA	Analysis	SM 4500 F C		1	25 mL	25 mL	692362	11/25/24 12:45	JP	EET PEN
Total/NA	Analysis	SM 4500 NO2 B		1	10 mL	10 mL	692246	11/22/24 20:49	DEK	EET PEN
Total/NA	Analysis	SM 4500 NO2 B		1	10 mL	10 mL	692555	11/26/24 14:31	DEK	EET PEN
Total/NA	Prep	PrecSep-21			1012.44 mL	1.0 g	696105	12/31/24 08:46	BMW	EET SL
Total/NA	Analysis	903.0		1			696149	12/31/24 19:15	SCB	EET SL
Total/NA	Prep	PrecSep_0			993.31 mL	1.0 g	691564	12/03/24 10:45	BCE	EET SL
Total/NA	Analysis	904.0		1			693052	12/11/24 12:42	SCB	EET SL

Client Sample ID: AC-5S
Date Collected: 11/21/24 08:37
Date Received: 11/22/24 15:17

Lab Sample ID: 400-266568-4
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	10 mL	10 mL	692241	11/24/24 00:21	AMM	EET PEN
Total/NA	Analysis	353.2		1	5 mL	5 mL	692295	11/23/24 20:10	DEK	EET PEN
Total/NA	Analysis	Nitrate by calc		1	10 mL	10 mL	693160	11/26/24 14:31	KWS	EET PEN
Total/NA	Analysis	SM 4500 F C		1	25 mL	25 mL	692362	11/25/24 12:48	JP	EET PEN
Total/NA	Analysis	SM 4500 NO2 B		1	10 mL	10 mL	692246	11/22/24 20:50	DEK	EET PEN
Total/NA	Analysis	SM 4500 NO2 B		1	10 mL	10 mL	692555	11/26/24 14:31	DEK	EET PEN
Total/NA	Prep	PrecSep-21			747.93 mL	1.0 g	696105	12/31/24 08:46	BMW	EET SL
Total/NA	Analysis	903.0		1			696149	12/31/24 19:16	SCB	EET SL

Eurofins Pensacola

Lab Chronicle

Client: AECOM
 Project/Site: Agrico Pensacola - 5yr GW

Job ID: 400-265846-1

Client Sample ID: AC-5S

Lab Sample ID: 400-266568-4

Date Collected: 11/21/24 08:37

Matrix: Water

Date Received: 11/22/24 15:17

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep_0			743.89 mL	1.0 g	691564	12/03/24 10:45	BCE	EET SL
Total/NA	Analysis	904.0		1			693052	12/11/24 12:43	SCB	EET SL

Client Sample ID: EQ-1

Lab Sample ID: 400-266568-5

Date Collected: 11/21/24 13:30

Matrix: Water

Date Received: 11/22/24 15:17

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	10 mL	10 mL	692241	11/24/24 00:42	AMM	EET PEN
Total Recoverable	Prep	3005A			25 mL	25 mL	866805	12/02/24 05:00	RR	EET SAV
Total Recoverable	Analysis	6010D		1			867020	12/02/24 16:32	BJB	EET SAV
Total/NA	Analysis	353.2		1	5 mL	5 mL	692295	11/23/24 20:12	DEK	EET PEN
Total/NA	Analysis	Nitrate by calc		1	10 mL	10 mL	693160	11/26/24 14:31	KWS	EET PEN
Total/NA	Analysis	SM 4500 F C		1	25 mL	25 mL	692362	11/25/24 12:52	JP	EET PEN
Total/NA	Analysis	SM 4500 NO2 B		1	10 mL	10 mL	692246	11/22/24 20:50	DEK	EET PEN
Total/NA	Analysis	SM 4500 NO2 B		1	10 mL	10 mL	692555	11/26/24 14:31	DEK	EET PEN
Total/NA	Prep	PrecSep-21			998.00 mL	1.0 g	696105	12/31/24 08:46	BMW	EET SL
Total/NA	Analysis	903.0		1			696149	12/31/24 19:16	SCB	EET SL
Total/NA	Prep	PrecSep_0			991.28 mL	1.0 g	691564	12/03/24 10:45	BCE	EET SL
Total/NA	Analysis	904.0		1			693052	12/11/24 12:43	SCB	EET SL

Client Sample ID: DUP-1

Lab Sample ID: 400-266568-6

Date Collected: 11/21/24 00:00

Matrix: Water

Date Received: 11/22/24 15:17

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	10 mL	10 mL	692241	11/24/24 01:03	AMM	EET PEN
Total/NA	Analysis	353.2		1	5 mL	5 mL	692295	11/23/24 20:13	DEK	EET PEN
Total/NA	Analysis	Nitrate by calc		1	10 mL	10 mL	693160	11/26/24 14:32	KWS	EET PEN
Total/NA	Analysis	SM 4500 F C		1	25 mL	25 mL	692362	11/25/24 12:55	JP	EET PEN
Total/NA	Analysis	SM 4500 NO2 B		1	10 mL	10 mL	692246	11/22/24 20:51	DEK	EET PEN
Total/NA	Analysis	SM 4500 NO2 B		1	10 mL	10 mL	692555	11/26/24 14:32	DEK	EET PEN
Total/NA	Prep	PrecSep-21			994.53 mL	1.0 g	696105	12/31/24 08:46	BMW	EET SL
Total/NA	Analysis	903.0		1			696149	12/31/24 19:16	SCB	EET SL
Total/NA	Prep	PrecSep_0			1001.38 mL	1.0 g	691564	12/03/24 10:45	BCE	EET SL
Total/NA	Analysis	904.0		1			693052	12/11/24 12:43	SCB	EET SL

Client Sample ID: AC-5D

Lab Sample ID: 400-266568-7

Date Collected: 11/22/24 09:48

Matrix: Water

Date Received: 11/22/24 15:17

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	10 mL	10 mL	692241	11/24/24 02:06	AMM	EET PEN
Total/NA	Analysis	353.2		5	5 mL	5 mL	692295	11/23/24 18:15	DEK	EET PEN

Eurofins Pensacola

Lab Chronicle

Client: AECOM
Project/Site: Agrico Pensacola - 5yr GW

Job ID: 400-265846-1

Client Sample ID: AC-5D
Date Collected: 11/22/24 09:48
Date Received: 11/22/24 15:17

Lab Sample ID: 400-266568-7
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Nitrate by calc		1	10 mL	10 mL	693160	11/26/24 14:32	KWS	EET PEN
Total/NA	Analysis	SM 4500 F C		1	25 mL	25 mL	692362	11/25/24 12:59	JP	EET PEN
Total/NA	Analysis	SM 4500 NO2 B		1	10 mL	10 mL	692246	11/22/24 20:51	DEK	EET PEN
Total/NA	Analysis	SM 4500 NO2 B		1	10 mL	10 mL	692555	11/26/24 14:32	DEK	EET PEN
Total/NA	Prep	PrecSep-21			1000.74 mL	1.0 g	696105	12/31/24 08:46	BMW	EET SL
Total/NA	Analysis	903.0		1			696149	12/31/24 19:16	SCB	EET SL
Total/NA	Prep	PrecSep_0			1000.06 mL	1.0 g	691564	12/03/24 10:45	BCE	EET SL
Total/NA	Analysis	904.0		1			693052	12/11/24 12:43	SCB	EET SL

Client Sample ID: AC-13D
Date Collected: 11/22/24 11:17
Date Received: 11/22/24 15:17

Lab Sample ID: 400-266568-8
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	10 mL	10 mL	692241	11/24/24 02:27	AMM	EET PEN
Total/NA	Analysis	300.0		10	10 mL	10 mL	692546	11/26/24 19:30	AMM	EET PEN
Total/NA	Analysis	353.2		5	5 mL	5 mL	692295	11/23/24 18:16	DEK	EET PEN
Total/NA	Analysis	Nitrate by calc		1	10 mL	10 mL	693160	11/26/24 14:33	KWS	EET PEN
Total/NA	Analysis	SM 4500 F C		1	25 mL	25 mL	692362	11/25/24 13:03	JP	EET PEN
Total/NA	Analysis	SM 4500 NO2 B		1	10 mL	10 mL	692246	11/22/24 20:51	DEK	EET PEN
Total/NA	Analysis	SM 4500 NO2 B		1	10 mL	10 mL	692555	11/26/24 14:33	DEK	EET PEN
Total/NA	Prep	PrecSep-21			994.50 mL	1.0 g	696105	12/31/24 08:46	BMW	EET SL
Total/NA	Analysis	903.0		1			696149	12/31/24 19:16	SCB	EET SL
Total/NA	Prep	PrecSep_0			998.18 mL	1.0 g	691564	12/03/24 10:45	BCE	EET SL
Total/NA	Analysis	904.0		1	1.0 mL	1.0 mL	693092	12/11/24 12:36	SCB	EET SL

Client Sample ID: ACB-32S
Date Collected: 11/22/24 14:07
Date Received: 11/22/24 15:17

Lab Sample ID: 400-266568-9
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	10 mL	10 mL	692241	11/24/24 02:48	AMM	EET PEN
Total/NA	Analysis	353.2		1	5 mL	5 mL	692295	11/23/24 20:17	DEK	EET PEN
Total/NA	Analysis	Nitrate by calc		1	10 mL	10 mL	693160	11/26/24 14:35	KWS	EET PEN
Total/NA	Analysis	SM 4500 F C		1	25 mL	25 mL	692362	11/25/24 13:05	JP	EET PEN
Total/NA	Analysis	SM 4500 NO2 B		1	10 mL	10 mL	692246	11/22/24 20:52	DEK	EET PEN
Total/NA	Analysis	SM 4500 NO2 B		1	10 mL	10 mL	692555	11/26/24 14:35	DEK	EET PEN
Total/NA	Prep	PrecSep-21			986.30 mL	1.0 g	696105	12/31/24 08:46	BMW	EET SL
Total/NA	Analysis	903.0		1			696149	12/31/24 19:16	SCB	EET SL
Total/NA	Prep	PrecSep_0			1010.11 mL	1.0 g	691564	12/03/24 10:45	BCE	EET SL
Total/NA	Analysis	904.0		1	1.0 mL	1.0 mL	693092	12/11/24 12:37	SCB	EET SL

Lab Chronicle

Client: AECOM
Project/Site: Agrico Pensacola - 5yr GW

Job ID: 400-265846-1

Client Sample ID: Method Blank

Lab Sample ID: MB 160-689277/1-A

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep_0			1000 mL	1.0 g	689277	11/19/24 08:45	BCE	EET SL
Total/NA	Analysis	904.0		1			690739	11/27/24 12:04	FLC	EET SL

Client Sample ID: Method Blank

Lab Sample ID: MB 160-690030/1-A

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep_0			1000 mL	1.0 g	690030	11/22/24 15:46	BCE	EET SL
Total/NA	Analysis	904.0		1	1.0 mL	1.0 mL	692119	12/06/24 12:03	SCB	EET SL

Client Sample ID: Method Blank

Lab Sample ID: MB 160-690642/1-A

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep_0			1000 mL	1.0 g	690642	11/26/24 10:02	BCE	EET SL
Total/NA	Analysis	904.0		1	1.0 mL	1.0 mL	692633	12/09/24 12:00	SCB	EET SL

Client Sample ID: Method Blank

Lab Sample ID: MB 160-691564/1-A

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep_0			1000 mL	1.0 g	691564	12/03/24 10:45	BCE	EET SL
Total/NA	Analysis	904.0		1	1.0 mL	1.0 mL	693052	12/11/24 12:28	SCB	EET SL

Client Sample ID: Method Blank

Lab Sample ID: MB 160-694336/1-A

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep_0			1000 mL	1.0 g	694336	12/18/24 08:24	MLT	EET SL
Total/NA	Analysis	904.0		1			695577	12/27/24 11:54	EMH	EET SL

Client Sample ID: Method Blank

Lab Sample ID: MB 160-696105/1-A

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			1000 mL	1.0 g	696105	12/31/24 08:46	BMW	EET SL
Total/NA	Analysis	903.0		1			696146	12/31/24 19:05	SCB	EET SL

Eurofins Pensacola

Lab Chronicle

Client: AECOM
Project/Site: Agrico Pensacola - 5yr GW

Job ID: 400-265846-1

Client Sample ID: Method Blank

Lab Sample ID: MB 160-696106/1-A

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			1000 mL	1.0 g	696106	12/31/24 08:52	BMW	EET SL
Total/NA	Analysis	903.0		1			696149	12/31/24 15:10	SCB	EET SL

Client Sample ID: Method Blank

Lab Sample ID: MB 160-696107/1-A

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			1000 mL	1.0 g	696107	12/31/24 08:59	BMW	EET SL
Total/NA	Analysis	903.0		1	1.0 mL	1.0 mL	696146	12/31/24 17:02	SCB	EET SL

Client Sample ID: Method Blank

Lab Sample ID: MB 400-691111/9

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	SM 4500 F C		1	100 mL	100 mL	691111	11/13/24 14:11	JP	EET PEN

Client Sample ID: Method Blank

Lab Sample ID: MB 400-691150/37

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	SM 4500 NO2 B		1	10 mL	10 mL	691150	11/13/24 14:50	DEK	EET PEN

Client Sample ID: Method Blank

Lab Sample ID: MB 400-691297/16

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	353.2		1	5 mL	5 mL	691297	11/13/24 20:26	DEK	EET PEN

Client Sample ID: Method Blank

Lab Sample ID: MB 400-691302/13

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	SM 4500 NO2 B		1	10 mL	10 mL	691302	11/14/24 20:03	DEK	EET PEN

Client Sample ID: Method Blank

Lab Sample ID: MB 400-691450/13

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	SM 4500 NO2 B		1	10 mL	10 mL	691450	11/15/24 19:07	DEK	EET PEN

Eurofins Pensacola

Lab Chronicle

Client: AECOM
Project/Site: Agrico Pensacola - 5yr GW

Job ID: 400-265846-1

Client Sample ID: Method Blank

Lab Sample ID: MB 400-691612/9

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	SM 4500 F C		1	100 mL	100 mL	691612	11/18/24 16:11	JP	EET PEN

Client Sample ID: Method Blank

Lab Sample ID: MB 400-691731/97

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	SM 4500 NO2 B		1	10 mL	10 mL	691731	11/19/24 15:47	DEK	EET PEN

Client Sample ID: Method Blank

Lab Sample ID: MB 400-691786/16

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	353.2		1	5 mL	5 mL	691786	11/19/24 18:21	DEK	EET PEN

Client Sample ID: Method Blank

Lab Sample ID: MB 400-691786/47

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	353.2		1	5 mL	5 mL	691786	11/19/24 19:12	DEK	EET PEN

Client Sample ID: Method Blank

Lab Sample ID: MB 400-692077/13

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	SM 4500 NO2 B		1	10 mL	10 mL	692077	11/21/24 21:10	DEK	EET PEN

Client Sample ID: Method Blank

Lab Sample ID: MB 400-692190/42

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	353.2		1	5 mL	5 mL	692190	11/22/24 15:12	DEK	EET PEN

Client Sample ID: Method Blank

Lab Sample ID: MB 400-692241/14

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	10 mL	10 mL	692241	11/23/24 17:43	AMM	EET PEN

Eurofins Pensacola

Lab Chronicle

Client: AECOM
Project/Site: Agrico Pensacola - 5yr GW

Job ID: 400-265846-1

Client Sample ID: Method Blank

Lab Sample ID: MB 400-692246/44

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	SM 4500 NO2 B		1	10 mL	10 mL	692246	11/22/24 20:47	DEK	EET PEN

Client Sample ID: Method Blank

Lab Sample ID: MB 400-692295/16

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	353.2		1	5 mL	5 mL	692295	11/23/24 17:57	DEK	EET PEN

Client Sample ID: Method Blank

Lab Sample ID: MB 400-692295/76

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	353.2		1	5 mL	5 mL	692295	11/23/24 19:34	DEK	EET PEN

Client Sample ID: Method Blank

Lab Sample ID: MB 400-692362/9

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	SM 4500 F C		1	100 mL	100 mL	692362	11/25/24 11:45	JP	EET PEN

Client Sample ID: Method Blank

Lab Sample ID: MB 400-692364/1

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	SM 4500 F C		1	100 mL	100 mL	692364	11/25/24 13:15	JP	EET PEN

Client Sample ID: Method Blank

Lab Sample ID: MB 400-692546/34

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	10 mL	10 mL	692546	11/26/24 17:03	AMM	EET PEN

Client Sample ID: Method Blank

Lab Sample ID: MB 400-692555/13

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	SM 4500 NO2 B		1	10 mL	10 mL	692555	11/26/24 14:27	DEK	EET PEN

Eurofins Pensacola

Lab Chronicle

Client: AECOM
Project/Site: Agrico Pensacola - 5yr GW

Job ID: 400-265846-1

Client Sample ID: Method Blank

Date Collected: N/A

Date Received: N/A

Lab Sample ID: MB 400-692933/5

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1			692933	12/02/24 18:07	AMM	EET PEN

Client Sample ID: Method Blank

Date Collected: N/A

Date Received: N/A

Lab Sample ID: MB 400-693028/9

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	SM 4500 F C		1	100 mL	100 mL	693028	12/03/24 13:07	JP	EET PEN

Client Sample ID: Method Blank

Date Collected: N/A

Date Received: N/A

Lab Sample ID: MB 400-693093/5

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1			693093	12/03/24 19:08	AMM	EET PEN

Client Sample ID: Method Blank

Date Collected: N/A

Date Received: N/A

Lab Sample ID: MB 400-693364/5

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1			693364	12/05/24 20:44	AMM	EET PEN

Client Sample ID: Method Blank

Date Collected: N/A

Date Received: N/A

Lab Sample ID: MB 400-693367/36

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1			693367	12/06/24 01:08	AMM	EET PEN

Client Sample ID: Method Blank

Date Collected: N/A

Date Received: N/A

Lab Sample ID: MB 400-693565/5

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1			693565	12/06/24 17:29	LHB	EET PEN

Client Sample ID: Method Blank

Date Collected: N/A

Date Received: N/A

Lab Sample ID: MB 680-866028/1-A

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total Recoverable	Prep	3005A			25 mL	25 mL	866028	11/24/24 12:12	RR	EET SAV
Total Recoverable	Analysis	6010D		1			866316	11/25/24 23:57	BCB	EET SAV

Eurofins Pensacola

Lab Chronicle

Client: AECOM
Project/Site: Agrico Pensacola - 5yr GW

Job ID: 400-265846-1

Client Sample ID: Method Blank

Lab Sample ID: MB 680-866805/1-A

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total Recoverable	Prep	3005A			25 mL	25 mL	866805	12/02/24 05:00	RR	EET SAV
Total Recoverable	Analysis	6010D		1			867020	12/02/24 16:03	BJB	EET SAV

Client Sample ID: Lab Control Sample

Lab Sample ID: LCS 160-689277/2-A

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep_0			1000 mL	1.0 g	689277	11/19/24 08:45	BCE	EET SL
Total/NA	Analysis	904.0		1			690739	11/27/24 12:04	FLC	EET SL

Client Sample ID: Lab Control Sample

Lab Sample ID: LCS 160-690030/2-A

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep_0			1000 mL	1.0 g	690030	11/22/24 15:46	BCE	EET SL
Total/NA	Analysis	904.0		1			692119	12/06/24 16:12	SCB	EET SL

Client Sample ID: Lab Control Sample

Lab Sample ID: LCS 160-690642/2-A

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep_0			1000 mL	1.0 g	690642	11/26/24 10:02	BCE	EET SL
Total/NA	Analysis	904.0		1			692633	12/09/24 17:20	SCB	EET SL

Client Sample ID: Lab Control Sample

Lab Sample ID: LCS 160-691564/2-A

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep_0			1000 mL	1.0 g	691564	12/03/24 10:45	BCE	EET SL
Total/NA	Analysis	904.0		1			693052	12/11/24 12:28	SCB	EET SL

Client Sample ID: Lab Control Sample

Lab Sample ID: LCS 160-694336/2-A

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep_0			1000 mL	1.0 g	694336	12/18/24 08:24	MLT	EET SL
Total/NA	Analysis	904.0		1			695577	12/27/24 11:55	EMH	EET SL

Lab Chronicle

Client: AECOM
Project/Site: Agrico Pensacola - 5yr GW

Job ID: 400-265846-1

Client Sample ID: Lab Control Sample

Lab Sample ID: LCS 160-696105/2-A

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			1000 mL	1.0 g	696105	12/31/24 08:46	BMW	EET SL
Total/NA	Analysis	903.0		1			696146	12/31/24 19:05	SCB	EET SL

Client Sample ID: Lab Control Sample

Lab Sample ID: LCS 160-696106/2-A

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			1000 mL	1.0 g	696106	12/31/24 08:52	BMW	EET SL
Total/NA	Analysis	903.0		1			696148	12/31/24 15:06	SCB	EET SL

Client Sample ID: Lab Control Sample

Lab Sample ID: LCS 160-696107/2-A

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			1000 mL	1.0 g	696107	12/31/24 08:59	BMW	EET SL
Total/NA	Analysis	903.0		1	1.0 mL	1.0 mL	696148	12/31/24 17:03	SCB	EET SL

Client Sample ID: Lab Control Sample

Lab Sample ID: LCS 400-691111/11

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	SM 4500 F C		1	100 mL	100 mL	691111	11/13/24 14:16	JP	EET PEN

Client Sample ID: Lab Control Sample

Lab Sample ID: LCS 400-691150/38

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	SM 4500 NO2 B		1	10 mL	10 mL	691150	11/13/24 14:51	DEK	EET PEN

Client Sample ID: Lab Control Sample

Lab Sample ID: LCS 400-691297/48

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	353.2		1	5 mL	5 mL	691297	11/13/24 21:18	DEK	EET PEN

Client Sample ID: Lab Control Sample

Lab Sample ID: LCS 400-691302/14

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	SM 4500 NO2 B		1	10 mL	10 mL	691302	11/14/24 20:03	DEK	EET PEN

Eurofins Pensacola

Lab Chronicle

Client: AECOM
Project/Site: Agrico Pensacola - 5yr GW

Job ID: 400-265846-1

Client Sample ID: Lab Control Sample
Date Collected: N/A
Date Received: N/A

Lab Sample ID: LCS 400-691450/14
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	SM 4500 NO2 B		1	10 mL	10 mL	691450	11/15/24 19:08	DEK	EET PEN

Client Sample ID: Lab Control Sample
Date Collected: N/A
Date Received: N/A

Lab Sample ID: LCS 400-691612/11
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	SM 4500 F C		1	100 mL	100 mL	691612	11/18/24 16:16	JP	EET PEN

Client Sample ID: Lab Control Sample
Date Collected: N/A
Date Received: N/A

Lab Sample ID: LCS 400-691731/98
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	SM 4500 NO2 B		1	10 mL	10 mL	691731	11/19/24 15:47	DEK	EET PEN

Client Sample ID: Lab Control Sample
Date Collected: N/A
Date Received: N/A

Lab Sample ID: LCS 400-691786/17
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	353.2		1	5 mL	5 mL	691786	11/19/24 18:23	DEK	EET PEN

Client Sample ID: Lab Control Sample
Date Collected: N/A
Date Received: N/A

Lab Sample ID: LCS 400-691786/48
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	353.2		1	5 mL	5 mL	691786	11/19/24 19:14	DEK	EET PEN

Client Sample ID: Lab Control Sample
Date Collected: N/A
Date Received: N/A

Lab Sample ID: LCS 400-692077/14
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	SM 4500 NO2 B		1	10 mL	10 mL	692077	11/21/24 21:10	DEK	EET PEN

Client Sample ID: Lab Control Sample
Date Collected: N/A
Date Received: N/A

Lab Sample ID: LCS 400-692190/43
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	353.2		1	5 mL	5 mL	692190	11/22/24 15:14	DEK	EET PEN

Eurofins Pensacola

Lab Chronicle

Client: AECOM
Project/Site: Agrico Pensacola - 5yr GW

Job ID: 400-265846-1

Client Sample ID: Lab Control Sample

Lab Sample ID: LCS 400-692241/15

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	10 mL	10 mL	692241	11/23/24 18:03	AMM	EET PEN

Client Sample ID: Lab Control Sample

Lab Sample ID: LCS 400-692246/45

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	SM 4500 NO2 B		1	10 mL	10 mL	692246	11/22/24 20:47	DEK	EET PEN

Client Sample ID: Lab Control Sample

Lab Sample ID: LCS 400-692295/17

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	353.2		1	5 mL	5 mL	692295	11/23/24 17:58	DEK	EET PEN

Client Sample ID: Lab Control Sample

Lab Sample ID: LCS 400-692295/77

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	353.2		1	5 mL	5 mL	692295	11/23/24 19:35	DEK	EET PEN

Client Sample ID: Lab Control Sample

Lab Sample ID: LCS 400-692362/11

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	SM 4500 F C		1	100 mL	100 mL	692362	11/25/24 11:51	JP	EET PEN

Client Sample ID: Lab Control Sample

Lab Sample ID: LCS 400-692364/3

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	SM 4500 F C		1	100 mL	100 mL	692364	11/25/24 13:20	JP	EET PEN

Client Sample ID: Lab Control Sample

Lab Sample ID: LCS 400-692546/35

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	10 mL	10 mL	692546	11/26/24 17:24	AMM	EET PEN

Eurofins Pensacola

Lab Chronicle

Client: AECOM
Project/Site: Agrico Pensacola - 5yr GW

Job ID: 400-265846-1

Client Sample ID: Lab Control Sample

Lab Sample ID: LCS 400-692555/14

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	SM 4500 NO2 B		1	10 mL	10 mL	692555	11/26/24 14:27	DEK	EET PEN

Client Sample ID: Lab Control Sample

Lab Sample ID: LCS 400-692933/6

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1			692933	12/02/24 18:15	AMM	EET PEN

Client Sample ID: Lab Control Sample

Lab Sample ID: LCS 400-693028/11

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	SM 4500 F C		1	100 mL	100 mL	693028	12/03/24 13:13	JP	EET PEN

Client Sample ID: Lab Control Sample

Lab Sample ID: LCS 400-693093/6

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1			693093	12/03/24 19:16	AMM	EET PEN

Client Sample ID: Lab Control Sample

Lab Sample ID: LCS 400-693364/6

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1			693364	12/05/24 20:52	AMM	EET PEN

Client Sample ID: Lab Control Sample

Lab Sample ID: LCS 400-693367/37

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1			693367	12/06/24 01:17	AMM	EET PEN

Client Sample ID: Lab Control Sample

Lab Sample ID: LCS 400-693565/6

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1			693565	12/06/24 17:38	LHB	EET PEN

Eurofins Pensacola

Lab Chronicle

Client: AECOM
Project/Site: Agrico Pensacola - 5yr GW

Job ID: 400-265846-1

Client Sample ID: Lab Control Sample

Lab Sample ID: LCS 680-866028/2-A

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total Recoverable	Prep	3005A			25 mL	25 mL	866028	11/24/24 12:12	RR	EET SAV
Total Recoverable	Analysis	6010D		1			866316	11/26/24 00:00	BCB	EET SAV

Client Sample ID: Lab Control Sample

Lab Sample ID: LCS 680-866805/2-A

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total Recoverable	Prep	3005A			25 mL	25 mL	866805	12/02/24 05:00	RR	EET SAV
Total Recoverable	Analysis	6010D		1			867020	12/02/24 16:12	BJB	EET SAV

Client Sample ID: Lab Control Sample Dup

Lab Sample ID: LCSD 160-696105/3-A

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			1000 mL	1.0 g	696105	12/31/24 08:46	BMW	EET SL
Total/NA	Analysis	903.0		1			696146	12/31/24 19:05	SCB	EET SL

Client Sample ID: Lab Control Sample Dup

Lab Sample ID: LCSD 400-692241/16

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	10 mL	10 mL	692241	11/23/24 18:24	AMM	EET PEN

Client Sample ID: Lab Control Sample Dup

Lab Sample ID: LCSD 400-692546/36

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	10 mL	10 mL	692546	11/26/24 17:45	AMM	EET PEN

Client Sample ID: Lab Control Sample Dup

Lab Sample ID: LCSD 400-692933/7

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1			692933	12/02/24 18:24	AMM	EET PEN

Client Sample ID: Lab Control Sample Dup

Lab Sample ID: LCSD 400-693093/7

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1			693093	12/03/24 19:25	AMM	EET PEN

Eurofins Pensacola

Lab Chronicle

Client: AECOM
Project/Site: Agrico Pensacola - 5yr GW

Job ID: 400-265846-1

Client Sample ID: Lab Control Sample Dup

Lab Sample ID: LCSD 400-693364/7

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1			693364	12/05/24 21:01	AMM	EET PEN

Client Sample ID: Lab Control Sample Dup

Lab Sample ID: LCSD 400-693367/38

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1			693367	12/06/24 01:25	AMM	EET PEN

Client Sample ID: Lab Control Sample Dup

Lab Sample ID: LCSD 400-693565/7

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1			693565	12/06/24 17:46	LHB	EET PEN

Client Sample ID: Lab Control Sample

Lab Sample ID: MRL 400-691111/10

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	SM 4500 F C		1	100 mL	100 mL	691111	11/13/24 14:14	JP	EET PEN

Client Sample ID: Lab Control Sample

Lab Sample ID: MRL 400-691150/39

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	SM 4500 NO2 B		1	10 mL	10 mL	691150	11/13/24 14:51	DEK	EET PEN

Client Sample ID: Lab Control Sample

Lab Sample ID: MRL 400-691297/18

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	353.2		1	5 mL	5 mL	691297	11/13/24 20:29	DEK	EET PEN

Client Sample ID: Lab Control Sample

Lab Sample ID: MRL 400-691302/31

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	SM 4500 NO2 B		1	10 mL	10 mL	691302	11/14/24 20:21	DEK	EET PEN

Eurofins Pensacola

Lab Chronicle

Client: AECOM
Project/Site: Agrico Pensacola - 5yr GW

Job ID: 400-265846-1

Client Sample ID: Lab Control Sample

Lab Sample ID: MRL 400-691450/15

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	SM 4500 NO2 B		1	10 mL	10 mL	691450	11/15/24 19:08	DEK	EET PEN

Client Sample ID: Lab Control Sample

Lab Sample ID: MRL 400-691612/10

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	SM 4500 F C		1	100 mL	100 mL	691612	11/18/24 16:14	JP	EET PEN

Client Sample ID: Lab Control Sample

Lab Sample ID: MRL 400-691731/99

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	SM 4500 NO2 B		1	10 mL	10 mL	691731	11/19/24 15:47	DEK	EET PEN

Client Sample ID: Lab Control Sample

Lab Sample ID: MRL 400-691786/18

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	353.2		1	5 mL	5 mL	691786	11/19/24 18:24	DEK	EET PEN

Client Sample ID: Lab Control Sample

Lab Sample ID: MRL 400-692077/15

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	SM 4500 NO2 B		1	10 mL	10 mL	692077	11/21/24 21:11	DEK	EET PEN

Client Sample ID: Lab Control Sample

Lab Sample ID: MRL 400-692190/18

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	353.2		1	5 mL	5 mL	692190	11/22/24 14:14	DEK	EET PEN

Client Sample ID: Lab Control Sample

Lab Sample ID: MRL 400-692246/46

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	SM 4500 NO2 B		1	10 mL	10 mL	692246	11/22/24 20:47	DEK	EET PEN

Eurofins Pensacola

Lab Chronicle

Client: AECOM
Project/Site: Agrico Pensacola - 5yr GW

Job ID: 400-265846-1

Client Sample ID: Lab Control Sample

Lab Sample ID: MRL 400-692250/15

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	SM 4500 NO2 B		1	10 mL	10 mL	692250	11/23/24 16:20	DEK	EET PEN

Client Sample ID: Lab Control Sample

Lab Sample ID: MRL 400-692295/18

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	353.2		1	5 mL	5 mL	692295	11/23/24 18:00	DEK	EET PEN

Client Sample ID: Lab Control Sample

Lab Sample ID: MRL 400-692362/10

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	SM 4500 F C		1	100 mL	100 mL	692362	11/25/24 11:49	JP	EET PEN

Client Sample ID: Lab Control Sample

Lab Sample ID: MRL 400-692364/2

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	SM 4500 F C		1	100 mL	100 mL	692364	11/25/24 13:18	JP	EET PEN

Client Sample ID: Lab Control Sample

Lab Sample ID: MRL 400-692555/15

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	SM 4500 NO2 B		1	10 mL	10 mL	692555	11/26/24 14:27	DEK	EET PEN

Client Sample ID: Lab Control Sample

Lab Sample ID: MRL 400-693028/10

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	SM 4500 F C		1	100 mL	100 mL	693028	12/03/24 13:10	JP	EET PEN

Client Sample ID: AC-24D

Lab Sample ID: 400-265846-1 MS

Date Collected: 11/12/24 15:02

Matrix: Water

Date Received: 11/13/24 11:08

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	SM 4500 NO2 B		1	10 mL	10 mL	691150	11/13/24 14:52	DEK	EET PEN

Eurofins Pensacola

Lab Chronicle

Client: AECOM
Project/Site: Agrico Pensacola - 5yr GW

Job ID: 400-265846-1

Client Sample ID: AC-24D

Lab Sample ID: 400-265846-1 MSD

Date Collected: 11/12/24 15:02

Matrix: Water

Date Received: 11/13/24 11:08

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	SM 4500 NO2 B		1	10 mL	10 mL	691150	11/13/24 14:52	DEK	EET PEN

Client Sample ID: NWD-2D

Lab Sample ID: 400-265846-4 MS

Date Collected: 11/12/24 11:59

Matrix: Water

Date Received: 11/13/24 11:08

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	353.2		5	5 mL	5 mL	691297	11/13/24 20:55	DEK	EET PEN

Client Sample ID: NWD-2D

Lab Sample ID: 400-265846-4 MSD

Date Collected: 11/12/24 11:59

Matrix: Water

Date Received: 11/13/24 11:08

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	353.2		5	5 mL	5 mL	691297	11/13/24 20:57	DEK	EET PEN

Client Sample ID: AC-23D

Lab Sample ID: 400-265996-1 MS

Date Collected: 11/13/24 13:29

Matrix: Water

Date Received: 11/14/24 11:42

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	SM 4500 NO2 B		1	10 mL	10 mL	691302	11/14/24 20:04	DEK	EET PEN

Client Sample ID: AC-23D

Lab Sample ID: 400-265996-1 MSD

Date Collected: 11/13/24 13:29

Matrix: Water

Date Received: 11/14/24 11:42

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	SM 4500 NO2 B		1	10 mL	10 mL	691302	11/14/24 20:05	DEK	EET PEN

Client Sample ID: NWD-4S MS

Lab Sample ID: 400-266120-4 MS

Date Collected: 11/15/24 10:24

Matrix: Water

Date Received: 11/15/24 15:38

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1			693364	12/06/24 00:17	AMM	EET PEN
Total/NA	Analysis	353.2		20	5 mL	5 mL	691786	11/20/24 08:35	DEK	EET PEN
Total/NA	Analysis	Nitrate by calc		1			692841	11/15/24 19:09	KWS	EET PEN
Total/NA	Analysis	SM 4500 F C		1	100 mL	100 mL	691612	11/18/24 16:22	JP	EET PEN
Total/NA	Analysis	SM 4500 NO2 B		1	10 mL	10 mL	691450	11/15/24 19:09	DEK	EET PEN
Total/NA	Prep	PrecSep-21			1008.83 mL	1.0 g	696106	12/31/24 08:52	BMW	EET SL
Total/NA	Analysis	903.0		1			696149	12/31/24 17:00	SCB	EET SL
Total/NA	Prep	PrecSep_0			988.43 mL	1.0 g	690030	11/22/24 15:46	BCE	EET SL
Total/NA	Analysis	904.0		1	1.0 mL	1.0 mL	692119	12/06/24 12:05	SCB	EET SL

Eurofins Pensacola

Lab Chronicle

Client: AECOM
 Project/Site: Agrico Pensacola - 5yr GW

Job ID: 400-265846-1

Client Sample ID: NWD-4S MSD

Lab Sample ID: 400-266120-4 MSD

Date Collected: 11/15/24 10:24

Matrix: Water

Date Received: 11/15/24 15:38

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1			693364	12/06/24 00:26	AMM	EET PEN
Total/NA	Analysis	353.2		20	5 mL	5 mL	691786	11/20/24 08:37	DEK	EET PEN
Total/NA	Analysis	Nitrate by calc		1			692841	11/15/24 19:09	KWS	EET PEN
Total/NA	Analysis	SM 4500 F C		1	100 mL	100 mL	691612	11/18/24 16:25	JP	EET PEN
Total/NA	Analysis	SM 4500 NO2 B		1	10 mL	10 mL	691450	11/15/24 19:09	DEK	EET PEN
Total/NA	Prep	PrecSep-21			1003.26 mL	1.0 g	696106	12/31/24 08:52	BMW	EET SL
Total/NA	Analysis	903.0		1			696149	12/31/24 17:00	SCB	EET SL
Total/NA	Prep	PrecSep_0			999.41 mL	1.0 g	690030	11/22/24 15:46	BCE	EET SL
Total/NA	Analysis	904.0		1	1.0 mL	1.0 mL	692119	12/06/24 12:05	SCB	EET SL

Client Sample ID: AC-27D MS

Lab Sample ID: 400-266474-1 MS

Date Collected: 11/20/24 08:25

Matrix: Water

Date Received: 11/21/24 10:58

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1			693367	12/06/24 03:16	AMM	EET PEN
Total/NA	Analysis	353.2		1	5 mL	5 mL	692190	11/22/24 15:17	DEK	EET PEN
Total/NA	Analysis	Nitrate by calc		1	10 mL	10 mL	693159	11/21/24 21:12	KWS	EET PEN
Total/NA	Analysis	SM 4500 F C		1	50 mL	50 mL	692364	11/25/24 13:26	JP	EET PEN
Total/NA	Analysis	SM 4500 NO2 B		1	10 mL	10 mL	692077	11/21/24 21:12	DEK	EET PEN

Client Sample ID: AC-27D MSD

Lab Sample ID: 400-266474-1 MSD

Date Collected: 11/20/24 08:25

Matrix: Water

Date Received: 11/21/24 10:58

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1			693367	12/06/24 03:24	AMM	EET PEN
Total/NA	Analysis	353.2		1	5 mL	5 mL	692190	11/22/24 15:19	DEK	EET PEN
Total/NA	Analysis	Nitrate by calc		1	10 mL	10 mL	693159	11/21/24 21:12	KWS	EET PEN
Total/NA	Analysis	SM 4500 F C		1	50 mL	50 mL	692364	11/25/24 13:28	JP	EET PEN
Total/NA	Analysis	SM 4500 NO2 B		1	10 mL	10 mL	692077	11/21/24 21:12	DEK	EET PEN

Client Sample ID: AC-30D

Lab Sample ID: 400-266568-1 MS

Date Collected: 11/21/24 11:55

Matrix: Water

Date Received: 11/22/24 15:17

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	353.2		5	5 mL	5 mL	692295	11/23/24 18:03	DEK	EET PEN
Total/NA	Analysis	SM 4500 NO2 B		1	10 mL	10 mL	692246	11/22/24 20:48	DEK	EET PEN

Lab Chronicle

Client: AECOM
Project/Site: Agrico Pensacola - 5yr GW

Job ID: 400-265846-1

Client Sample ID: AC-30D

Date Collected: 11/21/24 11:55

Date Received: 11/22/24 15:17

Lab Sample ID: 400-266568-1 MSD

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	353.2		5	5 mL	5 mL	692295	11/23/24 18:05	DEK	EET PEN
Total/NA	Analysis	SM 4500 NO2 B		1	10 mL	10 mL	692246	11/22/24 20:49	DEK	EET PEN

Client Sample ID: AC-13D

Date Collected: 11/22/24 11:17

Date Received: 11/22/24 15:17

Lab Sample ID: 400-266568-8 MS

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	SM 4500 NO2 B		1	10 mL	10 mL	692555	11/26/24 14:34	DEK	EET PEN

Client Sample ID: AC-13D

Date Collected: 11/22/24 11:17

Date Received: 11/22/24 15:17

Lab Sample ID: 400-266568-8 MSD

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	SM 4500 NO2 B		1	10 mL	10 mL	692555	11/26/24 14:34	DEK	EET PEN

Client Sample ID: AC-28D

Date Collected: 11/14/24 09:42

Date Received: 11/14/24 11:42

Lab Sample ID: 400-265996-2 DU

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	SM 4500 F C		1	25 mL	25 mL	691612	11/18/24 17:07	JP	EET PEN

Client Sample ID: NWD-31S

Date Collected: 11/18/24 12:36

Date Received: 11/19/24 08:46

Lab Sample ID: 400-266242-4 DU

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	SM 4500 F C		1	25 mL	25 mL	692364	11/25/24 14:08	JP	EET PEN

Laboratory References:

EET PEN = Eurofins Pensacola, 3355 McLemore Drive, Pensacola, FL 32514, TEL (850)474-1001

EET SAV = Eurofins Savannah, 5102 LaRoche Avenue, Savannah, GA 31404, TEL (912)354-7858

EET SL = Eurofins St. Louis, 13715 Rider Trail North, Earth City, MO 63045, TEL (314)298-8566

Method Summary

Client: AECOM

Job ID: 400-265846-1

Project/Site: Agrico Pensacola - 5yr GW

Method	Method Description	Protocol	Laboratory
300.0	Anions, Ion Chromatography	EPA	EET PEN
6010D	Metals (ICP)	SW846	EET SAV
353.2	Nitrogen, Nitrate-Nitrite	EPA	EET PEN
Nitrate by calc	Nitrogen, Nitrate	SM	EET PEN
SM 4500 F C	Fluoride	SM	EET PEN
SM 4500 NO2 B	Nitrogen, Nitrite	SM	EET PEN
903.0	Radium-226 (GFPC)	EPA	EET SL
904.0	Radium-228 (GFPC)	EPA	EET SL
3005A	Preparation, Total Recoverable or Dissolved Metals	SW846	EET SAV
PrecSep_0	Preparation, Precipitate Separation	None	EET SL
PrecSep-21	Preparation, Precipitate Separation (21-Day In-Growth)	None	EET SL

Protocol References:

EPA = US Environmental Protection Agency

None = None

SM = "Standard Methods For The Examination Of Water And Wastewater"

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EET PEN = Eurofins Pensacola, 3355 McLemore Drive, Pensacola, FL 32514, TEL (850)474-1001

EET SAV = Eurofins Savannah, 5102 LaRoche Avenue, Savannah, GA 31404, TEL (912)354-7858

EET SL = Eurofins St. Louis, 13715 Rider Trail North, Earth City, MO 63045, TEL (314)298-8566

Accreditation/Certification Summary

Client: AECOM
 Project/Site: Agrico Pensacola - 5yr GW

Job ID: 400-265846-1

Laboratory: Eurofins Pensacola

The accreditations/certifications listed below are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Florida	NELAP	E81010	06-30-25

Laboratory: Eurofins Savannah

The accreditations/certifications listed below are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Florida	NELAP	E87052	06-30-25

Laboratory: Eurofins St. Louis

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Alaska (UST)	State	20-001	05-06-25
ANAB	Dept. of Defense ELAP	L2305	04-06-25
ANAB	Dept. of Energy	L2305.01	04-06-25
ANAB	ISO/IEC 17025	L2305	04-06-25
Arizona	State	AZ0813	12-08-25
California	Los Angeles County Sanitation Districts	10259	06-30-22 *
California	State	2886	06-30-25
Connecticut	State	PH-0241	03-31-25
Florida	NELAP	E87689	06-30-25
HI - RadChem Recognition	State	n/a	06-30-25
Illinois	NELAP	200023	11-30-25
Iowa	State	373	12-01-26
Kansas	NELAP	E-10236	10-31-25
Kentucky (DW)	State	KY90125	12-31-24
Kentucky (WW)	State	KY90125 (Permit KY0004049)	12-31-24
Louisiana	NELAP	04080	06-30-22 *
Louisiana (All)	NELAP	04080	06-30-25
Louisiana (DW)	State	LA011	12-31-24
Maryland	State	310	09-30-25
Massachusetts	State	M-MO054	06-30-25
MI - RadChem Recognition	State	9005	06-30-25
Missouri	State	780	06-30-25
Nevada	State	MO00054	07-31-25
New Jersey	NELAP	MO002	06-30-25
New Mexico	State	MO00054	06-30-25
New York	NELAP	11616	03-31-25
North Carolina (DW)	State	29700	07-31-25
North Dakota	State	R-207	12-31-24
Oklahoma	NELAP	9997	12-31-24
Oregon	NELAP	4157	09-01-25
Pennsylvania	NELAP	68-00540	02-28-25
South Carolina	State	85002001	06-30-25
Texas	NELAP	T104704193	07-31-25
US Fish & Wildlife	US Federal Programs	058448	07-31-25
USDA	US Federal Programs	P330-17-00028	05-18-26
Utah	NELAP	MO00054	07-31-25
Virginia	NELAP	460230	06-14-25

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

Accreditation/Certification Summary

Client: AECOM

Job ID: 400-265846-1

Project/Site: Agrico Pensacola - 5yr GW

Laboratory: Eurofins St. Louis (Continued)

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Washington	State	C592	08-30-25
West Virginia DEP	State	381	10-31-25

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Chain of Custody Record

Client Information		Lab PM: Savoitte, Noel		Carrier Tracking No(s):		GOC No: 400-134940-4943.5						
Client Contact: Ms. Amy Mixon		E-Mail: Noel.Savoite@et.eurofins.com		State of Origin:		Page: 5 of 5						
Company: AECOM		PWSID:		Analysis Requested		Job #: 400-265846 COC						
Address: 1625 Summit Lake Drive Suite 200		Due Date Requested:		353.2_Pres - Nitrogen, Nitrate-Nitrite		Preservation Codes: D - HNO3 S - H2SO4 N - None						
City: Tallahassee		TAT Requested (days):		Nitrate_Calc - Nitrate as N		Other: 400-265846 COC						
State, Zip: FL, 32317		Compliance Project: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		904.0 - Radium-228		Special Instructions/Note:						
Phone: 850-465-3886(Tel)		PO #: Purchase Order Requested		903.0 - Radium-226		4500_F.C - Fluoride						
Email: amy.mixon@aecom.com		WO #: 60618051.1		SM500_NO2_B - Nitrite as N		6010D - Arsenic						
Project Name: Agricor Pensacola - 5yr GW		Project #: 40015198		300_ORGFM_28D - Chloride and Sulfate		4500_F.C - Fluoride						
Site: Agrico		SSOW#:		300_ORGFM_28D - Chloride and Sulfate		4500_F.C - Fluoride						
Sample Identification	Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (W=Water, S=Soil, O=Organic, A=Air)	903.0 - Radium-226	904.0 - Radium-228	Nitrate_Calc - Nitrate as N	353.2_Pres - Nitrogen, Nitrate-Nitrite	SM500_NO2_B - Nitrite as N	300_ORGFM_28D - Chloride and Sulfate	6010D - Arsenic	4500_F.C - Fluoride
AC-24D	11.12.24	1502	G	W	X	X	X	X	X	X	X	X
AC-24S	11.12.24	1356	G	W	X	X	X	X	X	X	X	X
NWD-2S	11.12.24	1056	G	W	X	X	X	X	X	X	X	X
NWD-2D	11.12.24	1159	G	W	X	X	X	X	X	X	X	X
PIP-D	11.12.24	0952	G	W	X	X	X	X	X	X	X	X
DUP-3	11.12.24	1012	G	W	X	X	X	X	X	X	X	X
AC-10D	11.13.24	1012	G	W	X	X	X	X	X	X	X	X
EB-1	11.13.24	1024	G	W	X	X	X	X	X	X	X	X
Possible Hazard Identification <input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological Deliverable Requested: I, II, III, IV, Other (specify)												
Sample Disposal (A fee may be assessed if samples are retained longer than 1 month) <input type="checkbox"/> Return To Client <input checked="" type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months												
Special Instructions/QC Requirements:												
Empty Kit Relinquished by:												
Relinquished by: <i>Deborah</i> Date: 11.13.24 Time: 11:32 AM Relinquished by: _____ Date: _____ Time: _____ Relinquished by: _____ Date: _____ Time: _____												
Custody Seals Intact: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Cooler Temperature(s) °C and Other Remarks: 0.0, 0.0, 0.0												



Chain of Custody Record



Supplier: Deo Av / bsm Lab PM: Savoie, Noel Carrier Tracking No(s): 400-266474 COC COC No: 400-134940-44943.4
 Phone: 850-528-8945 E-Mail: Noel.Savoie@et.eurofinsus.com State of Origin: _____ Page: Page 4 of 5
 Company: AECOM PWSID: _____ Job #: _____

Address: 1625 Summit Lake Drive Suite 200
 City: Tallahassee
 State, Zip: FL, 32317
 Phone: 850-465-3886(Tel)
 Email: amy.mixon@aecom.com
 Project Name: AgriCo Pensacola - 5yr GW
 Project #: 40015198
 SSOW#: _____
 Due Date Requested: _____
 TAT Requested (days): _____
 Compliance Project: Yes No
 PO #: _____
 Purchase Order Requested: _____
 WO #: _____
 Project #: 60618051.1
 Site: _____

Sample Identification	Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (Water, Solid, Gas/Liq)	Analysis Requested										Special Instructions/Note:
					903.0 - Radium-226	904.0 - Radium-228	Nitrate, Calc. - Nitrate as N	353.2 Pres - Nitrogen, Nitrate-Nitrite	SM4500_NO2_B - Nitrite as N	300_ORGFM_28D - Chloride and Sulfate	6010D - Arsenic	4500_F_C - Fluoride	Preservation Codes:	Other:	
AC-27D	11-20-24	0825	G	W	X	X	X	X	X	X	X	X	X	X	MS/MSD - Dents run parts forms/MSI
AC-27S	11-20-24	0857	G	W	X	X	X	X	X	X	X	X	X	X	
AC-35D	11-20-24	1058	G	W	X	X	X	X	X	X	X	X	X	X	
AC-29D	11-20-24	1235	G	W	X	X	X	X	X	X	X	X	X	X	
AC-22D	11-20-24	1506	G	W	X	X	X	X	X	X	X	X	X	X	
AC-29D	11-20-24	1625	G	W	X	X	X	X	X	X	X	X	X	X	
AC-3D	11-21-24	1010	G	W	X	X	X	X	X	X	X	X	X	X	

Possible Hazard Identification
 Non-Hazard Flammable Skin Irritant Poison B Unknown Radiological
 Deliverable Requested: I, II, III, IV, Other (specify) _____

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)
 Return To Client Disposal By Lab Archive For _____ Months

Special Instructions/QC Requirements: _____

Empty Kit Relinquished by: _____ Date: _____
Relinquished by: W. Johnson Date/Time: 11-21-24 1056 Company: AECOM
Relinquished by: _____ Date/Time: _____ Company: _____
Relinquished by: _____ Date/Time: _____ Company: _____

Custody Seals Intact: Yes No **Custody Seal No.:** _____
Cooler Temperature(s) °C and Other Remarks: 0.6°C 0.2°C EGS



Chain of Custody Record

Eurofins Environment Testing Southeast, LLC d/b/a Eurofins Pensacola

Regulatory Program: DW NPDES RCRA Other:

Client Contact
Your Company Name here: AECOM
Address: _____
City/State/Zip: _____ Phone: _____
(xxx) xxx-xxxx FAX: _____
Project Name: Agco
Site: _____
P O #: _____

Regulatory Manager: Arny Mixon
Email: _____
Tel/Fax: _____

Analysis Turnaround Time
 CALENDAR DAYS WORKING DAYS
TAT if different from Below _____
 2 weeks 1 week 2 days 1 day

Sample Identification	Sample Date	Sample Time	Sample Type (C=Comp, G=Grab)	Matrix	# of Cont.	Perform MS/MSD (Y/N)										Sample Specific Notes:
						Radium-226	Radium-228	Nitrate-Nitrite	Nitrite	Chloride Sulfide	Arsenic	Fluoride				
AC-30D	11/21/24	1155	G	W	6	X	X	X	X	X	X	X	X	X	X	Shot Hold
AC-25	11/21/24	1433	G	W	7	X	X	X	X	X	X	X	X	X	X	
AC-2D	11/21/24	1815	G	W	6	X	X	X	X	X	X	X	X	X	X	
AC-5S	11/22/24	0837	G	W	6	X	X	X	X	X	X	X	X	X	X	
EQ-1	11/21/24	1330	G	W	6	X	X	X	X	X	X	X	X	X	X	
DUP-1	11/21/24		G	W	6	X	X	X	X	X	X	X	X	X	X	
AC-5D	11/22/24	0948	G	W	6	X	X	X	X	X	X	X	X	X	X	
AC-13D	11/22/24	1117	G	W	6	X	X	X	X	X	X	X	X	X	X	
ACB-32S	11/22/24	1407	G	W	6	X	X	X	X	X	X	X	X	X	X	

Preservation Used: Ice, 2-HCl, H2SO4, HNO3, NaOH, Other: _____

Possible Hazard Identification:
Are any samples from a listed EPA Hazardous Waste? Please List any EPA Waste Codes for the sample in the Comments Section if the lab is to dispose of the sample.
 Non-Hazard Flammable Skin Irritant Poison B Unknown Return to Client Disposal by Lab Archive for _____ Months

Special Instructions/QC Requirements & Comments:
Custody Seal No.: _____
Relinquished by: [Signature] Date/Time: 11/21/24
Relinquished by: _____ Date/Time: _____
Relinquished by: _____ Date/Time: _____

Custody Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No	Therm ID No.: _____
Received by: <u>[Signature]</u> Date/Time: <u>11/21/24</u>	Company: _____
Received by: _____ Date/Time: _____	Company: _____
Received in Laboratory by: <u>[Signature]</u> Date/Time: <u>11/22/24 1517</u>	Company: _____



Chain of Custody Record



Client Information (Sub Contract Lab)		Sampler: N/A	Lab PM: Savioie, Noel	Carrier Tracking No(s): N/A	COC No: 400-363812.1						
Client Contact: Shipping/Receiving		Phone: N/A	E-Mail: Noel.Savioie@eurofins.com	State of Origin: Florida	Page: Page 1 of 1						
Company: TestAmerica Laboratories, Inc.		Accreditations Required (See note): NELAP - Florida		Job #: 400-265846-1							
Address: 13715 Rider Trail North, Earth City, MO, 63045		Due Date Requested: 12/11/2024		Preservation Codes:							
City: Earth City		TAT Requested (days): N/A		Analysis Requested:							
State, Zip: MO, 63045		Matrix (W=Water, S=solid, O=soil, A=Air)		903.0, TAR/PreSep, 0 Radium-226							
Phone: 314-298-8566(Tel) 314-298-8757(Fax)		Sample Type (C=Comp, G=grab)		904.0/PreSep, 0 Radium-228							
Email: N/A		Sample Time		Field Filtered Sample (Yes or No)							
PO #: N/A		Sample Date		Perform MS/MSD (Yes or No)							
WO #: N/A		Sample Time		Total Number of Containers							
Project #: 40015198		Sample Date		Special Instructions/Note:							
Site: N/A		Sample Date		Other: N/A							
Sample Identification - Client ID (Lab ID)	Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (W=Water, S=solid, O=soil, A=Air)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	903.0, TAR/PreSep, 0 Radium-226	904.0/PreSep, 0 Radium-228	Analysis Requested	Preservation Codes	Special Instructions/Note:
AC-24D (400-265846-1)	11/12/24	15:02 Eastern	G	Water	X	X	X	X			
AC-24S (400-265846-2)	11/12/24	13:56 Eastern	G	Water	X	X	X	X			
NWD-2S (400-265846-3)	11/12/24	10:56 Eastern	G	Water	X	X	X	X			
NWD-2D (400-265846-4)	11/12/24	11:59 Eastern	G	Water	X	X	X	X			
PID-D (400-265846-5)	11/12/24	09:52 Eastern	G	Water	X	X	X	X			
DUP-3 (400-265846-6)	11/12/24	Eastern	G	Water	X	X	X	X			
AC-10D (400-265846-7)	11/13/24	10:12 Eastern	G	Water	X	X	X	X			
EB-1 (400-265846-8)	11/13/24	10:24 Eastern	G	Water	X	X	X	X			
<p>Note: Since laboratory accreditations are subject to change, Eurofins Environment Testing Southeast, LLC places the ownership of method, analyte & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/matrix being analyzed, the samples must be shipped back to the Eurofins Environment Testing Southeast, LLC laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins Environment Testing Southeast, LLC attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins Environment Testing Southeast, LLC.</p>											
Possible Hazard Identification											
Unconfirmed											
Deliverable Requested: I, II, III, IV, Other (specify)											
Primary Deliverable Rank: 2											
Special Instructions/QC Requirements:											
<input type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months											
Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)											
Date/Time: <u>11/15/24 17:00</u> Received by: <u>Cheyenne Forrest</u> Date/Time: <u>11/15/24 08:20</u> Company: <u>ETA-S&L</u>											
Date/Time: _____ Received by: _____ Date/Time: _____ Company: _____											
Date/Time: _____ Received by: _____ Date/Time: _____ Company: _____											
Cooler Temperature(s) °C and Other Remarks:											

Chain of Custody Record



Client Information (Sub Contract Lab)		Lab PM: Saviole, Noel	Carrier Tracking No(s): N/A	COC No: 400-363812.1
Client Contact: Shipping/Receiving		E-Mail: Noel.Savoie@et.eurofins.com	State of Origin: Florida	Page: Page 1 of 1
Company: TestAmerica Laboratories, Inc.		Accreditations Required (See note): NELAP - Florida	Job #: 400-265996-1	
Address: 13715 Rider Trail North,		Preservation Codes:		
City: Earth City		Analysis Requested:		
State, Zip: MO, 63045		903.0 TAR/PreSep_0 Radium-226		
Phone: 314-298-8566(Tel) 314-298-8757(Fax)		904.0/PreSep_0 Radium-228		
Email: N/A		Field Filtered Sample (Yes or No) <input checked="" type="checkbox"/>		
PO #: N/A		Perform MSMSD (Yes or No) <input checked="" type="checkbox"/>		
WO #: N/A		Total Number of Containers		
Project #: 40015198		Special Instructions/Note:		
Site: N/A		Other: N/A		

Sample Identification - Client ID (Lab ID)	Sample Date	Sample Time	Sample Type (C=comp, G=grab)	Matrix (Water, Solid, On-water, A, M)	Preservation Code	Field Filtered Sample (Yes or No)	Perform MSMSD (Yes or No)	903.0 TAR/PreSep_0 Radium-226	904.0/PreSep_0 Radium-228	Total Number of Containers	Special Instructions/Note
AC-23D (400-265996-1)	11/13/24	13:29 Eastern	G	Water		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	X	X	2	
AC-28D (400-265996-2)	11/14/24	09:42 Eastern	G	Water		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	X	X	2	
AC-9D2 (400-265996-3)	11/13/24	11:00 Eastern	G	Water		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	X	X	2	

Note: Since laboratory accreditations are subject to change, Eurofins Environment Testing Southeast, LLC places the ownership of method, analyte & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/test/matrix being analyzed, the samples must be shipped back to the Eurofins Environment Testing Southeast, LLC laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins Environment Testing Southeast, LLC attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins Environment Testing Southeast, LLC.

Possible Hazard Identification
 Return To Client Disposal By Lab Archive For _____ Months
 Deliverable Requested: I, II, III, IV, Other (specify) Primary Deliverable Rank: 2
 Special Instructions/QC Requirements:

Empty Kit Relinquished by: _____ Date: _____
 Relinquished by: _____ Date: 11/14/24 17:00
 Relinquished by: _____ Date/Time: _____
 Relinquished by: _____ Date/Time: _____
 Custody Seals Intact: Yes No Δ No Δ No
 Custody Seal No.: _____
 Cooler Temperature(s) °C and Other Remarks:

Received by: *Cheyenne Forrest* Date/Time: 08:20 11/15 Company: EIA-SH
 Received by: Cheyenne Forrest Date/Time: _____ Company: _____
 Received by: _____ Date/Time: _____ Company: _____

Chain of Custody Record



Client Information (Sub Contract Lab)		Sampler: N/A	Lab P/M: Savoie, Noel	Carrier Tracking No(s): N/A	COC No: 400-364623.1				
Client Contact: TestAmerica Laboratories, Inc.		Phone: N/A	E-Mail: Noel.Savoie@et.eurofins.com	State of Origin: Florida	Page: Page 1 of 1				
Shipping/Receiving: 13715 Rider Trail North, Earth City, MO, 63045		Project #: 40015198	Accreditations Required (See note): NELAP - Florida	Job #: 400-265846-1	Preservation Codes:				
Address: 13715 Rider Trail North, Earth City, MO, 63045		PO #: N/A	Analysis Requested						
Phone: 314-298-8566(Tel) 314-298-8757(Fax)		WO #: N/A							
Email: N/A		Project Name: Agrico Pensacola - 5yr GW	<input type="checkbox"/> 903.0 TAR/PreSep_0 Radium-226 <input type="checkbox"/> 904.0 PreSep_0 Radium-228 <input type="checkbox"/> 903.0 TAR/PreSep_0 Radium-226 <input type="checkbox"/> 904.0 PreSep_0 Radium-228						
Site: N/A		Site: N/A							
Sample Identification - Client ID (Lab ID)		Sample Date	Sample Time	Sample Type (C=comp, G=grab)	Matrix (Water, Sewage, Urine, etc.)	Field Filtered Sample (Yes or No)	Form MS/MSD (Yes or No)	Total Number of Containers	Special Instructions/Note:
AC-27D (400-266474-1)	11/20/24	08:25 Eastern	G	Water				2	
AC-27S (400-266474-2)	11/20/24	08:57 Eastern	G	Water				2	
AC-35D (400-266474-3)	11/20/24	10:58 Eastern	G	Water				2	
AC-29D (400-266474-4)	11/20/24	12:35 Eastern	G	Water				2	
AC-22D (400-266474-5)	11/20/24	15:06 Eastern	G	Water				2	
AC-25D (400-266474-6)	11/20/24	16:25 Eastern	G	Water				2	
AC-3D (400-266474-7)	11/21/24	10:10 Eastern	G	Water				2	
<p>Note: Since laboratory accreditations are subject to change, Eurofins Environment Testing Southeast, LLC places the ownership of the method, analyte & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/test/matrix being analyzed, the samples must be shipped back to the Eurofins Environment Testing Southeast, LLC laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins Environment Testing Southeast, LLC attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins Environment Testing Southeast, LLC.</p>									
Possible Hazard Identification									
<input type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months									
Special Instructions/QC Requirements:									
Primary Deliverable Rank: 2									
Date: _____ Time: _____ Method of Shipment:									
Received by: <i>M. Pinette</i> Date/Time: NOV 26 2024 0840 Company: _____									
Received by: Meadow Pinette Date/Time: _____ Company: _____									
Received by: _____ Date/Time: _____ Company: _____									
Cooler Temperature(s) °C and Other Remarks:									
Custody Seal No.: _____									
<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Δ									



Login Sample Receipt Checklist

Client: AECOM

Job Number: 400-265846-1

Login Number: 265846

List Source: Eurofins Pensacola

List Number: 1

Creator: Beecher (Roberts), Alexis J

Question	Answer	Comment
Radioactivity wasn't checked or is \leq background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	0.0°C, 0.0°C IR8
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <math><6\text{mm}</math> (1/4").	N/A	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	



Login Sample Receipt Checklist

Client: AECOM

Job Number: 400-265846-1

Login Number: 265846

List Number: 2

Creator: Forrest, Cheyenne L

List Source: Eurofins St. Louis

List Creation: 11/15/24 02:13 PM

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	N/A	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	



Login Sample Receipt Checklist

Client: AECOM

Job Number: 400-265846-1

Login Number: 265996

List Source: Eurofins Pensacola

List Number: 1

Creator: Pardonner, Brett

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	2.6°C IR8
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

This receipt checklist is generated for all samples received in this Login. It may not be applicable to all Jobs associated with this Login.

Login Sample Receipt Checklist

Client: AECOM

Job Number: 400-265846-1

Login Number: 265996

List Number: 2


Creator: Forrest, Cheyenne L

List Source: Eurofins St. Louis

List Creation: 11/15/24 02:13 PM

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	N/A	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

This receipt checklist is generated for all samples received in this Login. It may not be applicable to all Jobs associated with this Login.



Login Sample Receipt Checklist

Client: AECOM

Job Number: 400-265846-1

Login Number: 266120

List Source: Eurofins Pensacola

List Number: 1

Creator: Roberts, Darrien

Question	Answer	Comment
Radioactivity wasn't checked or is \leq background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	2.9°C, 5.1°C IR8
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	False	AC-8D received a DUP-2 not listed on COC.
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <math><6\text{mm}</math> (1/4").	N/A	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

This receipt checklist is generated for all samples received in this Login. It may not be applicable to all Jobs associated with this Login.

Login Sample Receipt Checklist

Client: AECOM

Job Number: 400-265846-1

Login Number: 266120

List Number: 2

Creator: Forrest, Cheyenne L

List Source: Eurofins St. Louis

List Creation: 11/20/24 11:30 AM

Question	Answer	Comment
Radioactivity wasn't checked or is \leq background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	N/A	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	N/A	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <math><6\text{mm}</math> (1/4").	N/A	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

This receipt checklist is generated for all samples received in this Login. It may not be applicable to all Jobs associated with this Login.



Login Sample Receipt Checklist

Client: AECOM

Job Number: 400-265846-1

Login Number: 266242

List Source: Eurofins Pensacola

List Number: 1

Creator: Perez, Trina M

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	0.5°C, 0.1°C IR-11
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

This receipt checklist is generated for all samples received in this Login. It may not be applicable to all Jobs associated with this Login.

Login Sample Receipt Checklist

Client: AECOM

Job Number: 400-265846-1

Login Number: 266242
List Number: 3
Creator: Lincoln, Alyssa

List Source: Eurofins Savannah
List Creation: 11/22/24 02:03 PM

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

This receipt checklist is generated for all samples received in this Login. It may not be applicable to all Jobs associated with this Login.



Login Sample Receipt Checklist

Client: AECOM

Job Number: 400-265846-1

Login Number: 266242

List Number: 2

Creator: Forrest, Cheyenne L

List Source: Eurofins St. Louis

List Creation: 11/20/24 11:30 AM

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	N/A	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	N/A	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

This receipt checklist is generated for all samples received in this Login. It may not be applicable to all Jobs associated with this Login.



Login Sample Receipt Checklist

Client: AECOM

Job Number: 400-265846-1

Login Number: 266474

List Source: Eurofins Pensacola

List Number: 1

Creator: Pardonner, Brett

Question	Answer	Comment
Radioactivity wasn't checked or is \leq background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	0.2°C 0.6°C IR8
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	Refer to Job Narrative for details.
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <math><6\text{mm}</math> (1/4").	N/A	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

This receipt checklist is generated for all samples received in this Login. It may not be applicable to all Jobs associated with this Login.

Login Sample Receipt Checklist

Client: AECOM

Job Number: 400-265846-1

Login Number: 266474

List Number: 2

Creator: Pinette, Meadow L

List Source: Eurofins St. Louis

List Creation: 11/26/24 12:38 PM

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	N/A	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	N/A	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

This receipt checklist is generated for all samples received in this Login. It may not be applicable to all Jobs associated with this Login.



Login Sample Receipt Checklist

Client: AECOM

Job Number: 400-265846-1

Login Number: 266568

List Source: Eurofins Pensacola

List Number: 1

Creator: Roberts, Darrien

Question	Answer	Comment
Radioactivity wasn't checked or is \leq background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	0.4°C, 3.2°C IR10
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	False	Sample 5 has Arsenic 250 Nitric not listed on COC.
Samples are received within Holding Time (excluding tests with immediate HTs)	False	Refer to Job Narrative for details.
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <math><6\text{mm}</math> (1/4").	N/A	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

This receipt checklist is generated for all samples received in this Login. It may not be applicable to all Jobs associated with this Login.

Login Sample Receipt Checklist

Client: AECOM

Job Number: 400-265846-1

Login Number: 266568
List Number: 3
Creator: Lincoln, Alyssa

List Source: Eurofins Savannah
List Creation: 11/27/24 04:25 PM

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

This receipt checklist is generated for all samples received in this Login. It may not be applicable to all Jobs associated with this Login.

Login Sample Receipt Checklist

Client: AECOM

Job Number: 400-265846-1

Login Number: 266568

List Number: 2

Creator: Forrest, Cheyenne L

List Source: Eurofins St. Louis

List Creation: 11/27/24 11:19 AM

Question	Answer	Comment
Radioactivity wasn't checked or is \leq background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	N/A	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	N/A	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <math><6\text{mm}</math> (1/4").	N/A	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	False	

This receipt checklist is generated for all samples received in this Login. It may not be applicable to all Jobs associated with this Login.



ANALYTICAL REPORT

PREPARED FOR

Attn: Ms. Amy Mixon
AECOM
1625 Summit Lake Drive
Suite 200
Tallahassee, Florida 32317

Generated 12/3/2024 11:21:13 PM

JOB DESCRIPTION

Agrico Pensacola - Annual SW

JOB NUMBER

400-266970-1

Eurofins Pensacola

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing Southeast, LLC Project Manager.

Authorization



Generated
12/3/2024 11:21:13 PM

Authorized for release by
Noel Savoie, Project Manager I
Noel.Savoie@et.eurofinsus.com
(850)254-0107



Table of Contents

Cover Page	1
Table of Contents	3
Case Narrative	4
Detection Summary	5
Sample Summary	6
Client Sample Results	7
Definitions	8
QC Association	9
QC Sample Results	10
Chronicle	11
Method Summary	13
Certification Summary	14
Chain of Custody	15
Receipt Checklists	16

Case Narrative

Client: AECOM
Project: Agrico Pensacola - Annual SW

Job ID: 400-266970-1

Job ID: 400-266970-1

Eurofins Pensacola

Job Narrative 400-266970-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable.

- Matrix QC may not be reported if insufficient sample is provided or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Receipt

The samples were received on 12/2/2024 3:53 PM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 1.1°C.

General Chemistry

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Pensacola

Detection Summary

Client: AECOM

Job ID: 400-266970-1

Project/Site: Agrico Pensacola - Annual SW

Client Sample ID: BT-02

Lab Sample ID: 400-266970-1

Analyte	Result	Qualifier	PQL	MDL	Unit	Dil Fac	D	Method	Prep Type
Fluoride	0.84		0.10		mg/L	1		SM 4500 F C	Total/NA

Client Sample ID: BT-107

Lab Sample ID: 400-266970-2

Analyte	Result	Qualifier	PQL	MDL	Unit	Dil Fac	D	Method	Prep Type
Fluoride	0.99		0.10		mg/L	1		SM 4500 F C	Total/NA

Client Sample ID: BT-127

Lab Sample ID: 400-266970-3

Analyte	Result	Qualifier	PQL	MDL	Unit	Dil Fac	D	Method	Prep Type
Fluoride	0.95		0.10		mg/L	1		SM 4500 F C	Total/NA

Client Sample ID: ACSW-1

Lab Sample ID: 400-266970-4

Analyte	Result	Qualifier	PQL	MDL	Unit	Dil Fac	D	Method	Prep Type
Fluoride	0.91		0.10		mg/L	1		SM 4500 F C	Total/NA

Client Sample ID: ACSW-2

Lab Sample ID: 400-266970-5

Analyte	Result	Qualifier	PQL	MDL	Unit	Dil Fac	D	Method	Prep Type
Fluoride	0.72		0.10		mg/L	1		SM 4500 F C	Total/NA

Client Sample ID: DUP-1 (SW)

Lab Sample ID: 400-266970-6

Analyte	Result	Qualifier	PQL	MDL	Unit	Dil Fac	D	Method	Prep Type
Fluoride	0.88		0.10		mg/L	1		SM 4500 F C	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Pensacola

Sample Summary

Client: AECOM

Job ID: 400-266970-1

Project/Site: Agrico Pensacola - Annual SW

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
400-266970-1	BT-02	Water	12/02/24 10:40	12/02/24 15:53
400-266970-2	BT-107	Water	12/02/24 11:02	12/02/24 15:53
400-266970-3	BT-127	Water	12/02/24 10:55	12/02/24 15:53
400-266970-4	ACSW-1	Water	12/02/24 10:50	12/02/24 15:53
400-266970-5	ACSW-2	Water	12/02/24 10:22	12/02/24 15:53
400-266970-6	DUP-1 (SW)	Water	12/02/24 00:00	12/02/24 15:53

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Client Sample Results

Client: AECOM

Job ID: 400-266970-1

Project/Site: Agrico Pensacola - Annual SW

Client Sample ID: BT-02

Lab Sample ID: 400-266970-1

Date Collected: 12/02/24 10:40

Matrix: Water

Date Received: 12/02/24 15:53

General Chemistry

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Fluoride (SM 4500 F C)	0.84		0.10		mg/L			12/03/24 13:15	1

Client Sample ID: BT-107

Lab Sample ID: 400-266970-2

Date Collected: 12/02/24 11:02

Matrix: Water

Date Received: 12/02/24 15:53

General Chemistry

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Fluoride (SM 4500 F C)	0.99		0.10		mg/L			12/03/24 13:32	1

Client Sample ID: BT-127

Lab Sample ID: 400-266970-3

Date Collected: 12/02/24 10:55

Matrix: Water

Date Received: 12/02/24 15:53

General Chemistry

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Fluoride (SM 4500 F C)	0.95		0.10		mg/L			12/03/24 13:35	1

Client Sample ID: ACSW-1

Lab Sample ID: 400-266970-4

Date Collected: 12/02/24 10:50

Matrix: Water

Date Received: 12/02/24 15:53

General Chemistry

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Fluoride (SM 4500 F C)	0.91		0.10		mg/L			12/03/24 13:37	1

Client Sample ID: ACSW-2

Lab Sample ID: 400-266970-5

Date Collected: 12/02/24 10:22

Matrix: Water

Date Received: 12/02/24 15:53

General Chemistry

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Fluoride (SM 4500 F C)	0.72		0.10		mg/L			12/03/24 13:40	1

Client Sample ID: DUP-1 (SW)

Lab Sample ID: 400-266970-6

Date Collected: 12/02/24 00:00

Matrix: Water

Date Received: 12/02/24 15:53

General Chemistry

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Fluoride (SM 4500 F C)	0.88		0.10		mg/L			12/03/24 13:23	1

Definitions/Glossary

Client: AECOM

Job ID: 400-266970-1

Project/Site: Agrico Pensacola - Annual SW

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

QC Association Summary

Client: AECOM

Job ID: 400-266970-1

Project/Site: Agrico Pensacola - Annual SW

General Chemistry

Analysis Batch: 693028

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
400-266970-1	BT-02	Total/NA	Water	SM 4500 F C	
400-266970-2	BT-107	Total/NA	Water	SM 4500 F C	
400-266970-3	BT-127	Total/NA	Water	SM 4500 F C	
400-266970-4	ACSW-1	Total/NA	Water	SM 4500 F C	
400-266970-5	ACSW-2	Total/NA	Water	SM 4500 F C	
400-266970-6	DUP-1 (SW)	Total/NA	Water	SM 4500 F C	
MB 400-693028/9	Method Blank	Total/NA	Water	SM 4500 F C	
LCS 400-693028/11	Lab Control Sample	Total/NA	Water	SM 4500 F C	
MRL 400-693028/10	Lab Control Sample	Total/NA	Water	SM 4500 F C	
400-266970-6 MS	DUP-1 (SW)	Total/NA	Water	SM 4500 F C	
400-266970-6 MSD	DUP-1 (SW)	Total/NA	Water	SM 4500 F C	

QC Sample Results

Client: AECOM
 Project/Site: Agrico Pensacola - Annual SW

Job ID: 400-266970-1

Method: SM 4500 F C - Fluoride

Lab Sample ID: MB 400-693028/9
Matrix: Water
Analysis Batch: 693028

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Fluoride	<0.10		0.10		mg/L			12/03/24 13:07	1

Lab Sample ID: LCS 400-693028/11
Matrix: Water
Analysis Batch: 693028

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Fluoride	4.98	4.95		mg/L		99	90 - 110

Lab Sample ID: MRL 400-693028/10
Matrix: Water
Analysis Batch: 693028

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
Fluoride	0.100	0.101		mg/L		101	50 - 150

Lab Sample ID: 400-266970-6 MS
Matrix: Water
Analysis Batch: 693028

Client Sample ID: DUP-1 (SW)
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Fluoride	0.88		1.00	1.65		mg/L		77	75 - 125

Lab Sample ID: 400-266970-6 MSD
Matrix: Water
Analysis Batch: 693028

Client Sample ID: DUP-1 (SW)
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Fluoride	0.88		1.00	1.65		mg/L		77	75 - 125	0	4

Lab Chronicle

Client: AECOM
Project/Site: Agrico Pensacola - Annual SW

Job ID: 400-266970-1

Client Sample ID: BT-02
Date Collected: 12/02/24 10:40
Date Received: 12/02/24 15:53

Lab Sample ID: 400-266970-1
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	SM 4500 F C		1	25 mL	25 mL	693028	12/03/24 13:15	JP	EET PEN

Client Sample ID: BT-107
Date Collected: 12/02/24 11:02
Date Received: 12/02/24 15:53

Lab Sample ID: 400-266970-2
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	SM 4500 F C		1	25 mL	25 mL	693028	12/03/24 13:32	JP	EET PEN

Client Sample ID: BT-127
Date Collected: 12/02/24 10:55
Date Received: 12/02/24 15:53

Lab Sample ID: 400-266970-3
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	SM 4500 F C		1	25 mL	25 mL	693028	12/03/24 13:35	JP	EET PEN

Client Sample ID: ACSW-1
Date Collected: 12/02/24 10:50
Date Received: 12/02/24 15:53

Lab Sample ID: 400-266970-4
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	SM 4500 F C		1	25 mL	25 mL	693028	12/03/24 13:37	JP	EET PEN

Client Sample ID: ACSW-2
Date Collected: 12/02/24 10:22
Date Received: 12/02/24 15:53

Lab Sample ID: 400-266970-5
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	SM 4500 F C		1	25 mL	25 mL	693028	12/03/24 13:40	JP	EET PEN

Client Sample ID: DUP-1 (SW)
Date Collected: 12/02/24 00:00
Date Received: 12/02/24 15:53

Lab Sample ID: 400-266970-6
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	SM 4500 F C		1	25 mL	25 mL	693028	12/03/24 13:23	JP	EET PEN

Client Sample ID: Method Blank
Date Collected: N/A
Date Received: N/A

Lab Sample ID: MB 400-693028/9
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	SM 4500 F C		1	100 mL	100 mL	693028	12/03/24 13:07	JP	EET PEN

Lab Chronicle

Client: AECOM

Job ID: 400-266970-1

Project/Site: Agrico Pensacola - Annual SW

Client Sample ID: Lab Control Sample

Lab Sample ID: LCS 400-693028/11

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	SM 4500 F C		1	100 mL	100 mL	693028	12/03/24 13:13	JP	EET PEN

Client Sample ID: Lab Control Sample

Lab Sample ID: MRL 400-693028/10

Date Collected: N/A

Matrix: Water

Date Received: N/A

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	SM 4500 F C		1	100 mL	100 mL	693028	12/03/24 13:10	JP	EET PEN

Client Sample ID: DUP-1 (SW)

Lab Sample ID: 400-266970-6 MS

Date Collected: 12/02/24 00:00

Matrix: Water

Date Received: 12/02/24 15:53

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	SM 4500 F C		1	100 mL	100 mL	693028	12/03/24 13:42	JP	EET PEN

Client Sample ID: DUP-1 (SW)

Lab Sample ID: 400-266970-6 MSD

Date Collected: 12/02/24 00:00

Matrix: Water

Date Received: 12/02/24 15:53

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	SM 4500 F C		1	100 mL	100 mL	693028	12/03/24 13:45	JP	EET PEN

Laboratory References:

EET PEN = Eurofins Pensacola, 3355 McLemore Drive, Pensacola, FL 32514, TEL (850)474-1001

Method Summary

Client: AECOM

Job ID: 400-266970-1

Project/Site: Agrico Pensacola - Annual SW

Method	Method Description	Protocol	Laboratory
SM 4500 F C	Fluoride	SM	EET PEN

Protocol References:

SM = "Standard Methods For The Examination Of Water And Wastewater"

Laboratory References:

EET PEN = Eurofins Pensacola, 3355 McLemore Drive, Pensacola, FL 32514, TEL (850)474-1001

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Accreditation/Certification Summary

Client: AECOM

Job ID: 400-266970-1

Project/Site: Agrico Pensacola - Annual SW

Laboratory: Eurofins Pensacola

The accreditations/certifications listed below are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Florida	NELAP	E81010	06-30-25

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Chain of Custody Record



Client Information		Samples: <u>DeHilton</u>		Lab PM: <u>Savoie, Noel</u>	400-266970 COC	Carrier Tracking No(s):	COC No: <u>400-134941-44944.1</u>
Client Contact: <u>Ms. Amy Mixon</u>		Phone: <u>850-528-8995</u>		E-Mail: <u>Noel.Savoie@et.eurofins.com</u>		State of Origin:	Page: <u>1 of 1</u>
Company: <u>AECOM</u>		PWSID:		Analysis Requested			
Address: <u>1625 Summit Lake Drive Suite 200</u>		Due Date Requested:		353.2 Pres - Nitrogen, Nitrate-Nitrite			
City: <u>Tallahassee</u>		TAT Requested (days):		4500_F_C - Fluoride			
State, Zip: <u>FL, 32317</u>		Compliance Project: <input type="checkbox"/> Yes <input type="checkbox"/> No		Nitrate Calc - Nitrate as N			
Phone: <u>850-465-3886(Tel)</u>		PO #:		SM4500_NO2_B - Nitrite as N			
Email: <u>amy.mixon@aecom.com</u>		Purchase Order Requested		300_ORGFM_28D - Chloride and Sulfate			
Project Name: <u>Agrod-SW</u>		WO #: <u>60618051.1</u>		Special Instructions/Note:			
Site: <u>Agrod-SW</u>		Project #: <u>40015198</u>					
		SSOW#:					
Sample Identification	Sample Date	Sample Time	Sample Type (C=comp, G=grab)	Matrix (Water, Solid, Other)	Destination Code		
<u>BT-02</u>	<u>12.02.24</u>	<u>1040</u>	<u>G</u>	<u>W</u>			
<u>BT-107</u>	<u>12.02.24</u>	<u>1102</u>	<u>G</u>	<u>W</u>			
<u>BT-127</u>	<u>12.02.24</u>	<u>1055</u>	<u>G</u>	<u>W</u>			
<u>ACSW-1</u>	<u>12.02.24</u>	<u>1050</u>	<u>G</u>	<u>W</u>			
<u>ACSW-2</u>	<u>12.02.24</u>	<u>1022</u>	<u>G</u>	<u>W</u>			
<u>DOP-1 (SW)</u>							
Possible Hazard Identification <input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological							
Deliverable Requested: I, II, III, IV, Other (specify)							
Empty Kit Relinquished by:							
Relinquished by: <u>DeHilton</u>		Date: <u>12.02.24</u>		Time: <u>1553</u>		Company: <u>AECOM</u>	
Relinquished by:		Date/Time:		Date/Time:		Company:	
Relinquished by:		Date/Time:		Date/Time:		Company:	
Custody Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No		Custody Seal No.:		Cooler Temperature(s) °C and Other Remarks: <u>12-1-24/1553</u>		Company:	



Login Sample Receipt Checklist

Client: AECOM

Job Number: 400-266970-1

Login Number: 266970

List Source: Eurofins Pensacola

List Number: 1


Creator: Pardonner, Brett

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	1.1°C IR8
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

APPENDIX B


Appendix B
Groundwater Elevation Trend in Main Producing Zone

Agrico Site
Pensacola, FL



**Appendix B
Groundwater Elevation Trend in Surficial Zone**

**Agrico Site
Pensacola, FL**



APPENDIX C

33.00

DECLARATION OF COVENANTS, CONDITIONS AND RESTRICTIONS

THIS DECLARATION OF COVENANTS, CONDITIONS AND RESTRICTIONS ("Covenant") is made by CONOCO INC. ("CONOCO"), and shall take effect as of the date set forth below. The purpose of this Covenant is to restrict and prohibit all surface and subsurface uses of the property described herein, in perpetuity, except as specifically set forth herein.

RECITALS

WHEREAS, CONOCO is the owner of real property lying and being in Escambia County, Florida; and

WHEREAS, the intent of CONOCO is that this Covenant apply to and be binding on all property owned by CONOCO as of the date of this document and which lies in the area bounded by North Palafox Street, Brent Lane, North Davis Highway, and Fairfield Drive (the "Property"), as more particularly described on Composite Exhibit "A" consisting of 4 pages, attached and made a part hereof; and

WHEREAS, a RCRA cap is located on the Property containing pollutants in excess of certain standards allowed by federal and state law, as more particularly described in the Record of Decision, Agrico Chemical Superfund Site, September 28, 1992; and

WHEREAS, the Record of Decision described above mandated that CONOCO perform remedial action and impose access and use restrictions on the Property; and

WHEREAS, CONOCO seeks by this Covenant to fully comply with the Record of Decision requirement to restrict access to and use of the Property;

NOW THEREFORE, in consideration of the acceptance by the United States Environmental Protection Agency of the remedial action conditions and limitations stated in the Record of Decision, and acknowledging that the same constituted good and valuable consideration, CONOCO does hereby impose on the Property, in perpetuity, the following reasonable and lawful access and use restrictions.

COVENANTS

1. Access to the Property is restricted (1) to those authorized CONOCO agents and governmental agents or their representatives and officials who must enter the Property to inspect, maintain, or repair fencing or other remedial action measures constructed pursuant to or to be maintained in connection with the Record of Decision, (2) to those persons entitled to exercise the personal servitude of passage

in accordance with and for the limited purposes stated in the Act of Servitude recorded in the Official Records of Escambia County at OR Book 3758, Page 0955, and (3) to those persons who must have access to the Property to service and maintain existing public utilities and electrical power lines.

2. The erection, construction, or placing of any road, parking lot, building, sign, billboard or other advertising, utilities (public or commercial), towers, antennas, or any other structure on or above the ground is prohibited, except (a) as such structures may be required for the purpose of maintaining the remedial measures as required by paragraph 1 herein, or (b) as Conoco, or its agents or assigns, may erect or construct on those portions of the Property on which is not located the RCRA cap and as will not interfere with the maintenance of the remedial measures.

3. Use of the Property for temporary or permanent storage of equipment, inventory, or materials is prohibited, except as the same may be necessary to maintain the remedial measures as required by paragraph 1 herein.

4. The dumping or placing of soil or other substance or material as landfill or the dumping or placing of trash, waste, or unsightly or offensive materials on the Property is prohibited.

5. The removal or harvesting for any commercial purpose of trees, shrubs, or other vegetation is prohibited.

6. The excavation, dredging, or removal of loam, peat, gravel, soil, rock, or other material substance on or under the Property is prohibited, except as may be necessary to maintain the remedial measures as required by paragraph 1 herein.

7. Any drilling, mining, or other removal of soil, water, minerals, gases, or other substances from the surface or subsurface of the Property is prohibited, except as required to comply with the Record of Decision.

8. Any other use of the Property contrary to the Record of Decision is prohibited even though not specifically enumerated herein.

9. The restrictions imposed herein are perpetual restrictions imposed by the lawful owner of the Property and will run with the land and be binding on all successor owners, lessees or other transferees of the Property, as well as all successors and assigns of CONOCO.

10. This Covenant may be enforced by CONOCO, any other Potentially Responsible Party with respect to the Property the United States Environmental Protection Agency or the Florida Department of Environmental Protection, or their successors and assigns.

11. Enforcement of this Covenant shall be by action against any person or persons violating or attempting to violate any provision herein, either in equity or in law.

12. Invalidation of any provision of this Covenant by judgment or court order shall in no way affect any other provision of this Covenant, which shall remain in full force and effect in perpetuity.

IN WITNESS WHEREOF, the Covenantor has executed this Declaration of Covenants, Conditions and Restrictions for the Property described herein, this 11th day of July, 1997.

Signed, sealed and delivered
in the presence of:

ANN LUNDSTROM

Name: Ann Lundstrom

DOROTHY AKERS

Name: Dorothy Akers

STATE OF TEXAS
COUNTY OF HARRIS

The foregoing instrument was acknowledged before me this 11th day of July, 1997, by Dennis R. Parker, as V.P. SHEA of CONOCO INC., a Delaware corporation, and who is personally known to me or who has produced U.S. Passport 131824098 as identification.

COVENANTOR:

CONOCO INC., a Delaware corporation

By: Dennis R. Parker (SEAL)

Dennis R. Parker

Its: Vice President, SHEA

Attest:


[Signature]
Assistant Secretary



[Signature]
Notary Public

Commission No.: _____
My Commission Expires: 9-20-97

This instrument prepared by:
✓ Jesse W. Rigby, of
CLARK, PARTINGTON, HART, LARRY
BOND, STACKHOUSE & STONE
One Pensacola Plaza
125 W. Romana Street, Suite 800
Pensacola, Florida 32501



PARCEL 1:

Commence at the Northwest corner of Section 4, Township 2 South, Range 30 West, Escambia County, Florida; thence North 52°36'16" East along the South line of Section 5, Township 2 South, Range 30 West for a distance of 1194.20 feet to the Easterly R/W line of the Louisville and Nashville Railroad (100' R/W); thence North 24°26'14" West along said Easterly R/W line for a distance of 295.98 feet to the Northerly R/W line of Fairfield Drive (SR #289-A); thence North 52°33'46" East along said Northerly R/W for a distance of 76.08 feet; thence South 37°26'14" East along said R/W for a distance of 90.00 feet; thence North 57°38'32" East along said R/W for a distance of 451.36 feet; thence North 50°39'13" East along said R/W for a distance of 150.08 feet; thence North 37°26'14" West for a distance of 490.00 feet; thence North 52°33'46" East for a distance of 200.00 feet to a point which is the Point of Beginning. From said Point of Beginning, continue North 52°33'46" East for a distance of 200.00 feet; thence South 37°26'14" East for a distance of 400.00 feet to the R/W line of Fairfield Drive (SR #289-A); thence continue South 37°26'14" East along said R/W for a distance of 165.00 feet; thence South 82°26'14" East along said R/W for a distance of 35.36 feet; thence North 52°33'46" East along said R/W for a distance of 177.70 feet to the Westerly R/W line of Interstate Highway 110 (SR #8-A); thence North 16°26'14" West along said Westerly R/W line for a distance of 823.07 feet; thence South 52°39'08" West for a distance of 697.67 feet; thence South 37°26'14" East for a distance of 179.49 feet to the Point of Beginning, containing 7.0 acres, more or less, and lying and being in Section 5, Township 2 South, Range 30 West, Escambia County, Florida, and subject to a 100 foot wide Gulf Power Company Easement. [As recorded in OR Book 3767, Page 0377, Escambia County, Florida.]

PARCEL 2:

Commence at the Northwest corner of Section 4, Township 2 South, Range 30 West, Escambia County, Florida; thence North 52°36'16" East along the South line of Section 5, Township 2 South, Range 30 West for a distance of 1194.20 feet to the Easterly R/W line of the Louisville & Nashville Railroad (100' R/W); thence North 24°26'14" West along said Easterly R/W line for a distance of 295.98 feet to the Northerly R/W line of Fairfield Drive (SR #289-A); thence North 52°33'46" East along said Northerly R/W for a distance of 76.08 feet; thence South 37°26'14" East along said R/W for a distance of 90.00 feet; thence North 57°38'32" East along said R/W for a distance of 451.36 feet; thence North 50°39'13" East along said R/W for a distance of 150.08 feet; thence North 28°20'06" East along said R/W for a distance of 219.32 feet to the Point of Beginning; thence North 52°33'46" East along said R/W for a distance of 200.00 feet; thence North 37°26'14" West for a distance of 400.00 feet; thence South 52°33'46" West for a distance of 200.00 feet; thence South 37°26'14" East for a distance of 400.00 feet to the Point of Beginning, containing 1.84 acres more or less and all lying and being in Section 5, Township 2 South, Range 30 West, Escambia County, Florida. [As recorded in OR Book 3767, Page 0377, Escambia County, Florida.]

PARCEL 3:

A tract being 1,6769 acres in Section 5, Township 2 South, Range 30 West, Escambia County, Florida, being more particularly described as:

Commence at the Northwest Corner of Section 4, Township 2 South, Range 30 West of said Escambia County, Florida; thence North 52°36'16" East along the South line of Section 5, Township 2 South, Range 30 West for 1194.20 feet to the Easterly R/W line of the CSX Railroad (100 foot R/W); thence North 24°26'14" West along said Easterly R/W line for 295.98 feet to the Northerly R/W line of Fairfield Drive (SR #289-A); thence North 52°33'46" East along said Northerly R/W for 25.64 feet; thence North 24°26'14" West for 370.51 feet; thence North 14°47'54" West for 199.93 feet; thence North 52°39'08" East for 970.81 feet; thence North 24°20'24" West for 175.71 feet; thence North 52°38'15" East for 257.88 feet to the Westerly R/W line of a Gulf Power Company Easement (100 feet R/W) as recorded in O.R. Book 298 at Page 512 of the public records of said county and the Point of Beginning; thence along said Westerly R/W line North 18°04'37" West 38.40 feet; thence departing said Westerly R/W line North 75°28'00" East for 93.40 feet; thence South 52°38'15" West for 98.77 feet to the Westerly R/W line of the aforesaid Gulf Power Easement and the Point of Beginning, AND

Commence at the Northwest Corner of Section 4, Township 2 South, Range 30 West of said Escambia County, Florida; thence North 52°36'16" East along the South line of Section 5, Township 2 South, Range 30 West for 1194.20 feet to the Easterly R/W line of the CSX Railroad (100 foot R/W); thence North 24°26'14" West along said Easterly R/W line for 295.98 feet to the Northerly R/W line of Fairfield Drive (SR #289-A); thence North 52°33'46" East along said Northerly R/W for 25.64 feet; thence North 24°26'14" West for 370.51 feet; thence North 14°47'54" West for 199.93 feet; thence North 52°39'08" East for 970.81 feet for the Point of Beginning; thence continue North 52°39'08" East for 416.63 feet to the Westerly R/W of Interstate I-110 (R/W varies); thence along said Westerly R/W North 16°22'22" West for 43.75 feet to the point of curvature of a curve concave to the Northeast having a radius of 2969.83 feet; thence along the arc of said curve through a central angle of 01°33'56" for an arc distance of 108.46 feet (Chord Bearing North 26°08'39" West, Chord Distance 108.46 feet); thence departing said Westerly R/W South 75°29'00" West for 62.02 feet; thence South 52°38'15" West for 356.65 feet; thence South 24°20'24" East for 175.71 feet to the Point of Beginning. [As recorded in OR Book 3758, Page 0952, Escambia County, Florida.]

PARCEL 4:

A portion of Section 5, Township 2 South, Range 30 West, Escambia County, Florida, being more particularly described as follows:

Commence at the Northwest corner of Section 4, Township 2 South, Range 30 West of said Escambia County, Florida; thence North 52°36'16" East along the South line Section 5, Township 2 South, Range 30 West for 1194.20 feet to the Easterly R/W line of the CSX Railroad (100' R/W); thence North 24°26'14" West along said Easterly R/W for 295.98 feet to the Northerly R/W line of Fairfield Drive (SR #289-A); thence North 52°33'46" East along said Northerly R/W for 25.64 feet; thence North 24°26'14" West for 370.51 feet; thence North 14°47'54" West for 199.93 feet; thence North 52°39'08" East for 970.81 feet; thence North 24°20'24" West for 175.71 feet to the Point of Beginning; thence continue North 24°20'24" West for 140.43; thence North 75°28'00" East for 259.23 feet to the Westerly R/W line of a Gulf Power Company Easement (100' R/W) as recorded to O.R. Book 298 at page 512 of the Public Records of said county; thence along said Westerly R/W line South 18°04'37" East for 38.40 feet; thence departing said Westerly R/W line South 52°38'15" West for 257.88 feet to the Point of Beginning, containing 0.519 acres more or less.

PARCEL 5:

A portion of Section 5, Township 2 South, Range 30 West, Escambia County, Florida, being more particularly described as follows:

Commence at the Northwest corner of Section 4, Township 2 South, Range 30 West of said Escambia County, Florida; thence North 52°36'16" East along the South line Section 5, Township 2 South, Range 30 West for 1194.20 feet to the Easterly R/W line of the CSX Railroad (100' R/W); thence North 24°26'14" West along said Easterly R/W line for 295.98 feet to the Northerly R/W line of Fairfield Drive (SR #289-A); thence North 52°33'46" East along said Northerly R/W for 25.64 feet; thence North 24°26'14" West for 370.51 feet; thence North 14°47'54" West for 199.93 feet; thence North 52°39'08" East for 118.25 feet for the Point of Beginning; thence continue North 52°39'08" East for 852.56 feet; thence North 24°20'24" West for 636.38 feet; thence South 65°39'36" West for 480.00 feet; thence South 24°20'24" East for 466.12 feet; thence South 52°38'43" West for 218.02 feet; thence South 2°28'32" West for 350.75 feet to the Point of Beginning; containing 9.1316 acres more or less.

Being more particularly shown on plat of survey dated March 19, 1995 prepared by Paul F. McCartney, Professional Land Surveyor Number 3140, Carlan Consulting Group, Inc., P.O. Box 2518, Pensacola, Florida 32513, incorporated herein by reference.

Being a portion of the property acquired by The Louisville and Nashville Railroad Company, a predecessor of Grantor, from Louis Boley, et ux, by deed dated November 17, 1896, recorded among the Public Land Records of Escambia County, Florida, in Book 17, Page 86.

On December 29, 1982 The Louisville and Nashville Railroad Company merged into Seaboard Coast Line Railroad Company, and the name of the surviving corporation changed to Seaboard System Railroad, Inc. On July 1, 1986, Seaboard System Railroad, Inc. changed its name to CSX Transportation, Inc.

PARCEL 6:

Commence at the Northwest corner of Section 4, Township 2 South, Range 30 West, Escambia County, Florida; thence North 52°36'16" East along the South line of Section 5, Township 2 South, Range 30 West, for a distance of 1194.20 feet to the easterly R/W line of the Louisville and Nashville Railroad (100' R/W); thence North 24°26'14" West along said easterly R/W line for a distance of 295.98 feet to the northerly R/W line of Fairfield Drive (SR #298-A); thence North 52°33'46" East along said northerly R/W for a distance of 25.64 feet to the Point of Beginning; then continue North 52°33'46" East along said R/W for a distance of 50.44 feet; thence South 37°26'14" East along said R/W for a distance of 90.00 feet; thence North 57°38'32" East along said R/W for a distance of 451.36 feet; thence North 50°39'13" East along said R/W for a distance of 150.08 feet; thence North 37°26'14" West for a distance of 490.00 feet; thence North 52°33'46" East for a distance of 200.00 feet; thence run North 37°26'14" West for a distance of 179.49 feet; thence South 52°39'08" West for a distance of 689.92 feet; thence South 14°47'54" East for a distance of 199.93 feet; thence South 24°26'14" East parallel to said Railroad R/W for a distance of 370.51 feet to the Point of Beginning. Containing 9.67 acres, more or less, and lying and being in Section 5, Township 3 South, Range 30 West, Escambia County, Florida.

RCD Aug 07, 1997 12:39 pm
Escambia County, Florida

Ernie Lee Magaha
Clerk of the Circuit Court
INSTRUMENT 97-407567

**Water Well Contractors
Irrigation System Contractors And
Pool Contractors**

Please be advised that additional well construction requirements may be specified for wells constructed in the following localized area of Pensacola, Florida.

- South of Fairfield Drive
- East of Palafox Street
- West of Bayou Texar
- North of Bobe Street

Areas outside of the area described above may also be affected. Please contact the Northwest Florida Water Management District (NFWFMD), the Florida Department of Environmental Protection (FDEP), or the Escambia County Health Department (ECHD) for further information.

Per Chapter 62-524, Florida Administrative Code, New Potable Water Well Permitting in Delineated Areas, and Chapter 40A-3, Florida Administrative Code, Regulation of Wells, water well construction permits issued by the NFWFMD, including wells used for lawn irrigation or filling pools, may have certain specific conditions or limitations attached.

On February 22, 2001 the NFWFMD governing board passed a well construction moratorium that includes the area specified above. This moratorium applies to all wells except monitoring wells. The moratorium is currently in effect and prohibits new wells in the designated area.

For further information contact:

Northwest Florida Water Management District

Tallahassee Office: 850-539-5999

or

Florida Department of Environmental Protection, Northwest District

850-595-8300

or

Escambia County Health Department

850-595-6700



MEMORANDUM

To: Alex Webster (FDEP NW District)
Billy Hessman (FDEP, Tallahassee)
Bruce Woody (ECUA)
Tom Brown (NFWFMD)
Brad Hinote (City of Pensacola)
Gregory Berrian (ECHD)
Chips Kirschenfeld (Escambia County)
Alan Hagans (FDOT Chipley)

From: Amy Mixon, P.E.
AECOM Tallahassee

Date: February 8, 2024

**Subject: Institutional Controls Coordination
Agrico Site, Pensacola, Florida**

As part of the U.S. Environmental Protection Agency (EPA) approved Remedial Action Work Plan for Operating Unit Two (OU-2) (November 1998), periodic communications are planned with the agencies to verify that existing institutional controls remain in place. The purpose of this Memorandum is to solicit, in writing, information on any changes in existing or any proposed new regulatory requirements that may affect the existing institutional controls pertaining to the Agrico Site.

SITE SUMMARY

Monitored Natural Attenuation Results

Statistical monitored natural attenuation (MNA) evaluations were prepared in 2009 and 2013. Additionally, annual trend plots are prepared for all constituents analyzed for each sampling location. The reports and trend plots in each annual report that are submitted to EPA and the Florida Department of Environmental Protection (FDEP) continue to show that mechanisms for attenuation are in place throughout the OU-2 area. These mechanisms, and the OU-1 source remedy, are propagating downgradient toward Bayou Texar, as expected. For the plume area, the highest concentrations for each constituent are declining and downgradient peaks are less than historical highs. It is estimated from statistical evaluation following EPA MNA guidance that much of the groundwater will reach the target concentrations within two to three decades. However, the discharge area near Bayou Texar may take longer. The processes at this discharge boundary are more complex and do not follow the upgradient timeline. Additionally, radium declines may lag behind the other constituents. Radium concentrations are more dependent on increases in pH as the overall chemical conditions improve upgradient. Initial fate and transport modeling performed for the site in the early 1990s suggested targets would not be reached for at least 70 years. Twenty-six years has passed since the source controls were implemented. The approximately 44 years remaining is still reasonable and well within the targets estimated with the statistical evaluation.

Distribution List
Institutional Controls Coordination
Agrico Site Operable Unit No. 2 (OU-2)
February 8, 2024
Page 2

Groundwater Sampling Results

Groundwater sampling at the site has been conducted since 1999. The groundwater sampling network has been modified beginning in November 2015 to a select set of sampling locations for the Agrico site per discussions with the FDEP and approval by EPA on March 10, 2015.

Annual groundwater (the 24th year of sampling) monitoring was conducted in November 2023.

Groundwater results for November 2023 continue to compare favorably to past results. Overall concentration trends within the surficial zone are downward and the impact extent is shrinking. Impacts are limited for this zone. This is a direct result of effective source remediation and the local hydrogeologic conditions.

For the deeper main producing zone, the trend in concentrations is generally downward and stable, also indicating continued plume stability.

Slight upward or downward ticks in the trends for the constituents of concern (COCs) are to be expected over time. It is the long-term trend for each of the COCs that is important.

Groundwater Levels

Results of water level measurements collected in November 2023 indicate that groundwater flow remains toward Bayou Texar for both the surficial zone and main producing zone. In 2022, groundwater flow patterns closely followed historical patterns.

Bayou Texar Sampling Results

An assessment of potential impacts downgradient of the Agrico groundwater plume was presented to the EPA and the FDEP on September 4, 2009, in the report, "*Conceptual Site Model, Ecological Impact Evaluation of Bayou Texar Downgradient of Agrico's Groundwater Fluoride Plume, September 14, 2009.*" The report concluded that there is no completed exposure pathway between populations of demersal fish and benthic receptors in the Bayou downgradient of the Site and concentrations of fluoride in pore water and near-bottom surface water that potentially would cause adverse effects to the populations of demersal fish and benthic receptors. The report also concluded that the fluoride solubility in the surface sediments and in pore waters within the groundwater plume discharge area is controlled by mineral precipitation reactions that are responsible for buffering dissolved concentrations of fluoride. This report was approved by EPA on September 20, 2010. The approval modified the report recommendations to include three surface water sampling locations as part of the annual sampling for the site.

Distribution List
Institutional Controls Coordination
Agrico Site Operable Unit No. 2 (OU-2)
February 8, 2024
Page 3

Surface water sampling was conducted in November 2023. Sampling continues to show concentrations in the bayou at levels well below the surface water standard (5 mg/L) for fluoride.

INSTITUTIONAL CONTROLS

Several rules, regulations and policies already exist which control the use of groundwater within the OU-2 area. These serve as institutional controls, and include:

1. Approval of well construction and consumptive use is a function of the Northwest Florida Water Management District (NFWFMD). On February 22, 2001, the NFWFMD Governing Board passed a well construction moratorium for the area bounded to the north by Hyatt Street, Wynnehurst Street, Kenneth Street, Boxwood Drive and Brookside Place; to the west by the CSX Railroad; to the south by East Cross Street; and to the east by Bayou Texar. This moratorium applies to all new well construction within the designated area except monitoring wells and encompasses both the Agrico and Escambia Treating Company areas. In a public meeting held on March 27, 2017, discussions with NFWFMD representatives indicated that they were not inclined to end the well construction moratorium. Well prohibition for the defined area which includes the Agrico groundwater plume area is part of the NFWFMD's Rule 40A-3. The moratorium remains in effect during 2022 and 2023.
2. Access is restricted on the Agrico site. The property is secured by a perimeter chain link security fence and locked gates. Restrictive and site information signs are posted advising the public of the on-site conditions, and a contact phone number is also posted for inquiries. The site is routinely inspected by authorized personnel and inspection reports on the site conditions are completed twice a year. Additionally, the site is inspected after each major storm event. Any damages found are repaired. Construction or related activities which would interfere with maintaining the site remedial measures are prohibited by the legal deed restrictions. Any use of the property contrary to the Record of Decision is prohibited, as per covenants filed for the property.
3. The location of the Agrico plume is well characterized and documented. Because this information is submitted to the Emerald Coast Utilities Authority (ECUA) and other agencies in an annual report, and because of the NFWFMD well moratorium, it is highly improbable that future municipal wells will be located in the vicinity of the site. It should also be noted that non-Agrico groundwater impacts are present outside of the Agrico plume. To the north of the Agrico site, groundwater impacts have been caused by the Escambia Treating Company (ETC) site. This plume intrudes into the

Distribution List
Institutional Controls Coordination
Agrico Site Operable Unit No. 2 (OU-2)
February 8, 2024
Page 4

- Agrico area to the south. Also, south of the Agrico plume, the FDEP is assessing a site referred to as Site 348. This site has reportedly contributed to groundwater impacts to the south of the Agrico plume. The Site 348 plume has the potential to intrude into the Agrico area, and Site 348 has similar COCs to those of Agrico. This site is being assessed for possible impacts to ECUA wells, including F& Scott Streets well, No. 9 well, and East Plant well. Groundwater from Site 348 moves easterly and may discharge into Bayou Texar, if not affected by pumping from F & Scott Streets Well. Additionally, other sources of groundwater impacts exist within and in the near proximity of the Agrico plume and include releases from petroleum and dry-cleaning related sites as documented by the FDEP.
4. The ECUA regularly samples and analyzes water being pumped from public supply wells. ECUA controls the pumpage from these wells. The cause of current impacts to ECUA wells, as noted above, is the subject of an ongoing assessment by the FDEP. Pumping of both East Plant and well No.9 has been discontinued. The F& Scott Street well is still active and within a distance from Site 348 impacts that pumping influences could potentially draw the Site 348 plume toward this active well.
 5. In 1997, the NFWWMD established 7-year and 20-year capture zones around each ECUA water supply well. These captures zones constitute the wellhead protection area for each well (Richards, Pratt, and Milla, December 1997, Wellhead Protection Area Delineation in Southern Escambia County, Florida; Water Resources Special Report 97-4, NFWWMD). The Agrico plume remains outside of the 20-year capture zone for all supply wells. Site 348 lies within the 20- year capture zone for inactive ECUA Well No. 9, and Site 348 lies near the designated capture zone for active ECUA Well F & Scott.
 6. The Designated Area has been established by the FDEP and regulated by Florida Administrative Code, Chapter 62-524, FDEP rules. New potable well permitting requirements must be met to install a new potable water well. This designated area is the same as the area defined in item number 1. At this time, the NFWWMD moratorium is a more stringent restriction than that related to the Chapter 62-524 designation.

The 2023 Annual Report is currently in preparation and will be distributed to you following approval by EPA.

Five Five-Year Reviews of the Agrico Site have been completed by EPA. Each Review has concluded that the remedy at the Agrico Site is functioning as intended by the Records of Decision for OU-1 and OU-2 and remains protective of human health and the environment.



Distribution List
Institutional Controls Coordination
Agrico Site Operable Unit No. 2 (OU-2)
February 8, 2024
Page 5

Site information is available at the local EPA repository located at:

University Archives and West Florida History Center
University of West Florida Libraries
Building 32
11000 University Pkwy
Pensacola, Florida 32514
850-474-2213

Information stored at the repository includes various project documents. Additionally, a site-specific internet web site has been established at: <http://www.agricopensacola.com>. The web site contains general information and includes all Fact Sheets for the site as well as pertinent documents for the site.

Please respond in writing concerning any contemplated changes in existing or any proposed new regulatory requirements that may affect the existing institutional controls pertaining to the Agrico Site to Amy Mixon, AECOM, 1625 Summit Lake Drive, Suite 300, Tallahassee, Florida 32317, or send an e-mail to amy.mixon@aecom.com. Your assistance in this cooperative effort is greatly appreciated.

If you have any questions, please contact me at (850) 637-5018.

Sincerely,

A handwritten signature in blue ink that reads 'Amy R. Mixon'.

Amy R. Mixon, P.E.
Project Manager

ARM:lc

APPENDIX D

Stormwater Inspection Report

**Agrico Chemical Site
Pensacola, Florida**

ROUTINE FACILITY INSPECTION CHECKLIST AGRICO CHEMICAL SITE, PENSACOLA FLORIDA	SATISFACTORY	UNSATISFACTORY	DATE CORRECTED	INITIALED	REMARKS
GENERAL FACILITY AREA					
Gates and Locks Secured	✓			ARKM	
Perimeter Fencing	✓			ARKM	
Signage	✓			ARKM	
Roadway Conditions	✓			ARKM	
COVER SYSTEM					
Surface Water Runoff Controlled	✓			ARKM	
No Ponding Water On Cover	✓			ARKM	
No Sideslope or Top Erosion or Gulying	✓			ARKM	
Topsoil and Vegetation Intact	✓			ARKM	
Settlement/Cracking Inspection	✓			ARKM	
SURFACE WATER COLLECTION SYSTEM					
No Obstructions of Culverts or Inlets	✓			ARKM	
Inlet Sediment Controls Intact	✓			ARKM	
No Erosion of Drainage Ditches or Berms	✓			ARKM	
Detention Ponds Draining Adequately	✓			ARKM	
Side Slope Erosion of Detention Ponds	✓			ARKM	
Leaks, Structural Damage to Inlets, Culverts, or Pipes	✓			ARKM	

INSPECTION PERIOD:

Jan - June 2024

INSPECTED BY

Amy R. Mixon

NAME:

SIGNATURE:

Amy R. Mixon

DATE:

5/17/2024

OU-1 Bi-Annual Inspection Report

Agrico Chemical Site
Pensacola, Florida

ROUTINE FACILITY INSPECTION CHECKLIST AGRICO CHEMICAL SITE, PENSACOLA FLORIDA	SATISFACTORY	UNSATISFACTORY	DATE CORRECTED	INITIALED	REMARKS
GENERAL FACILITY AREA					
Gates and Locks Secured	✓				
Perimeter Fencing	✓				
Signage	✓				
Roadway Conditions	✓				
COVER SYSTEM					
Surface Water Runoff Controlled	✓				
No Ponding Water On Cover	✓				
No Sideslope or Top Erosion or Gullying	✓				
Topsoil and Vegetation Intact	✓				
Settlement/Cracking Inspection	✓				
SURFACE WATER COLLECTION SYSTEM					
No Obstructions of Culverts or Inlets		✓	12/02/24	dh	Some grass covered
Inlet Sediment Controls Intact		✓	12/02/24	dh	Inlet near storage has some erosion
No Erosion of Drainage Ditches or Berms	✓				
Detention Ponds Draining Adequately	✓				
Side Slope Erosion of Detention Ponds	✓				
Leaks, Structural Damage to Inlets, Culverts, or Pipes	✓				

INSPECTED BY: Deb Hulton
 SIGNATURE: Deb Hulton
 DATE INSPECTED: 12/02/24


FOLLOW-UP NOTES:

Spoke with First Choice about action items

APPENDIX E


Appendix E pH Trend in Surficial Zone

Agrico Site
Pensacola, FL




Appendix E Conductivity Trend in Surficial Zone

Agrico Site
Pensacola, FL




Appendix E Dissolved Oxygen Trend in Surficial Zone

**Agrico Site
Pensacola, FL**




Appendix E
Oxydation Reduction Potential Trend in Surficial Zone

Agrico Site
Pensacola, FL




Appendix E pH Trend in Main Producing Zone

Agrico Site
Pensacola, FL




Appendix E Conductivity Trend in Main Producing Zone

Agrico Site
Pensacola, FL



Appendix E Dissolved Oxygen Trend in Main Producing Zone

Agrico Site
Pensacola, FL



Appendix E Oxydation Reduction Potential Trend in Main Producing Zone

Agrico Site
Pensacola, FL

